ADA 068600 & ADA 956442

ANALYSIS OF BODY SIZE MEASUREMENTS FOR U.S. NAVY WOMEN'S CLOTHING AND PATTERN DESIGN



NAVY CLOTHING AND TEXTILE RESEARCH FACILITY
NATICK, MASSACHUSETTS

Approved for public release; distribution unlimited

TECHNICAL REPORT NO. 138

20030113152



SECURITY CLASSIFICATION OF THIS PAGE (When Data E	intered)	
REPORT DOCUMENTATION F	READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
138		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
ANALYSIS OF BODY SIZE MEASUREMENTS FOR U.S. NAVY WOMEN'S CLOTHING AND PATTERN DESIGN		Final Report
		6. PERFORMING ORG, REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
John T. McConville, PhD Ilse Tebbetts		N00140-77-C-6882
Thomas Churchill PERFORMING ORGANIZATION NAME AND ADDRESS Anthropology Research Project, Inc	•	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62758N; F661523;
503 Xenia Avenue		TF66152309
Yellow Springs, Ohio 45387		523-003-55
1. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Navy Clothing & Textile Research F	acility	March 1979
21 Strathmore Road		13. NUMBER OF PAGES
Natick, Mass. 01760		220
14. MONITORING AGENCY NAME & ADDRESS(it different	from Controlling Office)	15. SECURITY CLASS. (of this report)
Same as 11.		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distr	ibution unlimite	ed .

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

Same as 16.

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Anthropometry

Clothing designers

Body measurements

Women's anthropometric surveys

Key dimensions

Statistics

Sizing programs

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Data from major anthropometric surveys of U.S. Army and U.S. Air Force women are analyzed with a view toward establishing sizing programs for U.S. Navy women's clothing. Summary statistics, percentile and frequency tables, and measurement descriptions are presented for 49 variables related specifically to clothing design. A high degree of comparability was found between the two measured samples in most dimensions, although the Army women, measured in 1976-77, were found to be slightly taller and heavier

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (continued)

than the USAF subjects surveyed in 1968, and to have somewhat larger waists and smaller bust dimensions. (U)

Using the data from the two military women's surveys and key dimensions and sizing intervals specified by the Navy Clothing and Textile Research Facility, a sizing analysis was conducted. Several different approaches were tried, but the resulting sizing programs do not satisfactorily cover the measured samples and presumably would be similarly deficient for a U.S. Navy population. (U)

The authors recommend the selection of different key dimensions and sizing intervals suggested by the actual distribution of body size variability in the military women's samples. A limited-objective survey of U.S. Navy women is also recommended for purposes of resolving various noted discrepancies. (U)

ACKNOWLEDGEMENTS

This report was initiated by the Navy Clothing and Textile Research Facility at Natick, Massachusetts with Ms. Josephine Brucato, project leader, serving as contract monitor during its preparation.

We would like to acknowledge the talents of Ms. Kay Downing who was responsible for the illustrations and of Ms. Jane Reese whose typing and proofreading skills contributed substantially to the editorial preparation of this document. Thanks go also to Paul Kikta of the University of Dayton Research Institute who prepared the computer graphics appearing in Chapter III.

Edmund Churchill served as senior statistical consultant in the planning stages of this report.

Additional thanks are due Charles E. Clauser, of the Aerospace Medical Research Laboratory at Wright-Patterson Air Force Base, Ohio and Robert M. White of the U.S. Army Natick Research and Development Command, Natick, Massachusetts for use of the USAF and Army women's survey data which provided the basis for our analysis.

CONTENTS

Chapter		Page
I	Introduction	7
II	Summary Statistics	15
	Visual IndexSummary Statistics Descriptive LandmarksGlossary	68-70
III	Selected Bivariate Frequency Tables	75
IV	An Introduction to Anthropometric Sizing	102
V	Sizing Analysis for Navy Women's Clothing	107
VI	Summary and Conclusions	142
	References	146
APPENDIX A	Background Data for Army and AFW Subjects .	148
APPENDIX B	Explanation of Statistical Terms	157
APPENDIX C	Frequency Tables	161
APPENDIX D	Sizing Tables: U.S. Navy Specifications	211

LIST OF TABLES

Chapter	<u>Table</u>	<u>Title</u>	Page
I	1	Navy Variables	11
	2	Midpoint Values for Upper and Lower Body Sizing Categories	10
III	BIVA	RIATE FREQUENCY TABLES	
	1	Stature and Weight	77
	2	Hip Circumference and Weight	78
	3	Waist Circumference and Crotch Height.	79
	4	Bust Circumference and Neck-Bustpoint Length	80
	5	Bust Circumference and Hip Circumference	81
	6 .	Bust Circumference and Back Curvature at Bust	82
	7	Bust Circumference and Arm Scye Circumference	83
	8	Bust Circumference and Weight	84
	9	Bust Circumference and Neck Circum-ference	85
	10	Bust Circumference and Waist Front Length	86
	11	Bust Circumference and Waist Circumference	87
	12	Bust Circumference and Sleeve Inseam	88
	13	Bust Circumference and Vertical Trunk Circumference	89
	14	Bust Circumference and Bustpoint- Bustpoint Breadth	90
	15	Stature and Bust Circumference	91
	16	Neck-Bustpoint Length and Bustpoint-Bustpoint Breadth	92
	17	Crotch Height and Hip Breadth	93
	18	Crotch Height and Hip Circumference	94
	19	Crotch Length and Crotch Height	95
	20	Crotch Length and Waist Circumference.	96
	21	Crotch Length and Hip Circumference	97

LIST OF TABLES (continued)

Chapter	<u>Table</u>	<u>Title</u>	Page
III	22	Sleeve Inseam and Waist Circum-ference	98
	23	Upper Thigh Circumference and Hip Circumference	99
	24	Waist Circumference and Hip Circum- ference	100
	25	Vertical Trunk Circumference and Hip Circumference	101
V	1	Individuals Accommodated in Size SchemeUpper Torso	108
	2	Individuals Accommodated in Size SchemeLower Torso	109
	UPPER	TORSO SIZING PROGRAM	
	3	Junior Size 7	112
	4	Junior Size 9	113
	5	Misses Size 6	114
	6	Misses Size 8	115
	7	Misses Size 10	116
	8	Misses Size 12	117
	9	Misses Size 14	118
	10	Women's Size 34	119
	11	Women's Size 36	120
	12	Women's Size 38	121
	LOWER	TORSO SIZING PROGRAM	
	13	Junior Size 9	122
	14	Junior Size 11	123
	15	Junior Size 13	124
	16	Junior Size 15	125
	17	Misses Size 6	126
	18	Misses Size 8	127
	19	Misses Size 10	128
	20	Misses Size 12	129
	21	Misses Size 14	130

LIST OF TABLES (continued)

Chapter	<u>Table</u>	<u>Title</u>	Page
V	22	Misses Size 16	131
	23	Misses Size 18	132
	24	Women's Size 38	133
	25	Women's Size 40	134
	SIZIN	G PROGRAM BASED ON REGRESSION ESTIMATES	
	26	Upper Torso Junior	136
	27	Upper Torso Misses	137
	28	Upper Torso Women's	138
	29	Lower Torso Junior	139
	30	Lower Torso Misses	140
	31	Lower Torso Women's	141
Appendix			
A	1	Distribution of Samples by Age	149
	2a	Distribution of Sample by Military Occupation (Army)	150,151
	2b	Distribution of Sample by Occupational Category (AFW)	152
	3	Distribution of Samples by Rank and Grade	153
	4	Distribution of Sample by Birthplace	154
	5	Distribution of Samples by Race	155
	6	Distribution of Samples by Handedness.	155
0	7	Number of Subjects at Each Site	156
С	FREQU	ENCY TABLES FOR ALL VARIABLES	162-210
D	SIZIN	G TABLES: U.S. NAVY SPECIFICATIONS	
	1	Upper Torso Junior Sizes	212,213
	. 2	Upper Torso Misses Sizes	214,215
	3	Upper Torso Women's Sizes	216,217
	4	Lower Torso Junior Sizes	218
	5	Lower Torso Misses Sizes	219
	6	Lower Torso Women's Sizes	220

LIST OF FIGURES

Chapter	Figure		Page
I	1	Stature and weight of representative women's populations	8
IV	1	Areas under the normal curve	106
V	1	Upper torso size categories plotted on a bivariate frequency table for Bust Circumference and Neck-Bust-point Length	110
	2	Lower torso size categories plotted on a bivariate frequency table for Crotch Length and Waist Circumference	111 .
VI	1	Hypothetical 22-size lower torso size system with Hip Circumference and Crotch Height as key dimensions	144
Appendix			
В	1	The normal curve	158

CHAPTER I

Introduction

The research reported here is an analysis of existing anthropometric data for U. S. women aged 18-45 years, for purposes of garment and pattern sizing.


Anthropometric data for women are, on the whole, limited. The only nation-wide anthropometric study of U. S. women ever to be conducted for the purpose of garment and pattern construction was done in the late 1930's and, although the results have been reported (O'Brien and Shelton, 1941), the raw data are no longer available to us for further analysis. They would in any case, be highly suspect for the research is more than a generation out of date and was conducted on a sample of questionable representativeness.

Since that time, a limited number of dimensions were measured on a national probability sample of 6672 civilians during the 1960-1962 Health Examination Survey (HES) (Stoudt et al., 1965). The body size data obtained during this survey was restricted to stature and weight, some 10 workspace dimensions, three circumferences, two skinfolds and a single measure of body breadth. Even fewer dimensions were measured in 1971-1974 in the Health and Nutrition Examination Survey (HANES) (Abraham et al., 1976). These data are, therefore, of little use in this analysis.

In a recent study by the Federal Aviation Administration, 72 measurements were obtained on a sample of 423 airline stewardess trainees (Snow et al., 1975). This group of tall slender women is highly selected with regard to size, weight and proportion and the resulting data, therefore, are not particularly applicable to our purposes.

The anthropometric data which are probably most appropriate for this analysis are those obtained in the anthropometric surveys of Air Force women conducted in 1968 (Clauser et al.) and U. S. Army women conducted in 1977 (Churchill et al.). Both surveys used relatively sizeable samples (Air Force women, 1905 and Army women, 1331) and included a large number of measurements of body size variability (Air Force women 138, and Army women, 142). Indeed, a major impetus for the conduct of these surveys was the desire to develop an adequate base of body size information on the current military women's populations which would assist in the proper design of their clothing, personal-protective equipment and workspaces.

It is of some interest to see how closely these two women's samples correspond to one another in overall body size and how representative they are of the civilian population in general. Figure 1 is a series of bar graphs depicting the mean and range of body weight and stature from the first to the ninety-ninth percentiles for representative U. S. populations.



* Mean, 1st, and 99th percentiles indicated with vertical line for each group.

Figure 1. Stature and weight of representative U. S. women's populations.*

It will be noted that the two military samples are quite similar in overall body size and that both military surveys correspond well with the civilian distribution except that the range for civilian women includes subjects weighing in excess of 190 pounds. Few, if any, military women are found in such high weight categories. It appears, therefore, that the anthropometric data from these two military surveys are the best available data base for the sizing analysis to be undertaken here.

The Samples

The sample populations whose dimensions form the basis of the analyses in this report were both surveyed in the last decade. In 1968 a total of 1905 women of the Air Force (AFW) were measured at five different air bases. In 1976-77, 1331

Army women, stationed at four Army bases, were measured. Study of the socio-military background data for both samples reveals that they are strikingly similar except in the matter of racial composition.

The median age of both samples is 23. Approximately 95% of all the subjects fall between the ages of 18 and 35 with by far the largest number to be found below age 27.

The Army sample is composed of about 26% officers and 74% enlisted personnel; the AFW population contained 29% officers and 71% enlisted women. In both cases the great majority of subjects came from the lowest three enlisted ranks and the lowest three officer grades.

Medical personnel make up the largest proportion of both Army and AFW samples. Two-thirds of the officers in the Army sample and 84% of the AFW officers' samples were nurses. Some 35% of the enlisted personnel in the Army and 52% of the AFW enlisted women were in medical, dental or health related occupations. It is difficult to make additional comparisons between the groups because the occupations are listed by specific job in the Army survey (i.e. clerk, cook, truck driver) and by general category in the AFW report (i.e. administrative personnel, supply). Probably the somewhat more heterogeneous distribution in the Army sample reflects the gradual expansion of job opportunities open to women in the armed services with each passing year.

The earlier AFW sample is 91% White and 8% Black while the Army sample is 75% White and 23% Black. The more heterogeneous racial compositon of the more recent sample probably reflects the improved climate and increased opportunities for Blacks in the past decade and, in this regard, the Army sample may well be more representative of the current Navy population than the older AFW sample.

The preponderance of subjects in both samples (65-70%) come from the Eastern United States with the largest concentration from the mid-Atlantic, South Atlantic and East North Central states. In both cases, the sample populations closely mirrored the distribution of the U. S. population as a whole.

There is great similarity in handedness in the subject populations. The Army women are 88% right-handed, 8% left-handed and 4% ambidextrous. The Air Force women are 88% right-handed, 9% left-handed and 3% ambidextrous.

Tables detailing the distributions of both samples in age, rank, military occupation, race, birthplace, handedness and measuring sites appear in Appendix A.

Selection of Measurements

While the human body in its innumerable irregularities provides any number of surfaces and points which can be usefully measured—and at least 350 different dimensions have been measured in major military and civilian surveys—the selection of measurements in this report is limited to those which have been found to be of most use in developing sizing programs for clothing worn on the torso. The 49 variables analyzed here were selected in large part by Navy clothing designers and supplemented by several additions recommended by the authors. (See Table 1.)

Since circumferential measurements of the body bear little relationship to vertical measurements, any practical sizing system should be based on at least a pair of measurements which can take into account that women with bust circumferences of 44 inches, for example, are not necessarily taller than those with 32-inch busts. Two sets of sizing charts are provided in this report--one for garments worn above the waist and one for garments worn below the waist. The control measurements for sizing shirts and jackets requested by the Navy clothing designers were combinations of bust circumference and neck to bustpoint length and bustpoint to bustpoint breadth and, for the lower body, waist circumference with crotch length. The midpoint value for these control dimensions for the size categories of interest are shown in Table 2 below. These values are similar to those given in NBS Voluntary Product Standard PS42-70, "Body Measurements for the Sizing of Women's Patterns and Apparel" - Sept. 1971.

TABLE 2
MIDPOINT VALUES FOR UPPER AND LOWER
BODY SIZING CATEGORIES

UPPER TORSO	Junior Size Bust Circumference Neck to Bustpoint Lgth Bustpoint to Bustpoint Br	30 7 ³ / ₄ 6 ³ / ₆	5 31 8 65%	7 32 8 ¹ / ₄ 6 ⁷ / ₈	9 33 8 ¹ / ₂ 7 ¹ / ₈			
	Misses Size Bust Circumference Neck to Bustpoint Lgth Bustpoint to Bustpoint Br	$\frac{6}{31\frac{1}{2}}$ $\frac{8\frac{1}{2}}{6\frac{3}{4}}$	8 32 ¹ / ₂ 8 ³ / ₄ 7	10 33½ 9 7¼	12 35 9 ³ / ₂ 7 ¹ / ₂	14 36 ½ 9 ¾ 7 ¾		
	Women's Size Bust Circumference Neck to Bustpoint Lgth Bustpoint to Bustpoint Br	34 38 105/8	36 40 11½, 8½,	38 42 11 ⁵ / ₈ 8 ¹ / ₂	40 44 12½ 8¾			
LOWER TORSO	Junior Size Waist Circumference Crotch Length	$\frac{3}{20}$ $23\frac{1}{2}$	5 21 241/4	7 22 25	9 23 25¾	$\frac{11}{24}^{1/2}_{1/2}$ $26^{1/2}$	13 26 271/4	15 27½ 28
	Misses Size Waist Circumference Crotch Length	$\frac{6}{22\frac{1}{2}}$ $26\frac{3}{8}$	8 23 ¹ / ₂ 27 ¹ / ₆	10 24 ¹ / ₂ 27 ¹ / ₆	12 26 285/4	14 27½ 29¾	16 29 301/0	18 31 30%
	Women's Size Waist Circumference Crotch Length	38 34 321/0	$\frac{40}{36\frac{1}{2}}$	42 39 335/8	44 41½ 34	46 44 34 ³ / ₈	48 46 ¹ / ₂ 34 ³ / ₄	

TABLE 1 NAVY VARIABLES

	Variable	Army	A.F.	Тор	Bottom
1.	Ankle circumference	Х	X		X
2.	Arm scye circumference	Х	X	Х	
3.	Axilla to waist	X		Х	
4.	Back curvature at bust	X	X	Х	
5.	Back curvature at hip	X			X
6.	Back curvature at waist	X		X	X
7.	Biacromial (shoulder) breadth	X	X	Х	
8.	Biceps circumference, relaxed	X	X	Х	
9.	Bust circumference	X	X	X	
10.	Bustpoint to bustpoint breadth		X	Х	
11.	Buttock circumference, sitting	X	X	Х	X
12.	Calf circumference	X	X		Х
13.	Cervicale height	X	X	X	
14.	Chest breadth	X	X	X	
15.	Chest circumference at scye	X	X	X	
16.	Crotch height	X	X		X
17.	Crotch length	X			X
18.	Elbow circumference, flexed	X	Х	X	
19.	Front curvature at bust	Calc	ulate	X	
20.	Front curvature at hip	Calc	. *		X
21.	Front curvature at waist	Calc	• *	X	X
22.	Hip breadth	Х	X	X	X
23.	Hip circumference	X	X**		X
24.	Interscye curvature		X	X	
25.	Knee circumference	X	X		X
26.	Knee (tibiale) height	X	X		X
27.	Midscye, back	X		X	
28.	Midscye, front	X		X	
29.	Neck to bustpoint	X	X	X	

11

^{*} These can only be calculated from Army data since the A.F. did not measure back curvatures at these levels.
** Use A.F. data for hip circumference 9" below waist (or 7" below waist in the few cases where this represents the larger measurement).

TABLE 1 (continued)

NAVY VARIABLES

Variable		Army	A.F.	Top	Bottom
30. Neck circ	cumference	х	х	Х	
31. Shoulder	(bideltoid) breadth	х	Х	X	
32. Shoulder	circumference	X	Х	Х	
33. Shoulder	length	Х	X	X	
34. Sleeve in	nseam	Х	X	X	
35. Spine to	elbow length		X	X	
36. Spine to	scye length		X	X	
37. Spine to	wrist length		X	X	
38. Stature		Х	X	X	X
39. Strap len	igth		X	X	
40. Upper thi	gh circumference	X	X		X
41. Vertical sitting	trunk circumference,	х	X	Х	
42. Vertical standing	trunk circumference,	x	x	X	
43. Waist bac	k length	X	X	Х	
44. Waist bre	adth	X	X	X	X
45. Waist cir	cumference	X	X		X
46. Waist fro	nt length	X	X	X	
47. Waist hei	ght	X	Х		X
48. Weight		X	X	X	X
49. Wrist cir	cumference	X	X	X	

Measuring Techniques and Equipment

Although the Army and AFW surveys were made almost a decade apart, anthropometric techniques are sufficiently standardized so as to produce largely comparable results. careful review of the descriptions of the measurements of each variable reveals only a few cases in which differences in measuring procedure should be the significant factor in differing results. Neck landmarks, for example, were marked around the perimeter of a tape placed around the neck on a plane perpendicular to the long axis of the neck in the AFW survey whereas in the Army survey the encircling tape was placed in such a way that its plane was not perpendicular to the long axis of the neck. While this seems not to have markedly affected the outcomes of measurements involving the neck landmarks, what differences do exist between the Army and AFW samples could well be attributed to the variation in measuring techniques.

The traditional series of body postures which subjects are instructed to assume for anthropometric measurements was used in both surveys. When the subject is measured in a standing position, she is asked to distribute her weight evenly on both feet and stand with her heels close together. The legs and trunk are held straight without stiffness and the arms hang straight but loosely at the sides with palms turned inward but not touching the body. The head is positioned in the so-called Frankfort plane--eyes straight ahead with the line of vision parallel to the plane of the floor. The standing position, in short, approximates the body posture in the position of military attention but without the stiffness and exaggerated bracing of the shoulders.

For measurements in the seated position, subjects are seated on a hard flat surface. An adjustable footstool is used so that the lower legs are maintained at a 90-degree angle to the long axis of the thighs. The thighs are held sufficiently apart so their long axes are parallel. The trunk is held erect with the head in the Frankfort plane. The upper arms hang relaxed at the sides with the lower arms flexed at the elbows at a 90-degree angle with the upper arms. The hands are held straight out maintaining a continuous line with the long axis of the lower arms.

The measuring equipment used in both surveys for the 49 variables used in this report included only the standard anthropometer and a steel tape. The anthropometer, whole and in its two parts, is the basic tool of the anthropometrist and is used to measure all heights. The detached upper half forms a beam caliper used to measure breadths, depths and segment lengths. Slightly different steel tapes for measuring circumferences were used in both surveys but there is no indication that the different brands caused any differences in

measurement. Weight was determined by a physician's balance scale.

CHAPTER II

Summary Statistics


Presented in this chapter are the basic statistics for 49 variables measured in the AFW and/or Army surveys and selected for their relevance to sizing programs for Navy women's clothing. The chapter begins with a visual index which enables the reader to identify and find the specific measurement or measurements required for a particular pattern.


On the following pages each dimension is described and illustrated. In all cases the subjects assumed the standard-ized postures described in the previous chapter with variations indicated. All bilateral dimensions were measured on the right side unless otherwise indicated. Also indicated in the measurement descriptions are any meaningful variations between Army and AFW measuring procedures.


Results of the measurements from each survey appear in the form of summary statistics and percentile tables. Appendix B contains a brief explanation of the statistical terms and their significance for readers who are not familiar with them.

Of most practical use to Navy clothing designers may be adjusted composite values which appear in the lower left corners. These values result from combining the Army and AFW samples in all cases where review of the data for a given variable indicates that such composites are valid. Dimensions for which measurement results are not comparable are discussed in Chapter VI.

Concluding Chapter II are definitions of the landmarks used in measuring the subjects (with deviations between Army and AFW surveys noted) and a glossary of anthropometric terms relevant to the variables used in this report.











VISUAL INDEX

- 2. Arm scye circumference
- 3. Axilla to waist
- 5. Back curvature at hip
- 6. Back curvature at waist
- 7. Biacromial (shoulder) breadth
- 10. Bustpoint to bustpoint breadth
- 11. Buttock circumference (sitting)
- 12. Calf circumference
- 13. Cervicale height
- 14. Chest breadth
- 15. Chest circumference at scye
- 16. Crotch height
- 22. Hip breadth
- 24. Interscye curvature
- 29. Neck to bustpoint
- 31. Shoulder (bideltoid) breadth
- 39. Strap length
- 40. Upper thigh circumference
- 44. Waist breadth
- 45. Waist circumference













VISUAL INDEX (continued)


- 4. Back curvature at bust
- 8. Biceps circumference, relaxed
- 9. Bust circumference
- 19. Front curvature at bust
- 20. Front curvature at hip
- 21. Front curvature at waist
- 23. Hip circumference
- 25. Knee circumference
- 27. Midscye, back
- 28. Midscye, front
- 30. Neck circumference
- 32. Shoulder circumference
- 33. Shoulder length
- 34. Sleeve inseam
- 42. Vertical trunk circumference, standing
- 47. Waist height
- 49. Wrist circumference












VISUAL INDEX (continued)

- 1. Ankle circumference
- 17. Crotch length
- 18. Elbow circumference, flexed
- 26. Knee (tibiale) height
- 35. Spine to elbow length
- 36. Spine to scye length
- 37. Spine to wrist length
- 38. Stature
- 41. Vertical trunk circumference, sitting
- 43. Waist back length
- 46. Waist front length






Landmark: Ankle


Instrument: Tape

<u>Position:</u> Subject stands erect with weight distributed equally on both feet.

Procedure: With a tape held in a plane perpendicular to the long axis of the lower leg, measure the circumference of the leg at the level of the ankle landmark.

THE SUMMARY STATE	STICS	THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		9.35	99TH	9.60
NO. OF SUBJECTS	1331	9.21	98TH	9.43
		9.12	97TH	9.33
MEAN	8.16 INCHES	9.00	95TH	9.19
ST. DEV.	•49 INCHES	8.80	90TH	8.98
COEF. OF VAR.	6.0%	8.68	85TH	8.84
SYMMETRY	.11	8.58	80TH	8.73
KURTOSIS	2.99	8.49	75TH	8.64
		8.41	70TH	8.56
AFW		8.34	65TH	8.49
		8.28	60TH	8.42
NO. OF SUBJECTS	1905	8.21	55TH	8.35
		8.15	5 8 TH	8.28
MEAN	8.30 INCHES		45TH	
ST. DEV.	.51 INCHES	8.03	40TH	8.15
COEF. OF VAR.	6.1%	7.96	35TH	8.09
SYMMERTY	•26	7.90	30TH	8.02
KURTOSIS	2.95	7.82	25TH	7.94
		7.74	20TH	7.86
		7.65	15TH	7.77
! ADJUSTED COMP	OSITE VALUE !	7.54	10TH	7.66
1	1	7.37	5TH	7.50
! MEAN 8.2		7.26	3TH	7.40
! ST. DEV. 0.5	0 1	7.18	2ND	7.33
		7.05	1 ST	7.22






Landmark: Shoulder (acromiale)

Instrument: Tape

Position: Subject stands with shoulder relaxed and her arm abducted sufficiently to allow placement of a tape into the axilla (armpit).

Procedure: With a tape passing through the axilla and over the acromial landmark, measure the circumference of the scye. The axillary tissue is not compressed.

THE SUMMARY STATISTICS		THE	PERCENTIL	.ES
		ARMY		AFW
ARMY		INCHES		INCHES
		17.39	99TH	16.95
NO. OF SUBJECTS 1331		16.96	98TH	16.64
		16.72	97TH	16.44
MEAN 14.77	INCHES	16.41	95TH	16.17
ST. DEV95	INCHES	15.98	90 TH	15.78
COEF. OF VAR. 6.4%		15.71	85TH	15.52
SYMMETRY .55		15.51	80TH	15.33
KURTOSIS 4.20		15.34	75TH	15.16
		15.20	70TH	15.02
AFW		15.06	65TH	14.89
		14.94	60TH	14.77
NO. OF SUBJECTS 1905		14.83	55TH	14.65
		14.71	5 0 TH	14.54
MEAN 14.61	INCHES	14.60	45TH	14.43
ST. DEV90	INCHES	14.49	40TH	14.32
COEF. OF VAR. 6.2%		14.37	35TH	14.22
SYMMERTY .42		14.25	30TH	14.10
KURTOSIS 3.64		14.12	25TH	13.98
		13.98	20TH	13.85
		13.81	15TH	13.78
! ADJUSTED COMPOSITE	VALUE !	13.61	10TH	13.51
!	1	13.31	5TH	13.24
! MEAN 14.69	•	13.13	3TH	13.06
! ST. DEV. 0.93	1	13.00	2ND	12.92
		12.81	1ST	12.70



3. AXILLA TO WAIST (Army only)

Landmarks: Axilla (armpit) and


waist

Instrument: Tape

<u>Position</u>: Subject stands erect with arms slightly abducted.

Procedure: With a tape, measure the surface distance along the midaxillary line from the axilla to the waist.

THE SUMMARY STATISTICS		PERCENTILES
	ARMY	AFW
ARMY	INCHES	INCHES
	12.06	99TH
NO. OF.SUBJECTS 1331	11.52	98TH
	11.22	97TH
MEAN 9.09	INCHES 10.85	95TH
ST. DEV99	INCHES 10.35	90TH
COEF. OF VAR. 10.9%	10.05	85TH
SYMMETRY .60	9.84	80TH
KURTOSIS 3.88	9.66	75TH
	9.51	70TH
	9.37	65TH
	9.25	60TH
	9.13	55 TH
	9.02	50TH
	8.90	45TH
	8.79	40TH
	8.67	35TH
	8.55	30TH
	8.42	25TH
	8.28	20TH
	8.11	15TH
	7.91	10TH
	7.61	5TH
	7.43	3TH
	7.30	2TH
	7.12	1TH



THE SUMMARY STATISTICS

4. BACK CURVATURE AT BUST

Landmark: Midaxillary line and

bustpoint


Instrument: Tape

Position: Subject stands erect with arms slightly abducted (Army) or with hands on hips (AFW).

Procedure: With a tape, measure
the surface distance across the back between the midaxillary landmarks at the level of the bustpoint landmarks.

THE PERCENTILES

THE SOUMAKI STATE	21102		IHE	PERCENTI	. L こ ろ
			ARMY		AFW
ARMY			INCHES		
				99TH	
NO. OF SUBJECTS	1331		19.36	98TH	19.36
			19.04	97 TH	19.09
MEAN	16.52	INCHES	18.64	95TH	18.73
ST. DEV.			18.09	90TH	18.18
COEF. OF VAR.	7.6%		17.75	85TH	17.83
SYMMETRY	•57		17.50	80TH	17.55
KURTOSIS	4.78		17.28	75TH	17.33
			17.10	70TH	17.13
AFW			16.93	65TH	16.95
			16.77	60TH	16.79
NO. OF SUBJECTS	1905		16.62	55TH	16.63
			16.47	50TH	16.48
		INCHES		45TH	16.34
ST. DEV.		INCHES	16.18	40TH	16.20
COEF. OF VAR.			16.02	35TH	16.05
SYMMERTY			15.86	30TH	15.91
KURTOSIS	3.28		15.69	25TH	15.75
			15.49	2 0 TH	15.58
			- 15.27	15TH	15.39
! ADJUSTED COMP	OSITE	VALUE	! 14.99	10TH	15.15
!			! 14.58	5TH	14.79
! MEAN 16.	56		1 4.33	3TH	14.56
! ST. DEV. 1.	23		! 14.16	2ND	14.38
			- 13.90	1 ST	14.07



5. BACK CURVATURE AT HIP (Army only)

Landmarks: Midaxillary line and


buttock

Instrument: Tape

Position: Subject stands erect with arms slightly abducted.

Procedure: With a tape, measure the surface distance across the back between the midaxillary landmarks at the level of the maximum protrusion of the buttocks.

THE SUMMARY STATISTICS		THE F	PERCENTILE	S
		ARMY		AFW
ARMY		INCHES		INCHES
		22.58	99TH	
NO. OF.SUBJECTS 1331		22.02	98TH	
		21.69	97TH	
		21.24	95TH	
		20.60	90TH	
COEF. OF VAR. 7.9%	· ·	20.19	85TH	
SYMMETRY .47		19.88	80TH	
KURTOSIS 4.26		19.61	75T H	
		19.38	70TH	
		19.18	65TH	
		18.98	60TH	
		18.80	55TH	
		18.62	50TH	
		18.45	45TH	
		18.27	40TH	
		18.10	35TH	
		17.91	30TH	
		17.71	25TH	
		17.49	20TH	
		17.24	15TH	
		16.93	10TH	
		16.47	5TH	
		16.16	3TH	
		15.94	2TH	
		15.58	1TH	



6. BACK CURVATURE AT WAIST (Army only)

Landmarks: Waist and midaxillary

line


Instrument: Tape

<u>Position</u>: Subject stands erect with arms slightly abducted.

<u>Procedure</u>: With a tape, measure the surface distance across the back between the midaxillary line at the level of the waist

landmark.

THE SUMMARY STAT	ISTICS		THE 1	PERCENTIL	ES
	÷		ARMY		AFW
ARMY			INCHES		INCHES
			18.24	99TH	
NO. OF.SUBJECTS	1331		17.42	98TH	
			16.96	97 T H	•
MEAN	13.90	INCHES	16.39	95TH	
ST. DEV.	1.37	INCHES	15.63	90TH	
COEF. OF VAR.	9.9%		15.18	85 TH	
SYMMETRY	1.26		14.86	8 0 TH	
KURTOSIS	6.84		14.61	75TH	
			14.39	70TH	
			14.20	65TH	
			14.03	60TH	
			13.87	55TH	
			13.72		
			13.57		
			13.43	40TH	
			13.29	35TH	
			13.14	30TH	
			12.98	25TH	
			12.81	2 0 TH	
			12.62	15TH	
			12.38	10TH	
			12.04	5TH	
			11.83	3TH	
			11.68	2TH	
			11.45	1TH	



7. BIACROMIAL (SHOULDER) BREADTH

Landmark: Shoulder (acromiale)

Instrument: Beam caliper

Position: Subject sits erect, looking straight ahead, upper arms hanging relaxed, forearms and hands extended forward horizontally.

Procedure: With a beam caliper, measure the distance between the acromial landmarks.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		15.60	99TH	15.67
NO. OF SUBJECTS 255		15.38	98TH	15.48
		15.26	97TH	15.36
MEAN 14.06	INCHES	15.09	95TH	15.19
ST. DEV63	INCHES	14.86	9 0 TH	14.94
COEF. OF VAR. 4.5%		14.71	85TH	14.77
SYMMETRY08		14.59	80TH	14.64
KURTOSIS 2.97		14.49	75TH	14.53
		14.40	70TH	14.43
AFW		14.31	65TH	14.34
		14.23	60TH	14.26
NO. OF SUBJECTS 1905		14.15	55TH	14.18
		14.07	5 0 TH	14.10
MEAN 14.11	INCHES	13.99	45 TH	14.02
ST. DEV65	INCHES	13.90	40 T H	13.94
COEF. OF VAR. 4.6%		13.82	35TH	13.86
SYMMERTY .09		13.73	30TH	13.77
KURTOSIS 3.19		13.63	25TH	13.68
		13.52	20TH	13.58
		13.39	15TH	13.46
! ADJUSTED COMPOSITE	VALUE !	13.23	10TH	13.30
!	•	13.01	5TH	13.06
! MEAN 14.08	!	12.88	3TH	12.90
! ST. DEV. 0.64	1	12.79	2ND	12.78
		12.68	1ST	12.57



8. BICEPS CIRCUMFERENCE, RELAXED

Landmark: Biceps


Instrument: Tape

<u>Position:</u> Subject stands with arm slightly abducted.

Procedure: With a tape held in a plane perpendicular to the long axis of the upper arm, measure the circumference of the arm at the level of the biceps landmark.

THE SUMMARY STATISTICS	THE	PERCENTI	LES
	ARMY		AFW
ARMY	INCHES		INCHES
	13.18	99TH	12.52
NO. OF SUBJECTS 255	12.85	98TH	12.17
	12.31	97TH	11.96
MEAN 10.19 INCHES	11.92	95TH	11.67
ST. DEV. 1.01 INCHES	11.34	90TH	11.26
COEF. OF VAR. 9.9%	11.10	8 5 TH	10.99
SYMMETRY .43	10.93	80 TH	10.79
KURTOSIS 3.57	10.77	75TH	10.62
	10.66	70TH	10.48
AFW	10.55	65TH	10.35
	10.42	60TH	10.22
NO. OF SUBJECTS 1905	10.28	55TH	10.11
	10.19	50TH	10.00
MEAN 10.08 INCHES	10.10	45TH	9.89
ST. DEV90 INCHES	10.00	40TH	9.78
COEF. OF VAR. 8.9%	9.85	35TH	9.68
SYMMERTY •62	9.66	30TH	9.57
KURTOSIS 4.03	9.49	25TH	9.45
	9.32	20TH	9.32
	9.15	15TH	9.18
! ADJUSTED COMPOSITE VALUE !	8.82	10TH	9.00
1		5TH	
! MEAN 10.13 !		3TH	
! ST. DEV. 0.95		2ND	
	8.28	1 ST	8.29






Landmark: Bustpoint

Instrument: Tape

Position: Subject stands erect, looking straight ahead, heels together, and weight distributed equally on both feet. The arms are abducted sufficiently to allow clearance of a tape between the arms and trunk.

Procedure: With a tape held in the horizontal plane and passing over the bustpoints, measure the circumference of the trunk. The reading is made at the point of maximum quiet inspiration.

THE SUMMARY STA	ATISTICS		THE	PERCENTI	LES
			A RM Y		AFW
ARMY			INCHES		INCHES
			41.67	9 9 TH	41.96
NO. OF SUBJECT	S 1331		40.47	98TH	40.91
			39.80	97TH	40.28
MEAN					
ST. DEV.	2.53	INCHES	37.86	90TH	38.29
COEF. OF VAR.			37.18	85TH	37.57
SYMMETRY KURTOSIS	• 66		36.68	80TH	37.04
KURTOSIS	4.73		36.25	75TH	36.60
			35.88	70 TH	36∙22
AFW			35.54 35.21	65TH	35.89
			35.21	60TH	35.59
NO. OF SUBJECT	S 1905		34.90	55TH	35.30
			34.60	50TH	35.04
MEAN	35.33	INCHES	34.29	45TH	34.78
ST. DEV.	2.24	INCHES	33.98	40TH	34.52
COEF. OF VAR.	6.3%		33.66	35TH	34.27
SYMMERTY			33.33	30TH	34.01
KURTOSIS	3 • 87		32.96	25TH	33.74
			32.56	20TH	33.45
			32.11	15TH	33.12
! ADJUSTED CO	MPOSITE	VALUE !	31.57	10TH	32.72
!	• •	!	30.85	5TH	32.13
! MEAN 35	.03	İ	30.46	3TH	31.75
! ST. DEV. 2	. 40	1		2ND	
			30.01	1ST	30.99



10. BUSTPOINT TO BUSTPOINT BREADTH (AFW only)

Landmark: Bustpoint


Instrument: Beam caliper

<u>Position</u>: The subject stands erect looking straight ahead.

<u>Procedure:</u> With a beam caliper, measure the horizontal distance between the bustpoint landmarks.

THE SUMMARY STATE	ISTICS	THE	PERCENTI	LES
		ARMY		AFW
		INCHES		INCHES
		• • • • • • • • • • • • • • • • • • • •	99TH	8.87
			98TH	8.65
			97TH	8.51
			95TH	8.34
•			90TH	8.08
•			85TH	7.91
			80TH	7.78
		•	75 TH	7.68
			70TH	7.58
AFW		•	65TH	7.50
71 7			60TH	7.42
NO. OF SUBJECTS	1905		55TH	7.34
NO. OF SUBJECTS	1909			
MEAN	7 70 THOUSE		50TH	7.27
MEAN	7.30 INCHES		45TH	7.20
ST. DEV.	•61 INCHES		40TH	7.12
COEF. OF VAR.	8.4%		35TH	7.05
SYMMERTY	• 21		30TH	6.97
KURTOSIS	3.41		25TH	6.88
			2 0 T H	6.79
			15 T H	6.6 8
			10TH	6.54
		,	5TH	6.32
			3RD	6.19
			2ND	6.08
			1ST	5.91

11. BUTTOCK CIRCUMFERENCE, SITTING



Landmarks: None


Instrument: Tape

<u>Position</u>: Subject sits erect on a flat surface, looking straight ahead, thighs parallel, upper arms hanging relaxed, forearms and hands extended forward horizontally (Army) or arms folded across chest (AFW).

Procedure: Drawing a tape as far forward as freely possible under the subject's buttocks and bringing it upward and diagonally across her lap at the level of the thigh-trunk intersection, measure the circumference of the buttocks.

THE SUMMARY STATISTICS	TH	E PERCENTILES
	ARMY	
ARMY	INCHE	
	45.64	99TH 46.47
NO. OF SUBJECTS 255	44.62	98TH 45.22
		97TH 44.50
MEAN 38.62		
ST. DEV. 2.69		90TH 42.41
COEF. OF VAR. 7.0% SYMMETRY .45	41.35	85TH 41.69
SYMMETRY .45	40.79	80TH 41.16
KURTOSIS 3.48	40.31	75TH 40.73
		70TH 40.36
AFW	39.51	65TH 40.03
		60TH 39.73
NO. OF SUBJECTS 1905	38.80	55TH 39.44
		50TH 39.17
	INCHES 38.13	
ST. DEV. 2.40		
COEF. OF VAR. 6.1%		35TH 38.35
SYMMERTY .62	37.10	30TH 38.06
KURTOSIS 3.98	36.72	25TH 37.75
	36.31	20TH 37.40
	35.84	15TH 37.01
! ADJUSTED COMPOSITE		
! ! MEAN 39.00		5TH 35.77
! MEAN 39.00		3TH 3 5.29
! ST. DEV. 2.50	! 33.84	2ND 34.94
	33.50	1ST 34.41

12. CALF CIRCUMFERENCE



THE SUMMARY STATISTICS

Landmark: Calf


Instrument: Tape


<u>Position</u>: Subject stands erect, heels approximately 10 centimeters apart, and weight distributed equally on both feet.

Procedure: With a tape held in a plane perpendicular to the long axis of the lower leg, measure the circumference of the calf at the level of the calf landmark.

THE PERCENTILES

THE SUMMER S	IMITALICA		ITIC	PERCENTI	. L L G
			ARMY		AFW
ARMY			INCHES		INCHES
			16.26	9 9 TH	15.62
NO. OF SUBJE	CTS 1331		15.92	98TH	15.34
			15.71	97TH	15.17
MEAN	13.82	INCHES	15.45	95TH	14.94
ST. DEV.	• 99	INCHES	15.07	90TH	14.59
COEF. OF VAR	. 7.2%		14.82	85TH	14.36
SYMMETRY	.23			80TH	
KURTOSIS	3.44		14.46	75TH	14.02
				70 TH	
AFW			14.18	6 5 TH	13.76
			14.05	60TH	13.64
NO. OF SUBJE	CTS 1905		13.92	55TH	13.53
			13.80		
MEAN	13.44	INCHES	13.67	45TH	13.30
ST. DEV.			13.55	40TH	13.19
COEF. OF VAR			13.42	35TH	13.08
SYMMERTY			13.28	30TH	12.96
KURTOSIS	3.28		13.13		
				20TH	
			12.78		
	COMPOSITE	VALUE !	12.54		
!	3.2 6.2	•		5TH	
! MEAN	13.63	•		3TH	
! ST. DEV.	0.94	!		2ND	
			11.72	1ST	11.57





Landmark: Cervicale


Instrument: Anthropometer

Position: Subject stands erect, looking straight ahead, heels together and weight distributed equally on both feet.

<u>Procedure</u>: With an anthropometer, measure the vertical distance from the standing surface to the cervical landmark.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		61.75	9 9 TH	60.02
NO. OF SUBJECTS 255		60.44	98TH	59.37
		59.76	97TH	58.97
MEAN 55.23	INCHES	58.97	9 5 TH	58.43
ST. DEV. 2.37	INCHES	58.00	9 0 TH	57.61
COEF. OF VAR. 4.3%		57.45	8 5 TH	57.06
SYMMETRY .18		57.05	80TH	56.63
KURTOSIS 3.35		56.71	75TH	56.25
		56.41	70TH	55.92
AFW		56.13	65TH	55.61
		55.86	68TH	55.31
NO. OF SUBJECTS 1905		55.59	55TH	55.03
		55.32	50TH	54.75
MEAN 54.80		55.04	45 TH	54.47
ST. DEV. 2.17	INCHES	54.74	40TH	54.19
COEF. OF VAR. 4.0%		54.43	35TH	53.89
SYMMERTY .14		54.08	30TH	53.59
KURTOSIS 2.78		53.70	25TH	53.26
		53.26	20TH	52.90
		52.74	15TH	52.49
! ADJUSTED COMPOSITE	VALUE !	52.08	10TH	51.99
!	1	51.17	5TH	
! MEAN 55.01	•	50.65	3TH	50.89
! ST. DEV. 2.25	•	50.33	2ND	50.62
		49.98	151	50.24

14. CHEST BREADTH




Landmark: Bustpoint

Instrument: Beam caliper

<u>Position</u>: Subject stands erect, looking straight ahead, with heels together and arms slightly abducted.

<u>Procedure</u>: With a beam caliper, measure the horizontal distance across the torso at the level of the bustpoint landmarks.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		13.07	99TH	
NO. OF SUBJECTS 1331		12.77		
		12.59		
MEAN 11.12		12.37		
ST. DEV73	INCHES		90 TH	
COEF. OF VAR. 6.6%		11.85	8 5 TH	11.79
SYMMETRY .65		11.70	80TH	
KURTOSIS 5.19		11.57	75 TH	
		11.46	70 TH	11.36
AFW		11.36	65TH	
		11.26	60TH	11.15
NO. OF SUBJECTS 1905		11.17	55TH	11.05
		11.08	50TH	10.96
MEAN 11.02	INCHES	10.99	45 TH	10.86
ST. DEV75	INCHES	10.90	40TH	10.77
COEF. OF VAR. 6.8%		10.81	35TH	10.68
SYMMERTY .47		10.72	30TH	10.59
KURTOSIS 3.39		10.62	25TH	10.49
		10.50	20TH	10.38
		10.37	15TH	10.25
! ADJUSTED COMPOSITE	VALUE !	10.21	10TH	10.10
! ! MEAN 11.07	!	9.99	5TH	9.87
• • • • • •	!	9.86	3TH	9.73
! ST. DEV. 0.74	!	9.77	2ND	9.62
		9.64	1ST	9.45



15. CHEST CIRCUMFERENCE AT SCYE

Landmark: Scye


Instrument: Tape

Position: Subject stands erect, looking straight ahead, heels together, weight distributed equally on both feet, shoulders relaxed, and arms abducted sufficiently to allow passage of a tape between arms and trunk.

Procedure: With a tape, measure the circumference of the trunk at the level of the horizontal scye landmark. The reading is made at the point of maximum quiet inspiration.

	THE	THE PERCENTILES	
	ARMY		AFW
	INCHES		INCHES
	39.15	99TH	38.88
	38.28	98TH	37.95
	37.77	97 TH	37.40
INCHES	37.14	95TH	36.70
	36.25	90 TH	35.72
	35.70	85TH	35.11
	35.28	80TH	34.67
	34.93	75TH	34.30
	34.62	70TH	33.98
	34.34	65TH	33.70
	34.08	60TH	33.44
	33.82	55TH	33.20
	33.58	50TH	32.97
INCHES	33.33	45TH	32.74
	33.08	40TH	32.51
			32.29
	32.56	30TH	32.06
			31.81
	31.95	20 TH	31.54
	31.59	15TH	31.23
VALUE !			
•	30.53	5TH	30.30
!			29.68
	29.61	1ST	29.26
	INCHES INCHES INCHES INCHES	ARMY INCHES 39.15 38.28 37.77 INCHES 36.25 35.70 35.28 34.93 34.62 34.34 34.08 33.82 33.58 INCHES INCHES 33.08 32.82 32.56 32.27 31.95 31.59 VALUE ! 30.53 ! 30.17 ! 29.93	ARMY INCHES 39.15 39.15 39.15 38.28 98TH 37.77 97TH 37.14 95TH 36.25 90TH 35.70 85TH 35.28 80TH 34.93 75TH 34.62 70TH 34.08 65TH 34.08 60TH 34.08 60TH 33.82 55TH 33.58 1NCHES 33.33 45TH 32.82 35TH 32.82 35TH 32.95 30.17 31.59 15TH 10TH 10TH 10TH 10TH 10TH 10TH 10TH 10

16. CROTCH HEIGHT




Landmarks: None

Instrument: Anthropometer

Position: Subject stands erect, looking straight ahead, weight distributed equally on both feet, heels approximately 10 cm apart (initially: Army; throughout: AFW).

Procedure: The arm of the anthropometer is raised (by the subject herself: AFW; by the technician: Army) until contact is made with the inferior surface of the crotch. The subject maintains her position (AFW) or brings her heels together (Army) and the vertical distance from the standing surface to the crotch is measured.

THE SUMMARY STATISTICS	THE	PERCENTILES
	ARMY	AFW
ARMY	INCHES	INCHES
	34.18	99TH 33.17
NO. OF SUBJECTS 1331	33.75	98TH 32.73
	33.46	97TH 32.44
MEAN 30.07 INC	HES 33.04	95TH 32.04
ST. DEV. 1.72 INC	HES 32.36	90TH 31.42
COEF. OF VAR. 5.7%		85TH 31.00
SYMMETRY .21		80TH 30.67
KURTOSIS 2.98	31.20	
-		70TH 30.14
AFW		65TH 29.91
		60TH 29.69
NO. OF SUBJECTS 1905	30.20	55TH 29.48
	29.97	50TH 29.28
MEAN 29.33 INC	HES 29.75	45TH 29.08
ST. DEV. 1.59 INC	HES 29.54	40TH 28.88
COEF. OF VAR. 5.4%	29.32	35TH 28.67
SYMMERTY .17	29.09	30TH 28.46
KURTOSIS 3.00	28.85	25TH 28.23
	28.58	20TH 27.98
	28.29	15TH 27.69
! ADJUSTED COMPOSITE VAL	UE ! 27.92	10TH 27.34
!	1 27.37	5TH 26.82
I MEAN 29.70	! 27.01	3TH 26.50
! ST. DEV. 1.66		2ND 26.26
	26.30	1ST 25.88



17. CROTCH LENGTH (Army only)

Landmarks: Waist and buttocks

Instrument: Tape

Position: Subject initially stands erect, heels approximately 10 centimeters apart, and weight distributed equally on both feet.

Procedure: With a tape, measure the surface distance from the waist level directly over the protuberance of the right buttock, across the buttock, through the crotch, and up to the anterior waist landmark after the subject has brought her heels together. Maintain the contact of the tape in the crotch. The tape follows the posterior and anterior body contour.

THE SUMMARY STATE	STICS		THE	PERCENTIL	ES
	·		ARMY		AFW
ARMY			INCHES		INCHES
			33.60	99TH	
NO. OF.SUBJECTS	1331		32.99	98TH	
			32.60	97TH	
MEAN	28.71	INCHES	32.09	95TH	
ST. DEV.	2.15	INCHES	31.33	90TH	
COEF. OF VAR.	7.5%		30.83	85TH	
SYMMETRY	29		30.44	80TH	
KURTOSIS	4.07		30.10	75TH	
			29.81	70TH	
			29.54	65TH	
			29.29	60TH	
			29.04	55TH	
			28.79	50TH	
			28.55	45 TH	
			28.29	40TH	
			28.03	35TH	
			27.75	30TH	
			27.44	25TH	
			27.07	20TH	
			26.64	15TH	
			26.05	10TH	
			25.09	5TH	
			24.39	3TH	
			23.83	2TH	
			22.87	1TH	

18. ELBOW CIRCUMFERENCE, FLEXED

Landmark: None

Instrument: Tape


Position: Subject stands, upper arm raised so that its long axis is horizontal, elbow flexed 90 degrees, biceps strongly contracted, and fist tightly clenched.

Procedure; With a tape passing over the tip and through the crotch of the elbow, measure the circumference of the elbow.




THE SUMMARY STATISTICS	THE	PERCENTI	LES
	ARMY		AFW
ARMY	INCHES		INCHES
	11.93	99TH	12.39
NO. OF SUBJECTS 1331	11.68	98TH	12.16
	11.53	97TH	12.01
MEAN 10.23 INCHES	11.34	95TH	11.82
ST. DEV64 INCHES	11.05	90 TH	11.53
COEF. OF VAR. 6.3%	10.88	85TH	11.34
SYMMETRY .38	10.74	80TH	11.19
KURTOSIS 3.43	10.62	75TH	11.07
	10.53	70TH	10.96
AFW	10.44	65 TH	10.86
	10.35	60TH	10.77
NO. OF SUBJECTS 1905	10.27	55TH	10.68
	10.19	50TH	10.59
MEAN 10.62 INCHES	10.12	45TH	10.50
ST. DEV70 INCHES	10.04	40TH	10.41
COEF. OF VAR. 6.6%	9.96	35TH	10.33
SYMMERTY .26	9.88	30TH	10.23
KURTOSIS 3.31	9.79	25TH	10.13
	9.70	20TH	10.02
	9.59	15TH	9.90
! ADJUSTED COMPOSITE VALUE !	9.45	10TH	9.74
t t	9.24	5TH	9.51
! MEAN 10.42 !	9.11	3 TH	9.36
! ST. DEV. 0.67 !	9.01	2ND	9.24
	8.85	1ST	9.07


19. FRONT CURVATURE AT BUST



This dimension was not measured; it was calculated by subtracting the back-curvature-at bust dimension from bust circumference.


THE SUMMARY STATISTICS		THE F	PERCENTIL	ES
		ARMY		AFW
ARMY		INCHES		INCHES
		22.43	99TH	23.51
NO. OF SUBJECTS 1331		21.83	98TH	22.86
		21.46	97TH	22.46
MEAN 18.21	INCHES	20.98	9 5T H	21.91
ST. DEV. 1.60	INCHES	20.29	90TH	21.11
COEF. OF VAR. 8.8%			85TH	20.59
SYMMETRY .46		19.50	8 0 TH	20.19
KURTOSIS 3.71		19.21	75TH	19.86
		18.96	70TH	19.57
AFW		18.73	65TH	19.32
		18.51	60TH	19.08
NO. OF SUBJECTS 1905		18.31	55TH	18.85
			50TH	18.64
MEAN 18.73	INCHES	17.91	45TH	18.43
ST. DEV. 1.76	INCHES	17.71	40TH	18.22
COEF. OF VAR. 9.4%		17.51	35TH	18.01
SYMMERTY .44		17.30	30TH	17.80
KURTOSIS 3.64		17.08	25TH	17.57
		16.84	20TH	17.32
		16.56	15TH	17.03
! ADJUSTED COMPOSITE	VALUE !			
1	!		5TH	
! MEAN 18.47	· !		3TH	
! ST. DEV. 1.68	!		2ND	
		14.98	1ST	15.04






This dimension was not measured; it was calculated by subtracting the back-curvature-athip dimension from hip circumference.

THE SUMMARY STATIS	TICS		THE	PERCENTIL	ES
			ARMY		AFW
ARMY			INCHES		INCHES
			22.80	99TH	
NO. OF.SUBJECTS	1331		22.12	98TH	
			21.74	97TH	
MEAN 1	8.90	INCHES	21.28	95TH	
ST. DEV.	1.44	INCHES	20.66	90TH	
COEF. OF VAR.	7.6%		20.28	85TH	
SYMMETRY	.61		20.00	8 0 TH	
KURTOSIS	4.51		19.76	75TH	
			19.56	70TH	
			19.37	65TH	
			19.19	60TH	
			19.01	55TH	
			18.84	50TH	
			18.67	45 T.H	
			18.50	40TH	
			18.32	35TH	
			18.12	30TH	
			17.92	25TH	
			17.69	20TH	
			17.43	15TH	
			17.10	10TH	
			16.66	5TH	
			16.42	3TH	
			16.27	2TH	
			16.08	1TH	






This dimension was not measured; it was calculated by subtracting the back-curvature-at-waist dimension from waist circumference.

THE SUMMARY STATE	STICS		THE	PERCENTIL	ES
			ARMY		AFW
ARMY			INCHES		INCHES
			18.58	99TH	
NO. OF.SUBJECTS	1331		17.77	98TH	
			17.30		
MEAN	14.06	INCHES	16.73		
ST. DEV.	1.51	INCHES	15.96		
COEF. OF VAR.	10.7%		15.50	85TH	
SYMMETRY	. 97		15.16	8 0 TH	
KURTOSIS	5.56		14.89	75TH	
			14.65	70TH	
			14.45	65TH	
			14.25		
			14.07	55TH	
			13.90	50TH	
			13.73		
			13.56	40TH	
			13.39	35TH	
			13.21		
			13.02	25TH	
			12.82	20TH	
			12.59	15TH	
			12.31	10TH	
			11.93	5TH	
			11.71	3 T H	
			11.56	2TH	
			11.37	1TH	

22. HIP BREADTH



Landmark: None


Instrument: Beam caliper

<u>Position</u>: Subject stands erect, heels together, and weight distributed equally on both feet.

Procedure: With a beam caliper,
measure the maximum horizontal
breadth of the hips.

THE SUMMARY STATISTICS	;	THE	PERCENTI	LES
		ARMY		AFW
· ARMY		INCHES		INCHES
		16.49	99TH	16.11
NO. OF SUBJECTS 1331		16.10	98TH	15.77
		15.86	97 T H	15.56
MEAN 13.92	INCHES	15.57	95 TH	15.29
ST. DEV97	INCHES	15.15	90TH	14.90
COEF. OF VAR. 7.0%	, 1	14.88	85TH	14.65
SYMMETRY .48		14.68	80TH	
KURTOSIS 4.21				
		14.37		
AFW		14.24		
		14.11		
NO. OF SUBJECTS 1905		14.00	55TH	
		13.88		
MEAN 13.77				
	INCHES			13.50
		13.53		
COEF. OF VAR. 6.3% SYMMERTY .39		13.40	30TH	13.28
KURTOSIS 3.43		13.27	25TH	13.17
		13.12		
		12.95	15TH	12.89
! ADJUSTED COMPOSITE	VALUE !	12.73	10TH	12.70
!	!	12.41	5 TH	12.42
! MEAN 13.84	•	12.21		
! ST. DEV. 0.92	1	12.07	2ND	12.11
		11.86	1ST	11.90

23. HIP CIRCUMFERENCE




Landmark: Hip

Instrument: Tape

Position: Subject stands erect, looking straight ahead, heels together and weight distributed equally on both feet.

Procedure: With a tape held in the horizontal plane, measure the circumference of the trunk at the level of the maximum lateral protrusion of the hips.

THE SUMMARY STATISTICS	•	THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		44.16	99TH	44.14
NO. OF SUBJECTS 1331		43.13	98TH	43.07
•		42.53		
MEAN 37.61	INCHES	41.77	95TH	41.65
ST. DEV. 2.51	INCHES	40.70		
COEF. OF VAR. 6.7%		40.04	85TH	39.89
SYMMETRY .57		39.54	80TH	39.39
SYMMETRY .57 KURTOSIS 5.10		39.12	75TH	38.98
		38.75	70TH	38.62
AFW		38.42	65TH	38.30
		38.11	60TH	38.00
NO. OF SUBJECTS 1905		37.81	55TH	37.72
		37.51		
MEAN 37.60	INCHES	37.22	45TH	37.18
ST. DEV. 2.33	INCHES	36.92	40TH	36.91
COEF. OF VAR. 6.2% SYMMERTY .45		36.61		
SYMMERTY .45		36.29		
KURTOSIS 3.65		35.94	25TH	36. 03
		35.55	20TH	35.68
		35.09	15TH	35.28
1 ADJUSTED COMPOSITE	VALUE 1	34.51	10TH	34.77
1	1	. 33. 66	5TH	34.02
! ! MEAN 37.61		33.11	3 TH	33.53
! ST. DEV. 2.42	!	32.72	2ND	33.16
		32.11	1ST	32.60



24. INTERSCYE CURVATURE (AFW only)

Landmark: Scye

Instrument: Tape

<u>Position:</u> Subject stands erect with arms relaxed.


Procedure: With a tape held in the

horizontal plane, measure the surface distance across the back between the posterior scye point

landmarks.

THE SUMMARY ST	ATISTICS		THE	PERCENTI	LES
			ARMY		AFW
			INCHES		INCHES
				99TH	16.15
				98TH	15.86
				97TH	15.68
		•		95TH	15.43
				90TH	15.05
				85TH	14.80
				80TH	14.60
				75TH	14.43
				70TH	14.28
AFW				65TH	14.14
				6 0 TH	14.01
NO. OF SUBJEC	TS 1905			55 TH	13.88
				50TH	13.76
MEAN	13.80	INCHES		45TH	13.64
ST. DEV.	•96	INCHES		40TH	13.52
COEF. OF VAR.	7.0%			35TH	13.40
SYMMERTY	•19			30TH	13.27
KURTOSIS	3.02			2 5 TH	13.13
				20TH	12.97
				15TH	12.80
		•		10TH	12.58
				5TH	12.27
				3RD	12.07
				2ND	11.92
				1ST	11.69

25. KNEE CIRCUMFERENCE



Landmark: Knee


Instrument: Tape

Position: Subject stands erect, looking straight ahead, heels approximately 10 centimeters apart, and weight distributed equally on both feet.

Procedure: With a tape held in a plane perpendicular to the long axis of the leg, measure the circumference of the knee at the level of the knee landmark. The subject must not tense her knee during the measurement.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		16.14	99TH	16.63
NO. OF SUBJECTS 1331		15.74	98TH	16.31
		15.51	97TH	16.11
MEAN . 13.71	INCHES	15.23	95TH	15.84
ST. DEV89 COEF. OF VAR. 6.5%	INCHES	14.84	90TH	15.46
COEF. OF VAR. 6.5%		14.60	85 T H	15.21
SYMMETRY .40		14.42	80TH	15.01
KURTOSIS 3.50		14.27	75TH	14.85
		14.14	70TH	14.71
AFW		14.01	65 TH	14.58
		13.90	60TH	14.46
NO. OF SUBJECTS 1905		13.79	55TH	14.35
		13.68	50TH	14.24
MEAN 14.29	INCHES	13.57	45TH	14.13
ST. DEV89		13.46	40TH	14.02
COEF. OF VAR. 6.2%		13.34	35TH	13.90
SYMMERTY .45		13.22	30TH	13.79
KURTOSIS 3.44		13.10	25TH	13.66
		12.95	20TH	13.53
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		12.79	15TH	13.38
! ADJUSTED COMPOSITE	VALUE !	12.58	10TH	13.19
t .	!	12.30	5TH	12.93
! MEAN 14.00	İ	12.14		12.77
! ST. DEV. 0.89	!	12.03		
		11.90	1ST	12.49






Landmark: Knee (tibiale)

Instrument: Anthropometer

Position: Subject stands erect, heels together, and weight distributed equally on both feet.

Procedure: With an anthropometer,
measure the vertical distance from the standing surface to the tibial landmark.

THE SUMMARY STATISTICS		THE !	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		19.92	9 9 TH	18.90
NO. OF SUBJECTS 255		19.51	98TH	18.59
		19.28	97TH	18.40
MEAN 17.34	INCHES	18.99	95TH	18.14
ST. DEV97	INCHES	18.58	90TH	17.76
COEF. OF VAR. 5.6%		18.32	85TH	17.51
SYMMETRY .15		18.13	80TH	17.31
KURTOSIS 3.02		17.97	75TH	17.14
		17.82	70TH	16.99
AFW		17.69	65TH	16.86
		17.56	60TH	16.73
NO. OF SUBJECTS 1905		17.44	55TH	16.61
		17.32	50TH	16.49
MEAN 16.53	INCHES	17.20	45TH	16.38
ST. DEV94	INCHES	17.08	40TH	16.26
COEF. OF VAR. 5.7%		16.96	35TH	16.14
SYMMERTY .22	•	16.82	30TH	16.01
KURTOSIS 3.01		16.68	25TH	15.88
•		16.51	20TH	15.73
		16.32	15TH	15.56
! ADJUSTED COMPOSITE	VALUE !	16.09	10TH	15.35
Suspected difference	in !	15.75	5TH	
measurement technique		15.54	3TH	14.87
composite invalid.	!	15.39	2ND	14.73
		15.19	157	14.53



27. MIDSCYE BACK (Army only)

Landmark: Scye


Instrument: Tape

<u>Position</u>: Subject stands erect, looking straight ahead, arms at sides.

Procedure: With a tape, measure the surface distance between the right and left midscye posterior landmarks.

THE SUMMARY STATISTICS	THI	E PERCENTILES
	ARMY	AFW
ARMY	INCHE	S INCHES
	17.15	9 9 TH
NO. OF.SUBJECTS 1331	16.84	98TH
	16.65	97TH
MEAN 14.90	INCHES 16.42	95TH
	INCHES 16.07	9 0 TH
COEF. OF VAR. 6.2%	15.84	85TH
SYMMETRY .08	15.66	80TH
KURTOSIS 3.21		75 TH
	15.38	70TH
	15.25	65TH
	15.13	60TH
	15.02	55TH
	14.90	50TH
	14.79	45TH
	14.67	40TH
÷	14.55	35TH
	14.42	30TH
	14.28	25TH
•	14.12	2 0 TH
	13.94	15TH
	13.71	10TH
	13.36	5TH
	13.15	ЗТН
	12.99	2TH
	12.75	1TH

28. MIDSCYE FRONT (Army only)



Landmark: Scye


Instrument: Tape

<u>Position</u>: Subject stands erect, looking straight ahead, arms at sides.

<u>Procedure</u>: With a tape, measure the surface distance across the chest between the right and left midscye landmarks.

THE SUMMARY STATISTI	CS	THE	PERCENTILES
		ARMY	AFW
ARMY		INCHES	INCHES
		14.80	9 9 TH
NO. OF.SUBJECTS 13	31	14.56	98TH
,		14.42	9 7 TH
MEAN 13.	06 INCHES	14.23	95TH
	69 INCHES	13.95	90TH
COEF. OF VAR. 5.	3%	13.77	85TH
SYMMETRY .	22	13.63	80TH
KURTOSIS 3.	11	13.51	75 TH
		13.40	70TH
		13.30	65TH
		13.21	60TH
		13.12	55TH
		13.04	50TH
		12.95	
		12.86	40TH
		12.78	35TH
•		12.68	
		12.58	25TH
		12.47	20TH
		12.34	15TH
		12.19	10TH
		11.96	5TH
		11.82	3 † H
		11.72	2TH
		11.57	1TH

29. NECK TO BUSTPOINT




Landmarks: Neck and bustpoint

Instrument: Tape

<u>Position</u>: Subject stands erect looking straight ahead.

Procedure: With a tape, measure the straight line distance from the lateral neck landmark to the bustpoint landmark. The tape is held tense and does not follow the surface contour of the body.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		12.03	99TH	11.94
NO. OF SUBJECTS 1331		11.73	98TH	11.70
		11.56	97TH	11.54
MEAN 9.95	INCHES	11.34	95TH	11.33
ST. DEV82	INCHES	11.01	90TH	11.02
ST. DEV82 COEF. OF VAR. 8.2%		10.80	85TH	10.81
SYMMETRY .20		10.64	80TH	10.65
KURTOSIS 3.01		10.50	7 5TH	10.51
		10.37	70TH	10.39
AFW		10.26	65TH	10.28
		10.15	60TH	10.18
NO. OF SUBJECTS 1905		10.04	55TH	10.08
		9.94	50TH	9.99
MEAN 10.04	INCHES	9.83	45TH	9.90
ST. DEV74	INCHES	9.73	40TH	9.80
COEF. OF VAR. 7.4%		9.62	35TH	9.71
SYMMERTY .29		9.50	30TH	9.61
KURTOSIS · 3.06		9.38	25TH	9.51
		9.24	2 0 TH	9.39
	******	9.09	15TH	9.26
! ADJUSTED COMPOSITE	VALUE !	8.90	10TH	9.10
•	!	8.64	5TH	8.87
! MEAN 10.00	1	8.49	3TH	8.71
! ST. DEV. 0.78	•	8.39	2ND	8.60
		8 • 26	1ST	8.42






Landmark: Neck

Instrument: Tape

<u>Position</u>: Subject sits erect looking straight ahead.

Procedure: Measure the circumference of the neck with a tape which is placed around the neck so that it passes over the neck marks. The plane of this circumference is perpendicular to the long axis of the neck (AFW) and is not perpendicular to the long axis of the neck in the Army survey.

THE SUMMARY STA	TISTICS		THE	PERCENT	LES
			ARMY		AFW
ARMY			INCHES		INCHES
			14.31	99TH	15.04
NO. OF SUBJECT	S 1331		14.09	98TH	14.79
			13.96	97TH	
MEAN	12.74	INCHES	13.79	95 TH	14.43
ST. DEV.	•62	INCHES	13.54	90TH	14.15
COEF. OF VAR.	4.9%		13.38	85TH	13.96
SYMMETRY	• 37		13.25	80TH	
KURTOSIS	3.84		13.14	75TH	13.71
			13.05	70TH	
AFW			12.96	65TH	
			12.88	60TH	13.42
NO. OF SUBJECT	S 1905		12.80	55TH	13.34
			12.72	50TH	13.25
MEAN	13.29	INCHES	12.64	45TH	13.17
ST. DEV.	• 66	INCHES	12.56	40TH	13.09
COEF. OF VAR.	5.0%		12.48	35TH	13.00
SYMMERTY	.30		12.40	30TH	12.92
KURTOSIS	3.10		12.31	25TH	12.82
			12.21	20TH	12.72
			12.09	15TH	12.60
! ADJUSTED CO	MPOSITE	VALUE	! 11.95	10TH	
! Difference	in measu:	rement	! 11.75	5TH	12.23
! techniques r	nakes com	mposite	11.64	3TH	
! invalid		-	! 11.56	2ND	
			- 11.45	1ST	11.87



31. SHOULDER (BIDELTOID) BREADTH

Landmark: Deltoid


Instrument: Beam caliper

Position: Subject sits erect, looking straight ahead, upper arms hanging relaxed, forearms and hands extended forward horizontally.

<u>Procedure</u>: With a beam caliper, measure the distance across the body at the level of the deltoid landmarks.

THE SUMMARY STATISTICS	THE	PERCENTILES
	ARMY	AFW
ARMY	INCHES	INCHES
	18.70	99TH 18.88
NO. OF SUBJECTS 1331	18.39	98TH 18.53
	18.21	97TH 18.32
MEAN 16.55 INCH	ES 17.98	95TH 18.05
ST. DEV88 INCH	ES 17.65	90TH 17.66
COEF. OF VAR. 5.3%	17.43	85TH 17.41
SYMMETRY .38	17.26	80TH 17.21
KURTOSIS 4.23	17.12	75TH 17.05
	16.99	70TH 16.91
AFW	16.87	65TH 16.78
	16.76	60TH 16.67
NO. OF SUBJECTS 1905	16.65	55TH 16.55
	16.54	50TH 16.44
MEAN 16.49 INCH	ES 16.43	45TH 16.33
ST. DEV91 INCH	ES 16.32	40TH 16.22
COEF. OF VAR. 5.5%	16.20	35TH 16.11
SYMMERTY .26	16.08	30TH 15.99
KURTOSIS 3.23	15.94	25TH 15.87
	15.80	
	15.62	15TH 15.56
! ADJUSTED COMPOSITE VALUE	E! 15.41	10TH 15.36
!	! 15.12	5TH 15.05
! MEAN 16.52		3TH 14.84
: ST. DEV. 0.90	1 14.84	2ND 14.69
	14.69	1ST 14.44

32. SHOULDER CIRCUMFERENCE



Landmark: Deltoid


Instrument: Tape

Position: Subject stands erect, looking straight ahead, arms relaxed at sides, heels together, and weight distributed equally on both feet.

Procedure: With a tape, measure the circumference of the body at the level of the deltoid landmarks.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		AFW Inches
		44.99	99TH	45.16
NO. OF SUBJECTS 1331		44.16	98TH	44.26
		43.67		
MEAN 39.52	INCHES	43.06	95TH	43.06
ST. DEV. 2.15	INCHES	42.19	90TH	42.13
COEF. OF VAR. 5.4%		41.64	85TH	41.56
SYMMETRY .63		41.22	80TH	41.12
KURTOSIS 5.25		40.86	75TH	40.76
		40.54	70 TH	40.44
AFW		40.25	65TH	40.16
· ·			60TH	
NO. OF SUBJECTS 1905		39.71	55TH	39.64
		39.45	50TH	39.39
MEAN 39.53				
ST. DE . 2.02	INCHES	38.93	40TH	38.90
COEF. OF VAR. 5.1%		38.65		
SYMMERIY .50		38.36	30TH	38.38
KURTOSIS 3.40		38.06	25TH	38.10
		37.71	20TH	37.80
		37.32	15TH	37.45
! ADJUSTED COMPOSITE	VALUE !	36.84	10TH	37.04
!	!	36.18	5TH	36.47
1 MEAN 39.53	•		3TH	
! ST. DEV. 2.09	•	35.54	2ND	35.92
~~~~~~~~~~~~		35.21	1ST	35.64

### 33. SHOULDER LENGTH



Landmarks: Neck and shoulder

(acromiale).

Instrument: Tape


<u>Position</u>: Subject stands erect looking straight ahead.

Procedure: With a tape, measure
the surface distance along the top of the shoulder from the lateral neck landmark to the acromial

landmark.

THE SUMMARY STATE	STICS		THE	PERCENTI	LES
			ARMY		AFW
ARMY			INCHES		INCHES
			6.97	99TH	6.75
NO. OF SUBJECTS	1331		6.83	98TH	6.63
			6.74	97TH	6.56
MEAN	5.91	INCHES	6.62	95TH	6.46
ST. DEV.	• 42	INCHES	6.44	90TH	6.30
COEF. OF VAR.	7.1%		6.33	85TH	6.19
SYMMETRY	•13		6.25	80TH	6.10
KURTOSIS	3.22		6.17	75TH	6.03
			6.11	70TH	5.97
AFW			6.05	65TH	5.91
			6.00	60TH	5.85
NO. OF SUBJECTS	1905		5.95	55TH	5 • 80
			5.90	50TH	5.75
MEAN	5.77	INCHES	5.85	45TH	5.70
ST. DEV.	• 40	INCHES	5.80	40TH	5.65
COEF. OF VAR.	6.9%		5.74	35TH	5.59
SYMMERTY	.16		5.69	30TH	5.54
KURTOSIS	3.02		5.63	25TH	5.48
			5.56	20TH	5.42
			5.49	15TH	5.34
! ADJUSTED COMP	OSITE	VALUE 1	5.39	10TH	5.25
!		1	5.23		5.11
! <b>MEAN</b> 5.8	4	1	5.13	3TH	5.02
! ST. DEV. 0.4	1	1	5.04	2ND	4.95
			4.91	1ST	4.85

### 34. SLEEVE INSEAM



Landmarks: Scye and wrist


Instrument: Tape

Position: Subject stands, right arm slightly abducted and palm forward.

Procedure: With a tape, measure the distance from the anterior scye point landmark to the ulnar side of the wrist landmark. The tape is held tense and does not follow the surface contour of the arm.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		20.34	99TH	19.66
NO. OF SUBJECTS 1331		20.00	98TH	19.39
		19.79	97TH	19.21
MEAN 17.74	INCHES	19.51	95TH	18.97
	INCHES	19.09	9 <b>0</b> TH	18.60
COEF. OF VAR. 5.8%			85TH	
SYMMETRY .23		18.59	80TH	18.16
KURTOSIS 3.04				
		18.24	70TH	17.84
AFW		18.09	65TH	17.71
		17.95	60TH	17.58
NO. OF SUBJECTS 1905		17.81	55TH	17.46
		17.68	50TH	17.34
MEAN 17.37	INCHES	17.56	45TH	17.22
ST. DEV95	INCHES	17.43	40TH	17.10
COEF. OF VAR. 5.5%		17.30	35TH	16.97
SYMMERTY .16		17.16	30TH	16.85
KURTOSIS 3.10		17.02	25TH	16.71
		16.86	20TH	16.55
		16.67	15TH	16.38
! ADJUSTED COMPOSITE	VALUE !	16.45		
<b>!</b>	1		5TH	
! MEAN 17.55	<b>!</b>		3TH	
! ST. DEV. 0.99	1		2ND	
		15.54		

# 35. SPINE TO ELBOW LENGTH (AFW only)




Landmark: Wrist

Instrument: Tape

<u>Position</u>: Subject stands, arms horizontal, elbows flexed about 60 degrees, and fists clenched and touching.

Procedure: A tape with its zeropoint on the midline of the spine
is passed horizontally around the
shoulder and over the tip of the
elbow to the wrist landmark.
Measure the surface distance from
the spine to the tip of the elbow.

THE SUMMARY STAT	ISTICS		THE	PERCENTI	LES
			ARMY		AFW
			INCHES		INCHES
				99TH	23.38
				98TH	23.04
				97TH	22.83
				95 TH	22.57
				90TH	22.19
				85TH	21.94
				8 <b>9</b> TH	21.75
				75TH	21.59
				70TH	21.45
AFW				65TH	21.32
				60 TH	21.20
NO. OF SUBJECTS	1905			55TH	21.08
				50TH	20.96
MEAN	20.99	INCHES		45TH	20.85
ST. DEV.	• 95	INCHES		40 TH	20.73
COEF. OF VAR.	4.5%			35TH	20.61
SYMMERTY	.18			30TH	20.48
KURTOSIS	3.22			25TH	20.34
				20TH	20.19
				15TH	20.01
				10TH	19.79
				5TH	19.46
				3RD	19.26
				2ND	19.11
				1ST	18.90



## 36. SPINE TO SCYE LENGTH (AFW only)

Landmarks: Wrist and scye


Instrument: Tape

<u>Position</u>: Subject stands, arms horizontal, elbows flexed about 60 degrees, fists clenched and touching.

Procedure: A tape with its zeropoint on the midline of the spine
is passed horizontally around the
shoulder and over the tip of the
elbow to the wrist landmark.
Measure the surface distance from
the spine to the posterior vertical-scye landmark.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
		INCHES		INCHES
			99TH	9.34
			98TH	9.18
			97TH	9.08
•			95 TH	8.94
•			90TH	8.72
			85TH	8.57
			80TH	8.46
			75 TH	8.36
			70TH	8.28
AFW		•	65 TH	8.20
			60TH	8.13
NO. OF SUBJECTS 1905			55TH	8.06
			50TH	7.99
MEAN 8.02	INCHES		45 TH	7.93
ST. DEV53	INCHES		40TH	7.86
COEF. OF VAR. 6.6%			35TH	7.80
SYMMERTY .16			30 TH	7.73
KURTOSIS 3.43			25TH	7.66
			20TH	7.58
			15TH	7.49
			10TH	7.37
			5TH	7.18
,			3RD	7.05
			ZND	6.95
			1ST	6.76

# 37. SPINE TO WRIST LENGTH (AFW only)



Landmark: Wrist


Instrument: Tape

<u>Position</u>: Subject stands, arms horizontal, elbows flexed about 60 degrees, and fists clenched and touching.

Procedure: A tape with its zeropoint on the midline of the spine
is passed horizontally around the
shoulder and over the tip of the
elbow to the wrist landmark.
Measure the surface distance from
the spine to the wrist landmark.

THE SUMMARY STAT	ISTICS		THE	PERCENTI	LES
			ARMY		AFW
			INCHES		INCHES
				99TH	34.65
				98 <b>T</b> H	34.16
				97TH	33.87
				95TH	33.51
				90TH	32.99
				85TH	32.65
				80TH	32.40
				75TH	32.18
				70 TH	31.98
AFW				65TH	31.80
				60TH	31.63
NO. OF SUBJECTS	1905			55 TH	31.47
				50TH	31.30
MEAN	31.33	INCHES		45TH	31.14
ST. DEV.	1.31	INCHES		40 TH	30.98
COEF. OF VAR.	4.2%			35TH	30.80
SYMMERTY	•19			30TH	30.62
KURTOSIS	3.16			25TH	30.43
				20TH	30.21
				15TH	29.96
				10TH	29.65
				5TH	29.20
				3RD	28.94
				2ND	28.76
				1ST	28.51

### 38. STATURE




Landmark: None

Instrument: Anthropometer

Position: Subject stands erect, looking straight ahead, heels together, and weight distributed equally on both feet.

<u>Procedure</u>: With the arm of the anthropometer firmly touching the scalp, measure the vertical distance from the standing surface to the top of the head.

THE SUMMARY STATISTICS		THE	PERCENTI	LES .
		ARMY		AFW
ARMY		INCHES		INCHES
		70.24	99TH	69.48
NO. OF SUBJECTS 1331		69.60	98TH	68.79
		69.16	97 T H	68.35
MEAN 64.16	INCHES	68.54	95 T H	67.77
ST. DEV. 2.57	INCHES	67.55	90 TH	66.89
COEF. OF VAR. 4.0%		66.87	85TH	66.30
SYMMETRY .12		66.34	80TH	65.82
KURTOSIS 2.89		65.88	75 TH	65.42
		65.47	70TH	65.05
AFW		65.09	65TH	64.71
		64.74	60TH	64.39
NO. OF SUBJECTS 1905		64.40	55TH	64.03
		64.07	50TH	63.77
MEAN 63.82	INCHES	63.75	45TH	63.46
ST. DEV. 2.36	INCHES	63.42	40TH	63.15
COEF. OF VAR. 3.7%		63.09	35TH	62.83
SYMMERTY .16		62.75	3 <b>0</b> TH	62.49
KURTOSIS 2.77		62.38	25 TH	62.13
		61.97	20 TH	61.74
		61.51	15TH	61.29
! ADJUSTED COMPOSITE	VALUE !	60.93	10TH	60.74
•	1	60.06	5TH	59.99
! MEAN 64.00	1	59.48	3 <b>T</b> H	59.55
! ST. DEV. 2.48	!	59.05	2ND	59.26
		58.33	157	58.87



## 39. STRAP LENGTH (AFW only)

Landmarks: Neck, bustpoint

Instrument: Tape

Position: Subject stands erect looking straight ahead.

Procedure: With a tape, measure the distance from the right bust-point landmark, across the posterior neck landmark, to the left bustpoint landmark. The tape is held tense and does not follow the curvature of the front of the body.

THE SUMMARY STAT	ISTICS		THE	PERCENTI	LES
			ARMY		AFW
			INCHES		INCHES
				99TH	29.61
				98TH	29.13
				97TH	28.82
•				95TH.	28.39
				90TH	27.72
				85TH	27.28
				80 TH	26.94
				75TH	26.65
		•		70TH	26.40
AFW				65TH	26.17
77 11				60TH	25.96
NO. OF SUBJECTS	1905			55TH	25.75
NO. 01 3022211				50TH	25.56
MEAN	25.68	INCHES		45TH	25.37
ST. DEV.		INCHES		40TH	25.18
COEF. OF VAR.	6.0%			35TH	24.99
SYMMERTY	. 31			30 TH	24.79
KURTOSIS	3.17			25TH	24.59
				20TH	24.36
				15TH	24.10
				10TH	23.78
				5TH	23.30
				3RD	22.98
•				2ND	22.73
				1ST	22.32



#### 40. UPPER THIGH CIRCUMFERENCE


Landmark: Gluteal furrow

Instrument: Tape

Position: Subject stands erect, heels approximately 10 centimeters apart and weight distributed equally on both feet.

Procedure: With a tape held in a plane perpendicular to the long axis of the thigh, measure the circumference of the thigh at the level of the lowest point on the gluteal furrow. (The measurement was taken with heels apart in the AFW survey; in the Army survey, the subject's heels were brought back together after the tape was placed.) Where the furrow is deeply indented, the measurement is made just distal to the furrow.

THE SUMMARY STATIST	tcs	THE	PERCENTILES
		ARMY	AFW
ARMY		INCHES	AFW INCHES
		27.17	99TH 26.26
NO. OF SUBJECTS 13	331	26.39	98TH 25.56
•			97TH 25.16
MEAN 22			95TH 24.65
	81 INCHES	24.65	90TH 23.93
COEF. OF VAR. 8.	1%		85TH 23.49
SYMMETRY	21	23.84	80TH 23.15
KURTOSIS 3.	61	23.55	75TH 22.87
		23.29	70TH 22.62
AF <del>W</del>			65TH 22.39
	•	22.83	60TH 22.18
NO. OF SUBJECTS 19	05	22.62	55TH 21.98
		22.40	
MEAN 21.			
ST. DEV. 1.	66 INCHES	21.97	40TH 21.38
COEF. OF VAR. 7.	6%	21.73	35TH 21.17
	32	21.49	30TH 20.95
KURTOSIS 3.	42	21.22	25TH 20.71
		20.91	
		<b></b> 20.56	15TH 20.14
1 ADJUSTED COMPOSI	TE VALUE	<del>-</del> :	
1			5TH 19.19
! MEAN 22.12			3TH 18.84
! ST. DEV. 1.74			2ND 18.58
		18.26	1ST 18.21



## 41. VERTICAL TRUNK CIRCUMFERENCE, SITTING

Landmarks: Midshoulder, bustpoint

and buttock

Instrument: Tape

<u>Position</u>: Subject initially stands with legs slightly apart.

Procedure: A length of tape is passed between the legs, over the protrusion of the right buttock, and up the back to the midshoulder landmark. The subject then sits, her trunk erect and arms relaxed. The other end of the tape is brought over the right bustpoint landmark to midshoulder. The subject brings her legs together and the circumference of the torso is measured at the point of maximum quiet inspiration.

ARMY  O. OF SUBJECTS 255  NO. OF SUBJECTS 255  NO. OF SUBJECTS 255  MEAN 57.65 INCHES 62.47 95TH 63.05  ST. DEV. 2.86 INCHES 61.39 90TH 62.05  COEF. OF VAR. 5.0% 60.67 85TH 61.05  SYMMETRY .12 60.09 80TH 61.05  KURTOSIS 2.67 59.60 75TH 60.09  AFW 58.74 65TH 60.09  NO. OF SUBJECTS 1905 57.97 55TH 59.00  MEAN 59.08 INCHES 57.22 45TH 58.05  ST. DEV. 2.58 INCHES 56.46 35TH 58.05  COEF. OF VAR. 4.4% 56.46 35TH 58.05	58 06 39 39 74 23
NO. OF SUBJECTS 255  NO. OF SUBJECTS 255  NO. OF SUBJECTS 255  NO. OF SUBJECTS 255  MEAN 57.65 INCHES 62.47 95TH 64.65  ST. DEV. 2.86 INCHES 61.39 90TH 62.65  COEF. OF VAR. 5.0% 60.67 85TH 61.65  SYMMETRY .12 60.09 80TH 61.65  KURTOSIS 2.67 59.60 75TH 60.67  AFW 58.74 65TH 60.67  AFW 58.74 65TH 60.67  NO. OF SUBJECTS 1905 57.97 55TH 59.67  MEAN 59.08 INCHES 57.22 45TH 58.65  ST. DEV. 2.58 INCHES 56.84 40TH 58.65  COEF. OF VAR. 4.4% 56.46 35TH 58.65	45 58 06 39 39 74 23
NO. OF SUBJECTS 255 63.71 98TH 646 MEAN 57.65 INCHES 62.47 95TH 636 ST. DEV. 2.86 INCHES 61.39 90TH 626 COEF. OF VAR. 5.0% 60.67 85TH 616 SYMMETRY .12 60.09 80TH 616 KURTOSIS 2.67 59.60 75TH 606 AFW 58.74 65TH 606 AFW 58.74 65TH 606 S8.35 60TH 596 NO. OF SUBJECTS 1905 57.97 55TH 596 MEAN 59.08 INCHES 57.22 45TH 586 ST. DEV. 2.58 INCHES 56.84 40TH 586 COEF. OF VAR. 4.4% 56.46 35TH 586	58 06 39 39 74 23
MEAN 57.65 INCHES 62.47 95TH 63.75 DEV. 2.86 INCHES 61.39 90TH 62.60 OF VAR. 5.0% 60.67 85TH 61.60 OF SYMMETRY .12 60.09 80TH 61.60 OF SYMMETRY .12 59.60 75TH 60.67 SYMMETRY .12 59.60 75TH 60.67 SYMMETRY .12 59.15 70TH 60.67 SYMMETRY .12 58.74 65TH 60.67 ST. DEV. 2.58 INCHES 57.22 45TH 58.60 OF VAR. 4.4% 56.46 35TH 58.60 OF VAR. 4.4%	06 39 39 74 23
MEAN       57.65 INCHES       62.47       95TH       63.         ST. DEV.       2.86 INCHES       61.39       90TH       62.         COEF. OF VAR.       5.0%       60.67       85TH       61.         SYMMETRY       .12       60.09       80TH       61.         KURTOSIS       2.67       59.60       75TH       60.         AFW       58.74       65TH       60.         NO. OF SUBJECTS       1905       57.97       55TH       59.         NO. OF SUBJECTS       1905       57.97       55TH       59.         MEAN       59.08 INCHES       57.22       45TH       58.         ST. DEV.       2.58 INCHES       56.84       40TH       58.         COEF. OF VAR.       4.4%       56.46       35TH       58.	39 39 74 23 79
ST. DEV. 2.86 INCHES 61.39 90TH 62.00EF. OF VAR. 5.0% 60.67 85TH 61.00EF. OF VAR. 5.0% 60.67 85TH 61.00EF. OF VAR. 5.0% 60.09 80TH 61.00EF. OF VAR. 5.0% 60.09 80TH 61.00EF. OF VAR. 5.0% 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.09 80TH 61.00EF. 60.00EF.	39 74 23 79
COEF. OF VAR. 5.0% 60.67 85TH 616 SYMMETRY .12 60.09 80TH 616 KURTOSIS 2.67 59.60 75TH 606 AFW 58.74 65TH 606 58.35 60TH 596 NO. OF SUBJECTS 1905 57.97 55TH 596 MEAN 59.08 INCHES 57.22 45TH 586 ST. DEV. 2.58 INCHES 56.84 40TH 586 COEF. OF VAR. 4.4% 56.46 35TH 586	74 23 79
SYMMETRY .12 60.09 80TH 616 KURTOSIS 2.67 59.60 75TH 606 AFW 58.74 65TH 606 58.35 60TH 596 NO. OF SUBJECTS 1905 57.97 55TH 596 MEAN 59.08 INCHES 57.22 45TH 586 ST. DEV. 2.58 INCHES 56.84 40TH 586 COEF. OF VAR. 4.4% 56.46 35TH 586	23 79
KURTOSIS       2.67       59.60       75TH       60.60         59.15       70TH       60.60         59.15       70TH       60.60         58.74       65TH       60.60         58.35       60TH       59.60         NO. OF SUBJECTS       1905       57.97       55TH       59.60         MEAN       59.08 INCHES       57.22       45TH       58.60         ST. DEV.       2.58 INCHES       56.84       40TH       58.60         COEF. OF VAR.       4.4%       56.46       35TH       58.60	79
AFW 58.74 65TH 60.058.35 60TH 59.08 INCHES 57.22 45TH 58.05 50.05 00 00 00 00 00 00 00 00 00 00 00 00 0	
AFW 58.74 65TH 60.05 58.35 60TH 59.00 0F SUBJECTS 1905 57.97 55TH 59.00 57.59 50TH 59.00 1NCHES 57.22 45TH 58.00 55.00 0F VAR. 4.4% 56.46 35TH 58.00 56.46 35TH 58.00 56.46	40
NO. OF SUBJECTS 1905       58.35       60TH       59.08         NO. OF SUBJECTS 1905       57.97       55TH       59.08         NEAN       59.08       INCHES       57.22       45TH       58.08         ST. DEV.       2.58       INCHES       56.84       40TH       58.08         COEF. OF VAR.       4.4%       56.46       35TH       58.08	
NO. OF SUBJECTS 1905 57.97 55TH 59.00 57.59 50TH 59.00 57	03
57.59 50TH 59.08 MEAN 59.08 INCHES 57.22 45TH 58.08 T. DEV. 2.58 INCHES 56.84 40TH 58.00 56.46 35TH 58.00 56.46 35TH 58.00 56.46	69
MEAN 59.08 INCHES 57.22 45TH 58.08 ST. DEV. 2.58 INCHES 56.84 40TH 58.00 COEF. OF VAR. 4.4% 56.46 35TH 58.00 COEF.	36
ST. DEV. 2.58 INCHES 56.84 40TH 58. COEF. OF VAR. 4.4% 56.46 35TH 58.	02
COEF. OF VAR. 4.4% 56.46 35TH 58	69
	36
CVMMCDEV 47 EC DE 70TU #7	01
SYMMERTY .17 56.05 30TH 57	64
KURTOSIS 2.87 55.62 25TH 57	25
55.14 20TH 56	82
54.61 15TH 56.	32
! ADJUSTED COMPOSITE VALUE ! 53.96 10TH 55	72
! ADJUSTED COMPOSITE VALUE ! 53.96 10TH 55. Suspected difference in ! 53.08 5TH 54.	89
!measurement techniques makes! 52.58 3TH 54.	41
!composite invalid. ! 52.26 2ND 54	10
51.84 1ST 53.	69



## 42. VERTICAL TRUNK CIRCUMFERENCE, STANDING

Landmarks: Midshoulder, bustpoint

and buttock

Instrument: Tape

Position: Subject stands with legs

slightly apart.

Procedure: Pass a tape between the legs, over the protrusion of the right buttock and up the back to the midshoulder mark. Bring the other end of the tape up over the right bustpoint to midshoulder. The subject brings her heels together and the trunk circumference is measured at the point of maximum quiet inspiration. (The tape follows the back body contour but not the front.)

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		AFW Inches
		67.64	99TH	67.92
NO. OF SUBJECTS 1331		66.72	98TH	. 66.88
		66.15	97TH	66.27
MEAN 60.57	INCHES	65.38	95 T H	65.47
ST. DEV. 2.86				
COEF. OF VAR. 4.7%		63.48	85TH	63.59
SYMMETRY .13		62.90	8 <b>0</b> TH	63.02
KURTOSIS 3.40		62.41	75TH	62.54
		61.98	70TH	62.12
AFW		61.58	65 TH	61.73
		61.21	60TH	61.37
NO. OF SUBJECTS 1905		60.86	55TH	61.02
		60.52	50TH	60.68
MEAN 60.80	INCHES	60.17	45TH	60.34
ST. DEV. 2.70	INCHES	59.83	40 T H	60.00
COEF. OF VAR. 4.4%		59.47	35TH	59.64
SYMMERTY .26		59.10	30TH	59.28
KURTOSIS 2.95		58.70	25TH	58.88
		58.24	20TH	58.45
		57.71	15TH	57.95
! ADJUSTED COMPOSITE	VALUE 1	57.03	10TH	57.35
<b>!</b>	!	55.97	5TH	56.51
! MEAN 60.68	1		3TH	
! ST. DEV. 2.78	!	54.68	2ND	55.68
		53.74	1ST	55.22






Landmarks: Cervicale and waist

Instrument: Tape

<u>Position</u>: Subject stands erect looking straight ahead.

Procedure: With a tape, measure the surface distance along the spine from the cervicale landmark to the posterior waist landmark.

THE SUMMARY STATISTICS	THE	PERCENTILES .
	ARMY	AFW
ARMY .	INCHES	INCHES
	18.74	99TH 18.04
NO. OF SUBJECTS 1331	18.38	98TH 17.80
		97TH 17.65
MEAN 16.08 INCH		
ST. DEV. 1.04 INCH	IES 17.44	90TH 17.09
COEF. OF VAR. 6.5%	17.16	85TH 16.86
SYMMETRY .31	16.94	80TH 16.68
KURTOSIS 3.18	16.76	75TH 16.52
		70TH 16.38
AFW	16.44	65TH 16.26
	16.30	60TH 16.14
NO. OF SUBJECTS 1905	16.17	55TH 16.03
	16.04	50TH 15.91
MEAN 15.95 INCH	ES 15.91	45TH 15.81
ST. DEV87 INCH	IES 15.77	40TH 15.70
COEF. OF VAR. 5.5%	15.64	35TH 15.59
SYMMERTY .10	15.50	30TH 15.47
KURTOSIS 3.00	15.35	25TH 15.34
	15.19	20TH 15.21
	15.00	15TH 15.05
! ADJUSTED COMPOSITE VALU	E ! 14.77	10TH 14.85
•	! 14.45	5TH 14.55
! MEAN 16.02	1 14.26	3TH 14.35
! ST. DEV. 0.96	! 14.12	2ND 14.19
	13.92	1ST 13.94



### 44. WAIST BREADTH

Landmarks: Waist and midaxillary

line.


Instrument: Beam caliper

<u>Position</u>: Subject stands erect, looking straight ahead, with heels together and arms slightly abducted.

<u>Procedure</u>: With a beam caliper, measure the horizontal breadth across the trunk at the level of the waist landmarks.

THE SUMMARY STATISTICS		THE	PERCENTI	
		ARMY		AFW
ARMY		INCHES		INCHES
			99TH	
NO. OF SUBJECTS 1331		12.49	98TH	11.27
		12.18	97 TH	11.09
MEAN 10.07	INCHES	11.81	95TH	10.85
ST. DEV97	INCHES	11.30	9 <b>0</b> TH	10.50
COEF. OF VAR. 9.6%		11.00	85TH	10.28
SYMMETRY .93		10.78	8 <b>0</b> TH	10.11
KURTOSIS 5.06		10.60	75TH	9.96
,		10.45	70TH	9.84
AFW		10.31	65TH	9.73
		10.19	60TH	9.63
NO. OF SUBJECTS 1905		10.07	55TH	9.53
		9.96	50TH	9.44
MEAN 9.50 ]	NCHES	9.85	45TH	9.34
ST. DEV76 1	INCHES	9.74	40TH	9.25
COEF. OF VAR. 8.0%	,	9.63	35TH	9.16
SYMMERTY .53		9.52	30TH	9.06
KURTOSIS 3.54		9.40	25TH	8.96
·		9.27	20TH	8. 85
		9.12	15TH	8.72
! ADJUSTED COMPOSITE V	ALUE !	8 • 95	10TH	8.57
<b>!</b>	1	8.70	5TH	8.35
! MEAN 9.79	1	8.56	3TH	8.22
! ST. DEV. 0.87	. 1	8.46	2ND	8.12
		8.33	1ST	7.98

### 45. WAIST CIRCUMFERENCE



Landmark: Waist


Instrument: Tape

<u>Position</u>: Subject stands erect, <u>looking</u> straight ahead, heels together, and weight distributed equally on both feet.

Procedure: With a tape passing over the waist landmarks, measure the circumference of the trunk. The reading is made at the point of maximum quiet inspiration. The subject must not pull in her stomach.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		36.36	99TH	33.08
NO. OF SUBJECTS 1331		34.85	98TH	31.92
		33.97		
MEAN 27.96	INCHES	32.88	95 T H	30.41
ST. DEV. 2.72			90TH	29.26
COEF. OF VAR. 9.7%		30.52		
SYMMETRY 1.22		29.88	80TH	28.06
KURTOSIS 6.42		29.37	75TH	27.65
		28.94		
AFW		28.55	65 TH	26.99
		28.21	60TH	26.70
NO. OF SUBJECTS 1905		27.89	55TH	26.43
		27.58	50TH	26.17
MEAN 26.46	INCHES			
ST. DEV. 2.16				
COEF. OF VAR. 8.2%		26.71		
SYMMERTY .88		26.41	30TH	25.18
KURTOSIS 4.36		26.10	25TH	24.92
		25.77	20 TH	24.63
		25.40	15TH	24.32
! ADJUSTED COMPOSITE	VALUE !	24.94	18TH	23.94
•	!	24.30		23.43
! MEAN 27.21	!	23.91	3TH	23.13
! ST. DEV. 2.44	<b>!</b>	23.63	2 ND	22.94
		23.21	1ST	22.68

### 46. WAIST FRONT LENGTH



Landmarks: Neck and waist

Instrument: Tape


<u>Position</u>: Subject stands erect looking straight ahead.

rooking belaight ahead.

Procedure: With a tape, measure the surface distance from the anterior neck landmark to the anterior waist landmark.

THE SUMMARY STAT	ISTICS		THE	PERCENTI	LES
		•	ARMY		AFW
ARMY			INCHES		INCHES
			17.45	99TH	15.20
NO. OF SUBJECTS	1331		16.94	98TH	14.93
			16.65	97TH	14.76
		INCHES	16.28	95TH	14.54
		INCHES	15.78	90TH	14.22
COEF. OF VAR.	7.1%		15.48	85TH	14.00
SYMMETRY	• 56		15 • 25	80TH	13.84
KURTOSIS	3.70		15.07	75TH	13.70
			14.91	70TH	13.58
AFW			14.76	6 <b>5</b> TH	13.47
			14.63	60TH	13.37
NO. OF SUBJECTS	1905		14.50	55TH	13.27
			14.38	50TH	13.18
MEAN	13.22	INCHES	14.26	45TH	13.08
ST. DEV.	•77	INCHES	14.13	40TH	12.98
COEF. OF VAR.	5.8%		14.01	35TH	12.89
SYMMERTY	. 31		13.88	30TH	12.79
KURTOSIS	3.24		13.74	2 <b>5</b> TH	12.68
			13.59	20TH	12.56
			13.42	15TH	12.42
! ADJUSTED COMP	POSITE	VALUE !	13.20	10TH	12.25
! Suspected diffe	erence	in !	12.91	5TH	12.00
! measurement te			12.73	3TH	11.85
! composite inva		•	12.61	SND	11.74
			12.45	1ST	11.58

### 47. WAIST HEIGHT



Landmark: Waist


Instrument: Anthropometer

Position: Subject stands erect, looking straight ahead, heels together, and weight distributed equally on both feet.

<u>Procedure</u>: With an anthropometer, measure the vertical distance from the standing surface to the anterior waist landmark.

THE SUMMARY STATISTICS		THE	PERCENTI	LES
		ARMY		AFW
ARMY		INCHES		INCHES
		44.97	99TH	43.76
NO. OF SUBJECTS 1331		44.36	98TH	43.24
		43.97	97TH	42.92
MEAN 39.92	INCHES	43.43	95TH	42.47
ST. DEV. 2.05	INCHES	42.60	90TH	41.79
COEF. OF VAR. 5.1%		42.05	85TH	41.33
SYMMETRY .17		41.61	80TH	40.97
KURTOSIS 3.12		41.25	75TH	40.66
		40.92	70TH	40.38
AF₩		40.63	65TH	40.13
		40.35	60TH	39.89
NO. OF SUBJECTS 1905		40.09	55TH	39.66
		39.84	58TH	39.43
MEAN 39.48	INCHES	39.58	45TH	39.20
ST. DEV. 1.77	INCHES	39.33	40TH	38.97
COEF. OF VAR. 4.5%		3,9.08	35TH	38.74
SYMMERTY .15		38.81	30TH	38.49
KURTOSIS 2.86		38.52	25TH	38.23
		38.21	20TH	37.94
		37.84	15TH	37.61
! ADJUSTED COMPOSITE	VALUE !	37.38	10TH	37.21
!	!	36.70	5TH	36.64
! <b>MEAN</b> 39.70	!	36.23	3TH	36.29
! ST. DEV. 1.91	· ·	35.88	2ND	36.04
		35.30	1ST	35.69

### 48. WEIGHT



Landmark: None


Instrument: Balance scales

<u>Position</u>: Subject stands on center of scale platform wearing panties and bra.

Procedure: Adjust balance and record weight to the nearest quarter pound (Army) or pound (AFW).

THE SUMMARY STATISTICS		THE ARMY	PERCENT:	ILES
		ARMY		AFW
ARMY		POUNDS		POUNDS
		186.75	9 <b>9T</b> H	175.20
NO. OF SUBJECTS 1331		176.95	98TH	166.90
		171.50	97TH	162.19
MEAN 132.22	POUNDS	164.87	95TH	156.38
ST. DEV. 19.16	POUNDS	156.04	90TH	148.49
COEF. OF VAR. 14.5%		150.76	85TH	143.70
SYMMETRY .80 KURTOSIS 5.90		146.87	80TH	140.15
KURTOSIS 5.90		143.63	75TH	137.19
		140.82	70 TH	134.63
AFW		138.27	65TH	132.32
		135.88	60TH	130.15
NO. OF SUBJECTS 1905		133.58	55TH	128.09
		131.32	50TH	126.08
MEAN 127.28	POUNDS	129.05	45TH	124.08
ST. DEV. 16.59	POUNDS	126.77	40TH	122.08
COEF. OF VAR. 13.0%		124.41	35TH	120.03
SYMMERTY .64		121.93	38TH	117.89
KURTOSIS 3.86		119.25	25TH	115.61
		116.27	20 TH	113.10
		112.87	15TH	110.27
! ADJUSTED COMPOSITE	VALUE !	108.69	10TH	106.86
•	!	102.98	5TH	102.29
! MEAN 130.00	!	99.75	3 <b>T</b> H	99.77
! ST. DEV. 17.88	!	97.71	2ND	98.20
		95 • 26	1ST	96.36

### 49. WRIST CIRCUMFERENCE



Landmark: Wrist

Instrument: Tape

<u>Position</u>: Subject stands with arm slightly abducted and the hand extended.

Procedure: With a tape held in a plane perpendicular to the long axis of the forearm and hand, measure the circumference of the wrist at the level of the wrist landmark.

THE SUMMARY STATIS	TICS			THE	PERCENTI	LES
				ARMY		AFW
ARMY				INCHES		INCHES
				6.40	99TH	6.63
NO. OF SUBJECTS	1331			6.34	98TH	6.53
				6.30	97TH	6.46
MEAN				6.24	95TH .	6.38
		INCHES		6.14	90TH	6.26
COEF. OF VAR.	4.7%			6.07	85TH	6.19
SYMMETRY				6.02	80TH	6.13
KURTOSIS	3.10			5.97	75TH	6.08
				5.93	70TH	6.03
AFW				5.89	65TH	5.99
				5.85	6 <b>0</b> TH	5.95
NO. OF SUBJECTS	1905			5.82	55TH	5.91
					50TH	
					45TH	5.84
				5.71	40TH	5.80
COEF. OF VAR.				5.68	35TH	5.77
SYMMERTY				5.64	30TH	5.73
KURTOSIS	3.14			5.60	25 T H	5.69
				5.56	20TH	5.64
			-	5.51	15TH	5.59
! ADJUSTED COMPO	SITE	VALUE	•	5.45	10TH	5.52
!			1	5.36	5TH	5.43
! MEAN 5.85			1	5.30	3TH	5.37
! ST. DEV. 0.28			•		2ND	5.33
			-	5.18	1ST	5.27

#### DEFINITIONS OF LANDMARKS

ACROMIALE: see SHOULDER

ANKLE: the level of the minimum circumference of the ankle above the projections of the ankle bones (the malleoli) as established by measurement.

AXILLA: the armpit. Landmarks are the points on the axillary skinfolds at the inferior edge of the armpit determined by placing a straight edge horizontally and as high as possible into the axilla without compression of the soft tissue and marking the front and rear points of contact of this straight edge. The MIDAXILLARY LINE is a vertical line originating at the center of the axillary space.

BICEPS: the point of maximum protuberance of the biceps brachii muscle as established by visual inspection when the elbow is flexed 90 degrees, fist clenched and the biceps strongly contracted.

BUSTPOINT: the most anterior protrusion of the bra cup.

BUTTOCK: the level of the maximum posterior protrusion of the buttocks as determined by visual inspection.

CALF: the level of the maximum circumference of the calf as determined by measurement.

CERVICALE: the base of the neck portion of the spine. The landmark is located at the tip of the spinous process of the seventh cervical vertebra as determined by palpation. Often it is most easily found when the subject's head is bent forward.

DELTOID: the most lateral protrusion of the deltoid muscle of the upper arm as determined by visual inspection.

GLUTEAL FURROW: the crease formed on the back of the thigh at its juncture with the buttock.

HIP: this landmark was placed in the Army survey at the maximum lateral protrusion of the hip bones. In the AFW survey, hip landmarks were located at points 7 inches and 9 inches below the right waist landmark as measured over the body surface. For purposes of this report, we used whichever of the two AFW landmarks represented the larger lateral protrusion—in most cases, the 9-inch-below-waist landmark. Measurements at this level corresponded closely to Army measurements. (See also TROCHANTERION.)

KNEE: the upper and lower borders of the patella (kneecap) are located by palpation and the horizontal midpoint between the borders is determined visually and marked with a short horizontal line. The subject's knee is straight but care is taken to insure that it is not locked. Landmark for circumference. (See also KNEE (TIBIALE).)

KNEE (TIBIALE): the level of the proximal medial merging of the tibia as determined by palpation. Landmark for knee height.

MIDAXILLARY LINE: see AXILLA

MIDSCYE: see SCYE

MIDSHOULDER: see SHOULDER

NECK: a circle is established by placing a loop over the subject's head and tightening it around the neck at the neckshoulder juncture. In the AFW survey the loop was adjusted so that the plane formed was perpendicular to the long axis of the neck. In the Army survey the loop was not perpendicular to the long axis of the neck and was usually higher on the posterior neck surface than on the anterior neck surface. Anterior, right and left lateral and posterior points were marked at the intersections of the circle with the midsagittal plane, with the neck-shoulder junctures and with the spine.

OLECRANON: the proximal end of the ulna, the bone on the little finger side of the forearm.

RADIAL STYLION: see WRIST

SCYE: the line followed by a typical set-in sleeve. This is a series of marks drawn at the axillary folds formed by the juncture of the arms and trunk. Subject stands and initially abducts her right arm slightly; a straight edge is placed horizontally under the armpit without compressing the tissue, so that the top of the straight edge touches the inferior point of the axillary fold. The subject then relaxes her arm and short horizontal lines are drawn at the level of the top of the straight edge on the anterior and posterior surfaces of the arms and torso. On the posterior surface, a line is also drawn upward following the fold towards the acromial landmark. The process is repeated on the left side of the body. intersections of the posterior horizontal scye landmarks and the lines following the axillary folds are the SCYE POINT landmarks. The points located halfway between the anterior scye landmark and acromiale (tip of the shoulder) and between the posterior scye landmark and acromiale are known as the MIDSCYE landmarks.

SHOULDER (ACROMIALE): the superior bony tip of the shoulder blade. The landmark is located at the most lateral margin of each acromial process as determined by palpation.

MIDSHOULDER: a point on the upper surface of the shoulder midway between the lateral neck mark and the acromial landmark, as determined by visual inspection.

STYLION: see WRIST

TIBIALE: see KNEE (TIBIALE)

TROCHANTERION: the tip of the bony lateral protrusion of the proximal end of the femur (thigh bone).

ULNAR STYLION: see WRIST

WAIST: the level established by the subject placing an elastic tape around her "natural waist." This level is marked anteriorly and posteriorly in the midsagittal plane and on the midaxillary lines.

WRIST: the tip of the styloid process of the right radius is determined by palpation and marked with a short horizontal line. The landmark is extended along the anterior and posterior aspects of the wrist perpendicular to the long axis of the forearm. The RADIAL-STYLION is marked at the bony protrusion on the distal end of the radius, the forearm bone on the thumb side of the arm. The ULNAR STYLION is marked at the distal end of the ulna, the forearm bone on the little finger side of the hand.

#### GLOSSARY

ABDOMINAL EXTENSION: the most anterior point on the curve of the abdomen in the midsagittal plane.

ABDUCT: to move away from the axis of the body or one of its parts.

ACROMION: tip of the shoulder. The most lateral point of the lateral edge of the acromial process of the scapula (shoulder blade).

ANKLE LEVEL: the level of the smallest girth of the right ankle above the protuberances of the ankle bones (malleoli).

ANTERIOR: pertaining to the front of the body, as opposed to posterior.

AXILLA: the armpit; AXILLARY: pertaining to the armpit.

AXILLARY FOLD, POSTERIOR: the furrow formed by the juncture of the upper arm and the back.

BICEPS BRACHII: the large protruding muscle mass on the anterior surface of the upper arm.

BUST LEVEL: the level of the right bustpoint.

BUSTPOINT: most anterior protrusion of the bra pocket.

BUTTOCK LEVEL: the level of the maximum posterior protrusion of the right buttock.

CALF HEIGHT: the level of the maximum circumference of the right calf.

CERVICALE: the protrusion of the spinal column at the base of the neck, caused by the tip of the spine of the 7th cervical vertebra.

CORONAL PLANE: a vertical plane which divides the body into anterior and posterior sections; a vertical plane perpendicular to a sagittal plane.

DELTOID MUSCLE: the large muscle on the lateral border of the upper arm in the shoulder region.

DISTAL: the end of a body segment farthest from the head or area of attachment; opposed to proximal.

EXTEND: to move adjacent segments so that the angle between them is increased as when the leg is straightened; opposite of flex.

EXTERNAL: away from the midplane of the body; lateral, opposed to medial or internal.

FEMUR: the thigh bone.

FIBULA: the bone on the lateral side of the lower leg.

FLEX: to move a joint in such a direction as to bring together the two parts which it connects, as when the elbow is bent.

FRANKFORT PLANE: the standard horizontal plane of orientation of the head, containing tragion and the lowest point of the orbit. This plane is closely approximated when the subject looks directly forward with her line of vision horizontal.

GLUTEAL FURROW: the furrow formed by the junction of the buttock with the back of the leg.

HUMERUS: the upper arm bone.

ILIUM: the hip bone.

INFERIOR (INFRA): lower edge (below), as opposed to superior
(SUPRA).

INSEAM: a tailoring term indicating the inside length of sleeve or trouser, measured on the medial side of arm or leg.

INTERNAL: near the midplane of the body, as opposed to external.

LATERAL: lying toward the sides of the body; opposed to medial.

MALLEOLUS: the bony protrusion, either lateral or medial, of the ankle.

MEDIAL: lying near the midsagittal plane of the body; opposed to lateral.

MIDAXILLARY PLANE: the vertical plane parallel to the coronal plane passing through the centers of the armpits; MIDAXILLARY LINES--the intersection of the torso and the midaxillary plane.

MIDSAGITTAL PLANE: the vertical plane which divides the body into essentially equal right and left sections.

MIDSHOULDER: the point on the superior border of the shoulder midway between acromion and the juncture of the neck and shoulder.

NECK POINT: the point marking the intersection of the right side of the neck with the trapezius muscle of the right shoulder.

OLECRANON: the proximal (upper) end of the ulna (the medial forearm bone).

OMPHALION: the midpoint of the umbilicus or navel.

PATELLA: the kneecap.

POPLITEAL: the hollowed-out region of the leg directly behind the bent knee, involving both the bottom of the thigh and the top of the calf.

POSTERIOR: pertaining to the back of the body, as opposed to anterior.

PROXIMAL: the end of a body segment nearest the head; opposed to distal.

RADIALE: the highest point on the proximal head of the radius, near the midpoint of the elbow joint on the posterior side of the arm.

RADIUS: the bone of the lower arm which extends from the lateral side of the elbow to the wrist at the base of the thumb; radial, pertaining to radius.

SCAPULA: the shoulder blade.

SCYE: a tailoring term used to designate the armhole of a garment. Here it is used to refer to points on either side of the body at approximately the level of the axilla (armpit).

SITS ERECT: subject sits on a flat horizontal surface with her head in the Frankfort plane, weight distributed equally, her back held in, her shoulders held back, and her thighs parallel. This position requires holding the torso straight, but not rigid.

SPHYRION: the most distal point of the tibia; it lies at the tip of the malleolar process.

STANDS ERECT: subject stands on a flat surface, with her head in the Frankfort plane, her weight distributed equally, her back held in and her shoulders held back, and her legs fully straightened. This position requires holding the body straight but not rigid.

STYLION: the point in the wrist region at the distal end of the radius-ulna.

SUB (INFRA): lower edge (below), as opposed to supra.

SUBSCAPULAR: inferior edge of the shoulder blade.

SUBSTERNALE: inferior edge of the sternum (breast bone).

SUPERIOR (SUPRA): upper edge (above), as opposed to sub or inferior.

SUPRAILIAC: superior edge of the pelvis in the midaxillary plane.

SUPRASTERNALE: the lowest point in the notch in the upper edge of the breast bone.

SURFACE DISTANCE: a measurement that follows the general contours of the surface of the body.

TIBIALE: the uppermost point on the medial superior surface of the tibia.

TRAPEZIUS: a superficial muscle running from the spine to the shoulder.

TRANSVERSE PLANE: any horizontal plane through the body.

TROCHANTERION: the top of the bony lateral protrusion of the proximal end of the femur (thigh bone).

ULNA: the bone of the lower arm which runs from the tip of the elbow to the wrist on the same side as the little finger.

VERTEX: the top of the head in the midsagittal plane when the head is held in the Frankfort plane.

WAIST LEVEL: the height of the horizontal plane at the "natural" waist level.

WRIST LEVEL: the level of the extension of the radial stylion point across the anterior surface of the forearm perpendicular to the long axis of the forearm.

#### CHAPTER III

# Selected Bivariate Frequency Tables

Among the more graphic ways of presenting information on the various ways and degrees to which body dimensions related to one other are bivariate frequency tables. The bivariate table shows the ranges of any two given measurements and the numbers of subjects who fall within a particular range of values for one variable and simultaneously within a specified range for a second variable. The double bivariates in this chapter encompass both Army and AFW samples. Thus, as can be seen by scanning Table 1, 30 USAF women and 25 Army women fall in the weight range from 122.0 to 126.9 pounds (the box designated by the five-pound interval value of 124.5) and in the height range between 64.6 and 65.5 inches (in the 65-inch box).

Bivariate tables can be useful to clothing designers in a number of ways. For example, while the relationship between two measurements is indicated by the correlation coefficient (here denoted by R), the extent of correlation can be estimated by the general shape of the bivariate. Table 2, which relates hip circumference and weight, shows a well defined band extending from the lower left to the upper right which indicates that increasing hip circumferences tend to accompany corresponding increases in weight. This apparently strong relationship is confirmed by the high R values (.895 and .903 out of a possible 1.0). is, on the other hand, no such pattern displayed in Table 3 (crotch height and waist circumference). Its generally oval shape indicates a poor degree of relationship between these two variables which means that almost any crotch height can be expected to occur with almost any waist circumference (R values of .221 and .144).

Probably the most useful purpose served by the bivariate frequency table is establishment of a clothing tariff which can be defined as the number of garments of each size which must be provided for a given population. For example, in Table 4, which gives the control dimensions neck-to-bustpoint length and bust circumference, it can be seen that a total of 126 (76/50) women have a neck-to-bustpoint length falling within the 10.1-inch interval and a bust circumference falling within the 35.4-inch interval. This represents about 4.0% of the combined samples. Sizing programs, of course, cannot feasibly contain as many size increments as are reflected in the bivariate tables, but the combinations of bivariate boxes to correspond to the ranges reflected in the sizing program will achieve the purpose with the same simple calculation.

The tables included here are selected with a view toward their relevance to clothing for the upper and lower body, and include those for the key dimensions used in the sizing tables which appear in Chapters V and VI.

TABLE 1

A BIVARIATE FREQUENCY TABLE FOR STATURE AND WEIGHT 1968 USAF WOMEN/1976 USA WOMEN

	TOTAL	*	8	/ 17	22/ 61	28	129/103	227/140	249/208	307/197	290/188	243/185		86/54	92 /	8/ 12	2/ 3	7	1330						
- 1	_1	-	•	18	1 22	95/	129	127	249	307	290	243	192	98	48	В	7	_	1305						
	134, 5 139, 5 144, 5 144, 5 154, 5 154, 5 159, 6 184, 6 184, 5 174, 5 179, 5 184, 5 189, 5 194, 5 189, 5 204, 5 209, 6 214, 6 219, 6	4	Н	4	}	_		-	1	-			_			-		_	(-						
	214.				_		-		_	-						_		-							
	209.																								
	204.5				,														\						
	99.2				1			2 /	1,										2 2	œ			œ		
	94.5					1	~			/									2/2	ERRO	04	00	ERRO	84	2.17
	39.5							1/1	1/1	7									2	STD ERROR	14.04	.;	STD ERROR	15.84	ن،
	4.5 18				/ 3	7	_	-	$\sim$	7 2						4			7	S			ഗ		
	.5 18					2	4 3,	7	60	1 1									3 9						
	5 179		-	1	1	2 1/	1 1/	1		3	11			_					10,						
	5 174	1/	-	7 /	1 /	3 1/	71 2 /	3/	1 1/	1 /	11 /			L			_		7		21)			12)	
	169.		\	/1 3	12/	3 2/	3 2/	/2 2	3	2 1/	/1 1	77		1/					1,		111.	.15)		119.	.51)
	184.5			/	1/1	7	72	2/	8 1/	1/	72	/1							17 24		<u> </u>	154		+	(54
	159.5		1/2	1/4	1/6	9 / €		8/8		5/3	3/3	1 /	1/	/ 1					30	SNC	= (3.737)*STATURE(IN)+(-111.21)	= (0.076)*WEIGHT(LB)+(54.15)	SNO	= (3,916)*STATURE(IN)+(-119,12)	(0.073)*WEIGHT(LB)+(54.51)
LB)	54.5	1 /	7 2	3/ 1	1/3	01/4 8	19 1 12 23 8 21 / 11 13 / 15 17 1 8 /	21/1	14/12	4/3	2 / 2	4/2	2 /						49 3	REGRESSION EQUATIONS	URE	HT	REGRESSION EQUATIONS	URE	) H
HEIGHTILB	19.5		7	1/2	17	8 / 4	3/15		2/181	01/6		*	2/ 1	1/1		/ 1			72 87	EGU	STAT	WEIG	EOL	STRI	WEIG
*	4.5 14	1 /	1 /	/ 2	7 7	*	/1111	33/2027/1618/1824/18	181/	91/	118	/ 8 1/	/ 5	/ 1	_			L		310N	37)*	¥(9/	310N	<b>*</b>	73)*
	.5 14			/3 6/	, <b>4</b> 6,	/01 7 /5 8 /91	821	1818	20 25	12427	18 5	15/14/13/19 4/	6	-	1		_		148 117 106	RESS	3.73	0.07	RESS	3,91	0.0
	.5 138	L	-	-	+	8 5,	13 23,	20 27,	27 24,	30 19,	21 18,	1413,	8 8		3			L	48	REG	11	"	REG	11	11
	_	_	L	=	100	7912	1010/	933/	55 30 /	15 34/	34 25/	7115/	12 10/	3 2/	1				142 181		33	33		36	36
	129.		1	_	/ 2	/01 7 /9	8 15/	2 29/	5 45/	/948	2 39/	121/	7812	/9 8	2 2/	1/	2		23	R	0.533	0.53	œ	0.536	0.53
	124.5		L	2/	/2	/9	111/	1/92	30/5	150/2	141/2	40/2	1/02/	1/2	6 6/2	2	/		241	ΈV	<u>ق</u>	96	ΈV	9	2.2
	119.5		1	1/		3/	4 8/ 711/ 815/10	18/13	29/54	41/20	51/18	34/17	22/17	12/ 5	1/8	3 /			221 22	ST DEV	16.59	2,36	ST DEV	18.76	2.57
	114.5					3/2	1/4	14/ 5	8 /91	35/12	41/44	40 / 19	28/11	514/412/57/	8/2	3/	1 /	1/	209		28	32			15
	99.5 104.5 109.5 114.5 119.5 124.5 129.5					3/	2/3	6/ 114/ 518/1326/1229/	8/ 410/1116/ 829/2430/2545/2530/2724/2025/1812/1614/12	8/12	417/1028/1444/1451/1841/2538/3425/2116/18 5/18 2/ 3	524/1031/1740/1934/1740/2121/27	5 25/12 28/11 22/17 20/12 18/12 10/ 6	9 / 8	7/ 5/8/	72			162 80	MEAN	127.28	63.82	MEAN	132.11	64.15
	14.5 1		t	-		-	-	/#	3/ 4/1	•	7/102	1/103			9/3	~	-	-	113 1						
	9.5 10		H	-	$\vdash$			'	7 2 (	/ 411/	-		/ 932/	ŀ	L	۳			1 19						
			+	-	-	-	H	_		1 5	8	2	4 18/			2	41	F	2	z					
	.5 94.5		-	-	$\vdash$	-	-	$\vdash$	-		9	1 3/	7	1 2/	+	1	-	$\vdash$	√ 122 B	JOHE		_	MEN		_
	5 89.5		-	-			L	-		-		/2		1	1	-		-	*/	HF.	LB)	( IN	H.	LB)	NI)
	84.5	₩.		_				_	2				2 1/	2	1	-	-	0	-/	1968 USAF WOMEN	WEIGHT(LB)	STATURE(IN)	1976 USA WOMEN	WEIGHT(LB)	STATURE(IN)
		72.0	71.0	70.0	69.0	68	87.0	86.0	85.0	84.0	83.0	82.0	81.0	80.0	59.0	58.0	57.0	56.0	TOTAL	1961	MEI	STA	197	핖	STA
								(	ΝI	)3	ЯN	7													

TABLE 2

A BIVARIATE FREQUENCY TABLE FOR HIP CIRCUMFERENCE AND WEIGHT 1968 USAF WOMEN/1976 USA WOMEN

	TOTAL	7				-	1	7	7	5/ 3	9/5	71 /	/ 28	/ 46	101/	207 / 157	280 / 183	957/041	937 / 105	991/170	84			1		1 20						
-	-4		_	_	-	+	+	1	1		-	24,	29/	SE/	127/	200	280	95.5	927	200	148/	52/	22/	0.	_	1,905						
1	5 218	-		_	L	+	-	+	-		_				L	F	-	+	$\frac{1}{1}$	-	ļ	-	$\vdash$	L	$\vdash$	\ <u>-</u>						
	5 214.	_		_		1	1	4	-	_		L				ļ	-	-	$\downarrow$	ļ	ļ	-	-		L	/_						
	Z03.				L	-	ļ	1			_	L	_	L		L		L	ļ	L	L		ļ		L	_						
	204.				L						`	L,				L	L				L											
1	188.2							7				1/1														2/	~			۵ <u>د</u>		
[	134.5					Ī	I			1/1		1:	1 /													2/	STD ERROR	o:	1.04	STO ERROR	0.5	90
1	63.5	İ				ľ		,	7/2			-			1											2/2	IT:	7		1018	80	1.06
	24.0	1				İ	$\dagger$		7 /2	72	/2	1/2	/ 3		1 /		r		1	+						7.		70.1	• •	U		
1	0,0	1	1	_	_		t	Ť			2	2 /	2 /	1	1.	-	-	r		t	-	l		L		8		12.			24.	• · !
	2	1	-		<u> </u>	+	+	+	+	+	1 2 /	1 8 /	1 1		2 /	1 1	-	-	+	$\vdash$	_	-	-		-	703		+ ( - )			+(-)+	
1	103.0 104.0 183.0 1/4.0 1/3.0 184.0 183.0 194.5 193.5 204.6 209.6 214.6 218.5	+	-	_	L	ŀ	1	+	+	-	→	1 1	*	1,	3	1	-	-	H	L			-		L	0.		= (6.383)*HIP CIRCUMFERENCE(IN)+(-112.70) 7.39			(6.832)*HIP CIRCUMFERENCE(IN)+(-124.73)	. ~
200	207	+	-			-	$\downarrow$	_	-	-	_	2 5/	5 3/	7 3/	5 1/	7	~	L	-						-	77		NCE	.56		NCE	(0.119)*WFIGHT(18)+(21.87)
10,	101	+	-			L	1	_	:	-	1/	71 2	3/	1,	8 4/	9	2		L	L		_		-		17		FERE	+(21		FERE	+ [ 9 ]
	601	1				L	1	1	1	-	1/		78 2	2 5/1	0 8/1			3								₩/	IONS	RCUM	(LB)	IONS	RCUM	8
1(18)											_	1	2 5/	13/ 6 16/ 6 14/ 12 5/ 11	834/13/24/25/12/20 8/18	3 7/1	33/	1				_				6+	THU	CII	[GHT	THUE	CII	THU
WEIGHT (LB	200											/2	4/	18/	24/5	19/5	8/18	1/11							L	72/	N	*HI	* F	N E(	*HIF	* NF
3	0.447												3/2	13/6	34/19	36/41	30/33	8/11		E						122	8810	383)	126)	5810	832)	119)
HEIGHT(LB)	0.80	T												2/	22/8	47/22 46/28 36/41 19/26 7/14 2/	48/40	34/53 17/93	3/8							142	REGRESSION EQUATIONS	9	= (0.126)*WEIGHT(LB)+(21.56)	REGRESSION EQUATIONS	(6.	0
, H		1	7				1	T	İ					1/1	13/ 522/	7 / 22	8 / 45	4 / 53	17/21	-						181	8			R	П	11
		†	+						T	1						4/84	/ 10 72 / 28 68 / 45 48 / 40 30 / 33	7/813	8/341	4/7	2 /					120	8	0,895	0.895	œ	0.903	0.903
2 2		†	+	+		_		l	$\dagger$	+	1	1				1/ 3/34/	1/10/7	5 60 / 18 112 / 43 77 / 81	/57 38/34	/34	/ 1			-		148	/	0		_	0	0
4		+	+	1			H	$\dagger$	$\dagger$	+	1	1			. 1	/ 210/	/ 544/	/ 1811	14757	/ 48 14	/ 8 1	/ 1		-		129 241	ST DEV	16.59	2,33	ST DEV	18.76	2.48
4 F 11		+	+			L		+	t	+	+	1	-		-	3		/ 5/80	/ 2010;	/3734	117 7	/ 3				2 8	လ			ς,		_
5 E 11		+	+			-	-	-	t	+	1	1	-			_		/ 3 35/	1 772	431/ 662/32/37/34/4814/34	/ 29 22	/ 9 3,		+		80 203 80 8	MEAN	127.28	37.60	MEAN	132.11	37,59
201		+	+	1				ł	+	+	+	+	+	_				/21	33,	6 62	18 39	25 6	Ω,	+	_	54 152	Σ	12	ന	Σ	13	ന
99 5 104 5 109 K 1114 E 119 E 124 E 129 E		+	+	+		_	L	L	1	+	+	+	+		-		_	2	127	4 31/	7 48,	4 18 / 12 19 / 25 6,	11	6		37 113			(N)			(N
		+	$\downarrow$	+	_	L	L	ļ	1	+	+	-	+	_	-		_		77	1 2/	224/	4 18/	711/	7 4 2	-	17 81	_		HIP CIRCUMFERENCE(IN)			CE()
24.5	-	+	$\downarrow$	-		_		$\mid$	1	1	_	_	$\downarrow$			_		_		1/	2/		2 8/	1/	\ -1	5 22	1968 USAF WOMEN		EREN	YEN		EREN
20.00	4-	$\downarrow$	$\downarrow$		_						$\downarrow$										]		√l	3/		-	Ĭ.	(B)	UMF	10 M OI	.B	UMF
84.5	1																							-		-/	USF	WEIGHT(LB)	CIRC	1976 USA WOMEN	WEIGHT(LB)	CIRC
	59 5	1	1	9	49.6	48.5	47.5	46.5	5 57	0.01		43.5	42.5	41.5	40.5	39.5	38.5	37.5	38.5	35.5	34.5	33.5	32.5	31.6	30.5	TOTAL	1968	LE I G	4IP	1976	VEI G	HIP CIRCUMFERENCE(IN)

TABLE 3

A BIVARIATE FREQUENCY TABLE FOR WAIST CIRCUMFERENCE AND CROTCH HEIGHT 1968 USAF WOMEN/1976 USA WOMEN

7 26.2 26.7 1/ 1 2/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1
26.7 28.7 27.7 28.7 28.7 28.7 28.7 28.7 28
25.2 26. 26.2 26. 7 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1 1/ 1

TABLE 4

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND NECK-BUSTPOINT LGT 1968 USAF WOMEN/1976 USA WOMEN

		]•	7	<b>-</b> -1	2		4	0	<u>  </u>	2 2		0	<b>S</b>	8		35	96	0	3	2 0	200	2	2		1330] STO CODOD		1.72	מדט מדמ	O. B.A	1.94
	Toral	1	Y	1	3/	. /8	8	186	1	100	I.		141	991 ///2	328/218	381/192	299 / 195	150/180		١,	J.	12		1302			· 6			53
	19	;	1					l	-	1			1	<u> </u>		٠.	_			1	1	1	1	7	-	0	15.8		2.80	15.7
	10 8		Ì						l	$\dagger$	T	1	$\dagger$	$\dagger$	1				T		1	1	1	T		) + ( N	) + ( Z		) + ( N	)+(N
	19.5		$\dagger$	1	72	1/1		2/ 1		-	+	T	†·	†	1			l	ļ	$\dagger$	T	1	1	22	•	= (0,213)*BUST CIRCHMEERENCE(1N)+(0 51)	(1.937)*NECK-BUSTPOINT LGT(IN)+(15,88)		(0.206)*BUST CIRCUMFERENCE(IN)+(2.80)	(1.909)*NECK-BUSTPOINT LGT(IN)+(15.72)
	19.9			1		1/	1 1	2 /	3/	6/1	1		-	†  -	*				T		$\dagger$			1	9	FRFN	NTL		EREN	N
	11.9		1		1	1	3/	1 /4	2/ 1	1	-	1	r u	1.	; ;	7		-		T	$\dagger$	1	1	24	N.N.	CLIME	TPOI	رن 2	CUMF	TPOI
	11.8		1			1	/ 1	3/ 1	1 /4	1 /8	0/0	10	N C	J	J.	  -	1/	-			T	†	†	28	REGRESSION FOURTIONS	. A.	-BUS	REGRESSION FOURTIONS	CIR	-BUS
	11.3		$\dagger$	†		\  -	1/1	8/3	3/ 1	4/3	1	7	19/61	ا.	1	2/5	2 / 2	/ /1		T	<u> </u>	1		75	FD	BUST	NECK	FOI	BUST	NECK
•	11.0		•	,	7	>	3/	3/	1/2	511/914/	12		12	10	3 :	?	2/3	2 /			T	+	$\dagger$	113	SION	13)*	37)*	SION	*(90	<b>(60</b>
(NI	10.7	-	1	+	1		7	4/2	4/ 1	13/81	3 22 / 19 21	832/15/20/17/28/21/22	30 54 / 23 20	93 40/31	0.00/		23 12/ 16	8 /3	2/2	1	+	$\dagger$	$\dagger$	213	GRES	(0.2	(1.9	GRES	(0.2	(1.9
T L0T	10.4		T	1	1	1		1/	3/ 1	8/ 4/1	ı	0/17	308/0	3/93	1/1031		1/23/1	8/ 7	2 /1	-		$\dagger$	T	180	RE	11	11	R	П	11
NECK-BUSTPOINT LOT(IN)	10.1		t	+	$\dagger$	1		-	5/1	3/8	8	2/152	527/14/38/15/62/32/40/	5 58 / 30 53 / 35 78 / 50 33 /	7 / 90 41 /	200	2		4/8	6 /		-	+	351 11	2	0.642	.642	۵۲	0.627	0.627
CK-BU	8.8	-		$\dagger$	$\dagger$	+	1	-	7	3 /	/ 221/	L	/ 158	/ 36 7	807/		/ 38 5	/ 31 11			L	-	+	8			0	_	0	0
¥	9.5	_			$\frac{1}{1}$	+	+	+	-		8/1/8	7/ 411.	/14 38	/ 30 53	22 84 / 28 85 / 40 87 /		28 74/44 43/38 51	40 44/38 20/31 10/11	25 19/19 10/13	/ 5 2	-	1	H	185	ST DEV	0.74	2.24	. DEV	0.82	2.49
	9.2		$\vdash$	-	+	+	1	1	1	2	1 /	8	L	L	15			<b>、</b> I	•	١.	1-	+		148	S			ST		
	8.9				$\dagger$	+	+			2 /	1 /	/2	101	6/1032,	541		의:		/ 814/	/ 7 3	7	L		63 205	MEAN	10.04	35,33	MEAN	9.95	34.72
	8.6		-		+	+	+	+	+	1			1 /	2 /	8/89/	1	510	4 13/ 28 15/	13 8	3/12 3	1 2 /	1		52 8	2		(1)	_		(i)
	8.3	_	L			+	+	+	-	+	_		/ 1 3,	1 1 1/	8	١		٠ŀ	< I	/ 5 3	1 /	L	-	14 53		(NI)	( II )		( NI )	( NI )
	8.0		L	-	+	+	+	+	+	1		_	1		-	•	ţ	۵ ۲	6	7 2	1 /	_	1 /	2 2	z	. LG1	ENCE		LG1	ENCE
ļ	7:7	-		-	$\vdash$	+	+	+	$\dagger$	1	1	-			-	-	•		-					0	MOME	GINT	MFER	IOMEN	UINI	MFER
	•	1		-	-	+	+	$\dagger$	1	+	1	-				L	+	+	-	7				(-)	USAF WOMEN	<b>3USTF</b>	CIRCUMFERENCELIN	USA WOMEN	3USTF	CIRCUMFERENCE(IN
L		48.4	45.4	44.4	43.4	1.67				38.4	36.4	37.4	36.4	35.4	34.4	33.4	1 00	36.7	31.4	30.4	29.4	28.4	27.4	TOTAL	1968	NECK-BUSTPOINT LGT	BUST	1976		BUST (
	-						-	N	1)	30	EN	83	J.	ınc	) N	13	) ]	ıs	nα	1										_

TABLE 5

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND HIP CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

- 1004
2 4 / 1 2 / 2 / 2 / 1       6 7 2 3 / 1 / 1       1 6 7 2 3 / 1 / 1       1 6 8 4 / 1 / 1       1 0 8 4 / 1 / 1       4 1 / 3       1 1 / 1       1 1 / 1       1   1 / 1       2   2 / 1       3   1 / 1       4   1 / 3       5   2 / 2       6   1 / 1       7   1 / 1       8   1 / 1 / 2       9   1 / 2       1   2 / 3       1   2 / 3       1   3 / 4       1   4 / 5       1   5 / 4       1   5 / 4       2   5 / 4       3   5 / 4       4   7 / 5       5   6 / 5       6   7 / 7       6   7 / 7       7 / 7       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1       8   7 / 1
2 4/ 1 2/ 2/2 2/1 2 2/1 31/ 1/ 1 1/ 1 1/ 1
5/2 3/ 1/ 1/ 1       14/1 2/ 1 / 1       10 6/ 4 / 1     / 1       4 1/ 3     105/ 105/ 1       1 1/ 1     2 1/ 1       1 1/ 1     2 1/ 1       1 1/ 1     328/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1/ 1     381/ 1       1 1 1/ 1
10 6 / 4 / 1 / 1   63 / 10 6 / 4 / 1   7   63 / 10 6 / 4 / 1   7   10 6 / 6 / 1   10 6 / 6 / 1   10 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6
10 6/4 / 1 / 1   105/ 8 1/1 / 2 1/   141/ 4 1/3   277/ 1 1/1   328/ 1   328/ 1   328/ 1   381/ 1   381
1   1   3
1 1/ 1 326/ 1 1 1
1 2997 2997 1587 8657 8657 8797 8797 8797 8797 8797 8797 8797 87
29 24 9 5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
REGRESSION EQUATIONS STD ERROR
= (0.717)*BUST CIRCUMFERENCE(IN)+(12.27) 1.68
REGRESSION EQUATIONS STD ERROR
(0.703)*BUST CIRCUMFERENCE(IN)+(13.19) 1.75
(0.711)*HIP CIRCUMFERENCE(IN)+(7.99) 1.76

TABLE 6

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND BACK CURV AT BUST 1968 USAF WOMEN/1976 USA WOMEN

		TOTAL	1 /	1	3/ 2	1 /9	7 /8	29/ 19	101 / 10		105/ 65		05 / 167	001//000	017 /076	381/185	299 / 195	158/180	65/ 97	<b>I</b>	L	i.	1	1908	1330					
		21.0	/	-			Ī	Ī		Ī		Ī		Ť	1		•••				T			7	~					
	L	21.4		_		$\mid$					t		$\dagger$	$\dagger$	1	1	_	-	-	-	l				۲,	_			~	
	- 4	21.0			-	-			-	+				+	1	+					-			7	2 2	אמר ביים י	4 L.	,	RROF	ט מ
		20.02			_	L	2 /	-			-	+	+	-	+	+	-			_	_			8 /	27 5	SID ERRUR	2 C		STD ERROR	1.32
	-	20.2	-		1 1	1 1 /	1 2,	1 3	2	-		-	+	L	+	+	-		-	_		-	-	$\overline{}$	ا م	O			တ	
	10 0	4	+	1	<u>'</u>	1,	1,	2 1/	2	-		-	:  -	-		+	+		+	1			+	(a)	<u>=</u>	76.	(96)	•	ć	(9)
	- 1	- 1	1	-	2/	-	72	12 2	1 3/	=	5 3/	-	1		ļ	+	+	-	1	$\dashv$	4		-	<u> </u>	p a	= (0,335)*BUST CIRCIMEERENCESIN)+(4,16)	= (1.167)*BACK CURV AT BUST(IN)+(15.96)		FEGULATION CACHILONS  = (0.418)*BHST CIRCHMEFRENCE(IN)*C2 01	(1.723)*BACK CURY AT BUST(IN)+(6.26)
	101	4	+	-	-	1	1	3 3/	1 3/	8 1/	5 2/	71 2	2/2	=	-	,	န		1		-			; ;	707	, N I	, , , , , , , , , , , , , , , , , , ,		N	+ ( N I
	0 01	4		1	=	=		1 2/	1 2/	11 8	/9 1	/8 0	/9 8	72 2		:	1			1				8/		U	1ST (		II.	187(
		┸				=	1	1	1/4	16/	1/6	17/22/22/22/20 16/16 15/10	6	4		6	<u>ز</u>	-		-			į	,		H H H H	1 B		7	1 BU
	18.2						-	7	7/ 3	5/5	716/1212/16	16/16	18 / 81	10/8	\ a	3 0	7	7					000	7	S N C	Y	₩ > >	2	N C C	E >>
:	17.8							7	2/	7/3	21/91	22 / 20	36 / 25	21/12	1 / 5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,		Ī		1	1	$\overline{}$	27 821	11.	Ĺ	S	1		CUR
NICLE	17.4		Ī			1		1		√l	4/ 7	2/22/2	6/38	0/43	1715	7/6	, ,	; ; ;	1	1		1	701	28	FDE	BUST	BACK	C L	L'EU RIIST	BACK
BACK CURV AT BUST (IN)	17.0	1	†	1	1	1		1		٠I	5/ 314,	1/17/2	6 38 / 30 38 / 34 46 / 39 36 / 25 18 /	231/ 952/1545/2949/4941/4640/4327/1510/	3/26/3	337/1932/2645/4755/5449/2838/1919/	100		+	+	1		1000	, 3	REGRESSION FOURTIONS	35.	57)*	CHOITCHOM MOISSEADE	× (8)	23)*
CURV	16.8	┺			1	+	+	1	1		- 1	/ 421/	/ 30 38	/ 49 41	/ 48 45	/ 28 35	8/3030/37/31/40/05/3015/10 0/	3	-	+	+	+		1 6	RES	0.3	1.16	0010	0.41	1.72
BACK	18.2 1		+	+	1	7	+		1	~	- 1	. 1	638	/ 29 49	/ 46 47	54 49	30 15	000	٥	,	+	+	200	7 8	REG	. 11	11	14 0	1 11	=
	15,8 1	L	+	+	+	+	1	1	1	2	1	- 1	444/	1545,	32/81	47 55,	36 67	2 2		}	+	+	97.6	2 65	J	0.625	625	~	349	0.849
	-		-	-	-	+	+	+	+	7	2		123/	952/	16 76/	26 45 /	97 31 /	9/28/11/01/11/17	3 5	)  -	+	+	256	/		0.6	0.	œ	0.849	0.8
	15.4		Ļ	-	+	+	:	1	:  -		*	2	11/	231/	3 38/	932/	/ 08 0	, , ,	-	1	1	1	163	97	JEV	20	24	7	23 E	49
	3 16.0				-	$\downarrow$	1	1	1	1	<u> </u> ;		J	11/	125/	337/1	1218/9			1		1	115		31	1.20	2.24	<u>۲</u>	;	2.49
	14.6		L	L		$\downarrow$			ì	1	<u> </u> :	1		-	11/	/01	20/1	514/3	9 2/13	-			88		i	53	33	z	52	72
	14.2													2	/8	1/	3/	-	=				23	72	MEAN	16.59	35.33	MFDN	16.52	34.72
	13.8										1					3/1	3/1	1/3	1/8		1		6	14		_	<b>~</b>			<b>-</b>
	13.4				Γ												1/1	3/	1 /	1/1	-		2	3		NI)	E(1)		NI)	E(I)
	13.0										T	T	1								T			7	E E	BUST	RENC	z	BUST	RENC
ļ	12.8			-				T	$\dagger$	$\dagger$	1	+	+	+	1	+		-	-	-	F		-	1	MOMEN	Н	JMFE	10ME	H	UMFE
L	12.2									$\frac{1}{2}$	$\frac{1}{1}$		$\frac{1}{1}$	$\dagger$	-	1				_		/ 1	`	-	1968 USAF		CIRCUMFERENCE(IN)	USA WOMEN	CURV AT BUST(IN)	CIRCUMFERENCELIN
•		40.4	42.4	44.4	43.4	45.4	41.4	40.4	39.4	38.4	37.4	36	32			2	32.4	31.4	30.4	29.4	28.4	27.4	10101	101 R	1968	ВАСК	BUST	1976	BACK	BUST
							(	NI	)3	NC	ΒE	3.	HL	135	I	3	Τŧ	3NI	3											

TABLE 7

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND ARM SCYE CIRC 1960 USAF WOMEN/1976 USA WOMEN

2.9 13.2 13.5 13.0 14.1 14.4 14.7 15.0 USH WUTEN  RRH SCYE CREC LING  2.0 13.2 13.5 13.0 14.1 14.4 14.7 15.0 USH WUTEN  RRH SCYE CREC LING  2.1 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/			TOTAL	7	7	3/2	8	7 /8	23/ 12	31 / 10	10 / 00		1		28/218	961/109	721 / 10	001/88	Э,	. 1	⊾ ì	2/ 10	7 2	-	1805						
## GENERAL   11.1   11.2   12.0   12.3   12.6   13.2   13.5   13.6   13.6   14.1   14.4   14.7   15.0   15.3   15.6   15.9   16.2   16.5   17.1   17.4   17.7   15.0   15.3   15.6   15.9   17.1   17.4   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.7   17.								1				-		0	0	9	2	7	-					+							
### GENERAL HIGH STATE   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5   13.5		j			/ 1					T	t				T	T	$\dagger$	t	1	+	1		1	1	\ <u>-</u>						
### ### ### #### #####################			18.8						1		l	T			T	$\dagger$		$\dagger$	+		1			-	<u> </u>						
46.4 46.4 46.4 46.4 46.4 46.4 46.4 46.4			-4			1 /		-	-								+	1		1	1		1	1	/ E						
#8.4 # # # # # # # # # # # # # # # # # # #							-		/2	12							T	1	1	1	1		1	6	ر بر	2			_	_	
#8.4 # # # # # # # # # # # # # # # # # # #								-	2		-		7			T	1	1	1				1	1	2	RROF	6.9	57	0	2000	1.63
#8.4 # # # # # # # # # # # # # # # # # # #			17.4	7	1				1	1/3	-	/ 2					T	1	1		1	1	1	,	`	TI F	, c	; . <del>.</del>	T 0 1	, -	
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4		İ	17.1			_ / 1	3/	-	2/ 1	7	1.	2		-	1		T	T			1		1	2	201				U		
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4						2/		2/ 1	7	-	9	1 /4	1/2	2/ 1	1/1	-		T						20%	16		4	:		4	
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4			_				1	1/	4/3	1 //		9	1/3	3/	1/2	-								98	ı/		+ ~ N	9,33		) + ( N L	5.11
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	Z L				-	-	2/	72	4/1	2 / 5	11/	1	4	11/	6	2	-							57	2/		THUN	) + (N		NFF	) + (N
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	5	L						11	2/	1 /2	7 /8	20/8	8/10	9/19	8/14	2			-					81	, /I		FFRE	RCCI		FFRF	RCLI
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	000	(N)	4					1/	72	5/ 1	313/ 3	11/81	121/18	128/17	15/27	313/12	4 / 8		-					119	: \	SNO	RCUM	E CI	S.N.C	RCIIM	E CI
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	61/	CIRC			1				/1	3/	2 10/ 3	5 24 / 15	5 37 / 1	3 55/36	38/88	323/26	17/15	5/ 5	١.					213	, \	URTI	I CI	I SCY	TTOIL		SCY
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4		M SCYE		$\downarrow$	1	1					/8	78 2	0 28 / 1	3 48 / 20	044/39	8 39 / 2:	310/2	3/1:			1	1		187	· _	N EG	*BUS	* ARK	NO P	*BUS	* ARK
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	ב		_		1			_		/2	/9	411/	8 28 / 1	4 55 / 2	883/4	9 63 / 3	7 40 / 3	110/2	/1	1	-	1	1	298	7.7	<b>ESSI</b> (	287	780	71885	287	002
46.4 45.4 45.4 45.4 45.4 45.4 45.4 45.4	Š	-	-	1		1		_			72	72	3/	8 22 / 1	551/2	2/09 8	5 41/3	4 15 / 4	18/			+	-	202	ı M	REGRE	0	1.	RFGR	0) =	= (2,
46.4 45.4 43.4 42.4 42.4 42.4 40.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.5 38.4 38.4 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5	Ď,	Ļ.	4	+	+	-		_	_	_	_	3/		2 28/	2 40/1	2/1/0	8/07/8	9 24/3	1/6 9			1	1	259	i VI	_					
46.4 45.4 43.4 42.4 42.4 42.4 40.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.5 38.4 38.4 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5		L	4	$\downarrow$	+	-	-	-	_	1	لـ	1		112/	223/	3 28 / 2	15 43 / 2	14 28 / 2	1514/2	8	-	}	+	$\mathcal{N}$	4	œ	0.7	0.7	œ.	0.7	0.7
46.4 45.4 43.4 42.4 42.4 42.4 40.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.5 38.4 38.4 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5		-	4	1	+	1	-	-	1	-	_	-	2	2/	11/	134/	2 39/	11 35/	1213/	13 5		1	+	144		DEV	90	24	DFV	94	2.49
46.4 45.4 43.4 42.4 42.4 42.4 40.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.5 38.4 38.4 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5		-	+	1	1	+	+	-	1	-	-			2/	4	8	207	720/	7 8/	4		   	+	95	V	ST	ο.	۲.	S	0	2.
46.4 46.4 46.4 43.4 42.4 42.4 40.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4 38.4		- ⊢	-	+	+	+		4	+	+	-		-	-		/2	8	11/	8	L	1		+	t	4	NH	4.61	5.33	a.	1.77	34.72
46.4 46.4 46.4 46.4 47.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4 40.4		-		+	+	+		-	1		-	-	1		-	-	9	1/2/	4	-	-			20		Ξ	-	38	Σ	7	'n
		-	-+-	+	+	+	+	+	-	+	-	1	-	-	+	-	_	_	-	-		}	F		1			(NI)			(NI)
		- ⊢	-	+		+	1	+	-	1	-		+		1	-	_		_	L	L	+	-	$\vdash$	7	z	(NI	ENCE		NI	ENCE
		_	_		-	+	1	+	+	+	1	1	1	-	1	-			-	-	-	-	-	-	$\dashv$	MOME	IRCC	IMFER	OMEN	IRC	MFER
		-	+-	+	-	1	+	+	+	+	-	1	+		+	-			\ \	-	-	-	-	7	$\frac{1}{2}$	JSAF	YE C	IRCU	ISA M	YE C	IRCU
		Ľ	-	45.4	7 77			* 2.	4:4	+ i	4.8	4.	100	4.00	400	34.4	33.4	32.4	31.4 1	30.4	29.4	28.4	27.4	-	OTAL	<b>1</b> 896	RM SC	usr c	976 U	RM SC	ust c
			<u></u>	1	1_	1		_	_		_		٠.	_		_		_		Ц.	<u> </u>	<u></u>	1_				Œ	8		Œ	œ

TABLE 8

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND WEIGHT 1968 USAF WOMEN/1976 USA WOMEN

TOTAL.	1	- 6	7	1 2	101/00	31/10	63 / 34	I.		15	928/218	981 / 192	200 / 10E	158/130	5/ 07	15/53	Ι.	)	2	1905						
$\vdash$	-	+	+	+	100	16	, "	, 5		16	18	å	3 8	3 5	9	, -	1	+	+	12.	1					
219		┰	1	1	1	ļ	$\downarrow$	$\downarrow$	_	L	L				$\downarrow$		ļ		1							
14.5																										
9.5	1	-	†	$\dagger$	$\dagger$	t	T	1	1	T		1	+	T	+	1	T	t	$\dagger$	/-						
5 20	+	+		+	ł	ł	╀	-	╀	-	-	L	+	+	+	H	-	+	+	<del>-</del>						
204.				1					L	L		L			L	L			$\perp$							
99.5	-		-	,	-															2/				~		
4.5	$\dagger$	1	†	$\dagger$	-	†	T		T		_		t	T		T	r	1	$\dagger$	20	ERROR	- 61	. ŭ	ROF	14	
.5 19	+	ł	+	+	1 2/	100	+	H	H	H	+	-	ŀ	+	L	-	$\vdash$	+	+	(m)	<u> </u>	9.97	1,35	STD ERROR	11	
183	1	$\downarrow$	1	-	2 1/			3	_	L	L		L	1	L	L	-	-	1	1/2	STD			STI	_	
184.			16	;  -	3/	1.	<u> </u>	-	-											4			! !		.0	
79.5			T	-	12	-	3	-	/ 3											60	]	181	1		-79	)
134.5 139.5 144.5 149.5 154.5 159.5 164.5 169.5 174.5 179.5 184.5 189.5 194.5 199.5 204.5 209.5 214.5 219.5	$\dagger$	+	+	12	-	-	-	5	2	-	+	1	-	-	$\vdash$	-	-	+	+	73	1	= (5,905)*BUST CIRCUMFERENCE(IN)+(-81.31)			= (6.081)*BUST CIRCUMFERENCE(IN)+(-79.01) 11.04	
5 174	-	-	-	F	3	1	1 2/	1	E	2	_	L		-	1	L	-	-	+	2		Z			N	
169.		=	1	=	1	3/	2	2												12/		NCE	58)		NCE	
64.5				12	12	6/2	3/2	8 /2	2 /2	1/5	/ 3	/ 2								12 22		ERE	21.		ERE	;
9.5	t	1		t	3	-	9	9 /		3/11	8	77		T	r	-	-	t	$\dagger$	2 2	S	I W	)+(	35	UMF	
2 12	+	+	-	2	-	3	5	12 7	16 3	7 3	1141/	2	-	-	-	L	-	-	+	7 8	01	IRC	I LE	ION	IRC	
154	$\downarrow$	1	L	$\perp$	2/	1	512/	918/	5 27 / 12 30 / 17 13 / 11 10 / 16 3 / 10	14	ļ	8 1/	1				L	L	$\perp$	4/	REGRESSION EQUATIONS	3T (	= (0.108)*WEIGHT(LB)+(21.58)	REGRESSION EQUATIONS	37 (	
149.5			-		2/	/8	8	218/	13/1	51/28 44/22 38/26 13/31	44/51 33/32 21/25 6/18	3/ (	-	-						72 87	E E	808	F.F.	E	#BUS	i
14.5					12	2/ 1	9 /6		7/17	97/8	1 / 25	5/13	6	- E	77			Ī	T	122	1018	05)	08)	S I 0 I	81);	
.5	+	╁・	ŀ	t			ιΩ	114/	1230	122 38	32 2:	30/31/10/23 5/13	5/13	60	-		_	H	t	1 5	RES	Б	0.1	RES	0.0	
2 13	-	L	H	-	-	L	11	1	527	28 44,	51 33,	31 10,	_	8	2		-	L	-	148 142	REG	 !1	<u> </u>	REG	11	
		L	L	L	L	12	2/	111	25/			30/	13/51		\		\			8 /		<u></u>	<u>ത</u>		80	
29.6	ļ					1.	7	3/ 5	112/11	5 50 / 14	18/8	8/34	11/26	2/19	-	/ 1				231	8	0.799	0.79	œ	0.80	1
4.5	1		T	T	l	-		/ 213/	l~l	_	4 44/10 66/20 59/31	/37	/41	7/31	101/	/		r	T	1 2	1	U	٥	_	Ü	
.5	-	$\vdash$	H	-	-	H	-	2	211,	4 41.	10 66	26 74	38 34	34	12	3 2	-	H	-	2002	ST DEV	16.59	2.24	ST DEV	18.76	
119	-	-	-	L	L	_		/2	2/	21/	144	1(73/	2 57 /	7 18/	3 3/12	/ 0	17	L	L	122 /	S	16	Ö	ST	18	
114.										/9	787	66/1	86/2	38/5	1/8	/1	/			209 83	z	28	33	z	11	
88.5 104.5 108.5 114.5 119.5 124.5 129.5	ſ									2/	16/ 2 28/	1 19/ 1 40/ 2 66/11 73/26 74/37 58/34	16/ 127/ 145/18 66/22 57/38 34/41 31/26	8/25	5/24	2/8	/			152	MEAN	127,28	35,33	MEAN	132,11	
2	+	$\vdash$					-		1	<u> </u>	-	/ 14	/ 14	/ 182	/ 22 1	3/11	1 /	-	$\vdash$	/ 12		1			7	
2 10	$\vdash$	-	-	-	L	H	Н		-	+	7,	1 13	127	10 39	1017		4		+	37 113			(NI			
-	L	L	L		L	L,			_	_	1	14/	18/	8 19/10 39/18 29/25 38/22 18/34	2 18/10 17/22 15/24 8/13	8 5/10	7 2	1	L	61			VCE (			
34.5											7		3/		8/	-	`.	/		22/17	ZEZ		EREP	Z		
28.2			Γ										1/		2/	<b>▼</b>			1	<b>→</b>	203	_	UMF	MOM	_	
8. b	$\vdash$	_	-	H	Н		$\dashv$	+	+	+	+	1	_		-7				$\vdash$	7	SAF	( LB	IRC	SA	(LB	
-	-		+		+	+	4	+	4	4	+	4		4	4	~	+			-	1968 USAF WOMEN	WEIGHT(LB)	BUST CIRCUMFERENCE(IN)	1976 USA WOMEN	WEIGHT (LB)	
4.8	46.4	44.4	43.4	45.4	7.7	40.4	39.4	38.4	37.4	36.4	35.4	34.4	33.4	32.4	31.4	30.4	29.4	28.4	27.4	TOTAL	196	MEI	BUS	197	ͳ	

TABLE 9

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND NECK CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

10101	1		3/2	8/1	1 /8	29 / 12	31 / 10	63 / 34	L	141/96	277/156	328/218	381/192	.1	158/180	65/ 97	L	L	6	1	1905						
-	0.61		ŀ		$\mid$			12	-	1	2	3	3	2			-			+	7						
i.	13.0	T														ļ				l							
-	*	T	1		1	2/			=			1	1-							T	1	~			~		
0	7.01		-	-			1		=	2/	12	1									8	ERROF	0.57	.94	FRROF	0.51	2.06
	0.01	/			1	3/	1	3/	3,		1/	1/	1								14	STO ERROR	0	-	STO FRROR		8
:			1		12	+	-	2/	2/ 1	1/1	2/	1/		=							177			51)			4)
	2.51				2/ 1	3/	=	2/ 1	2/	7/ 1	12	3/	4/								34		= (0.148)*BUST CIRCUMFERENCE(IN)+(8.06)	(1.717)*NECK CIRCUMFERENCE(IN)+(12.51)		(0.139)*BUST CIRCUMFERENCE(IN)+(7.91)	(2.275)*NECK CIRCUMFERENCE(IN)+(5.74)
				1		1/2	8/2	1	2/	8/	1 /6 1	/9	72	3/				L	L		45 5		+(N1	†( N]		+( NI	+( N1
3	1.		\	2/		1/2	2/	3 7/	107	5 77 3	3 16/	4 15/	6 8/ 1	1 3/	1	2/					01 20		NCE (	NCE		NCE (	:NCE (
3		1			2 1/	1 1/	2/	1/2	7113/	7114/	l, i		ı	2 10/	1 1/	_	L		_	L	48 25		1FERE	1FERE		1FERE	1FERE
0		-	-	1	\	1 /	9 8/	314/	8 20/	721/	937/	5 46/1	436/	310/	4 8/	/2	=	_	_		202	SNOI	IRCUN	IRCUN	SNOI	IRCUN	IRCUN
CE(IN)	1				1 1/	2 1/	3/	/8 /	I.	l.	/08 4	1/16 07	733/	/620	787	/2		_	-	L	92 175	QUAT	ST C	CK C	QUAT	STC	CK C
NECK CIRCUMFERENCE(IN)	┷	-	-		\	7	4	/+ 6	9 10/11	8/16 25/13 19/	15 48 / 1	20 41 / 2	11 50/	1143/1	11 15/	4 1/	3 1/				242	REGRESSION EQUATIONS	)*BU	)*NE	REGRESSION EQUATIONS	)*BU	»×
C CIRCUME		-				7	1 2/	9/	9 5/	18/	30 21 /	31 37/	21 43/	24 37/	13 12/	787	-				7	ESSI	1.148	.717	ESSI	1.139	.275
	4-		_				7	1 2/	8/11/8/	/31/1/9	27 34 /	35 49 /	31 68/	21 40/	29 27 /	9 4/	2 1/	_			83	REGF	1;	1	REGR	"	= (2
10 6 10 8	┸-	-					1 2/	1 3/	/9 9	96,	9/14 15/16 17/27 34/30 21/15 48/14 30/	11/1927/3225/3649/3137/2041/2031/1546/1621/	18/24 38/32 37/31 68/21 43/11 50/ 7 33/ 4 36/ 3 18/	22/31/40/34/38/21/40/24/37/11/43/10/29/	22/17/25/23 15/29/27/13 12/11 15/	9/1412/	/ 8 4/			_	7 2	œ	0.505	0.505	6≃	0.563	0.563
19 4 19	_	-		-		_	1 1	11 /	/ 2 3/	/ 8 4/	/1415/	/ 19 27/	/ 24 38/	/ 31 40/	/1725/	9	12 8 /		_		2 E		0	0			
1 6 61	_					_	_	2,	/ 1.	2 /						7/18 7/	7 8 2	/ 3	1 /	1 /	125 95	. DEV	99.0	2.24	. DEV	0.62	2.49
10 01				_		_			2	/ 1 2,	3/64	4 9	5/1612/24	2/12/17/26	_		/ 6 3	6 /		<u> </u>	87 8	ST			ST		
6	-	-									7 2	4	- 1	3/15	13	2/9	9 /	1 / 2			19 85	MEAN	13.29	35,33	MEAN	12.74	34.72
11.8	+-										7	1/2	/ 2	1/ 5		1/6	7 /	7 2	/ 1		35		_	~			<u>-</u>
1												7			4	9	/ 2				16		E( 1N	EC IN		E( IN	E(IN
11.9													1	/ 1			/ 3				14	MEN	CIRCUMFERENCE(IN	CIRCUMFERENCE(IN	Z	CIRCUMFERENCE	CIRCUMFERENCELIN
11.0	-														/ 1						1	USAF WOMEN	CUMFI	CUMFI	USA WOMEN	CUMF	CUMF
10.8	+-	L															'				1						
	48.4	46.4	44.4	43.4	45.4	41.4	40.4	39.4	38.4	37.4	36.4	35.4	34.4	33.4	32.4	31.4	30.4	29.4	28.4	27.4	TOTAL	1968	NECK	BUST	1976	NECK	BUST

TABLE 10

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND WAIST FRONT LENGTH 1968 USAF WOMEN/1976 USA WOMEN

		-	·[-	٠١٠	7	न	7	21	2 ;	0 0	3 3	9 2	8	6	38	80	97	23	101	8	-		1330					
	19101	\		è	١		è	/22	21	105		277/156	328/2	381 / 192	299/195	158/180	95/	15/	/2	\		1905	7					
	18.7																					,	1					
	18.4					T	Ī		-	,	1											/	2					
	18.1			T	T		-	†	T	T	l	-	-	ļ	-							/	2					
	17.8	<u>-</u>	-		-	+	Ì	T	$\dagger$	1	-	+								-		/	9					
	17.5	-				T	t	$\dagger$	6	+	$\dagger$	17	/ 1	/ 1		1	/ 1		_		+	/	38085	5 -	7.0	808	7.5	4
	17.2	L		_	ŀ	-	l	$\dagger$	-		10	+	/ 1		1 /	4					-	\ <u> </u>	SIN FRROR	, c	2.06	STD FRRDR	ייין ריס רי	2.34
	16.9	_				-		+		-	L	-	2 /	1 /	17	2	7	1		-	+	\ <u>-</u>	3	5	_		5	_
	16.8	-		L	L	-	2	-	-	3		9 ,	-	-	4	-	~	-	-	1	+	\;		491	0.06		ς. (	2.73
	16.3					Ĺ	6		7	3	-	8	6	2	•	2	-	-	-	-	+	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	5	+ (3	)+(2		6)+	1+(2)
	⊢	-			ļ.,	=	1	-		8	9	3	9	8	2	2	3	7	1	+	-	34		1 N	Z Z Z		N L	N H
	.7 16.0	4	4			_	1 /	67	4	7	6	8		6	1/	-	-	+	-	+	-	19		= (0.136)*BUST CIRCUMFERFNCF(IN)+(8 42)	= (1.155)*WAIST FRONT LENGTH(IN)+(20.06)		= (0.142)*BUST CIRCUMFERFNCF(IN)+(9.53	(0.829)*WAIST FRONT LENGTH(IN)+(22.73
	4 15.7	~	-		_	1	1 1/		3 1/	+	1	18 2/		72 6	4		50	7	+	$\downarrow$	4	- % - %		MFFR	. L		MFER	LE I
ĮN.	1 15.4	1	4			1/	1 1/	-	7 2/	17 /	17 2/		71 82	/ 21	28	1	\ 	1	+	+	a	٠/	IONS	IRCII	FRON	IONS	IRCU	FRON
ENGTH	8 15.1	4	-	1	2/			1-1-	78 2	9 2/	0 1/17	3	-)	m	7	2 0	-	2	1	$\downarrow$	ă,	٠,	QUAT	STC	181	QUAT	STC	IST
RONT	14.8	$\downarrow$	$\downarrow$	4	_	=	\	2 1/	14 4/	2 6/	6 2/10		- 1	- 1	33 4/19	/1 07	7	-	1	-	30	١ ١	N E	)*BU	*WH	JN E	)*BU	¥.W⊕
231	14.5	1		-	-1		1 3/	1 8/	/6	2 12/	6 6/16	56/17/46/15/20/20/10/14	44/ 21 34/ 1/ 25/ 20 22/ 34	0	n) -	1	000	,		1	80	186	REGRESSION EQUATIONS	136	155	REGRESSION EQUATIONS	142	828
	14.2	1	$\downarrow$	-	-	1	/2	4/	1/	. 1	4 20 /	2/02	7/07/	10/1	5/01	76 /7				1	123	156	EGRE	0	Ξ.	EGRE	0.	= (0,
L	13.9	$\downarrow$	1	/2			2	9	. 1	. I	28/	197	7/46	00 / 10 10 / 00 12 / 00	12/61	٩	از	\			212	120	٠			œ		
Ļ	13.6					ŀ	/2	72	9	14/	10/1328/			13/66	13/18	2/10					224	131	2	0.397	0.397	œ	0.343	0.343
	13.3					-	/2		5/3	115/2		742/ 2	7 69 / 61	30 / 00	18/21	611/14	9/6	٠l、	,	,	276	112	>			>		
	13.0					,	/2	7				1 39/ 7		- f-	4 25/11/18/21	8/8	6			1	270	61	ST DEV	0.77	2.24	ST DEV	1.03	2.49
9	15.7				7	:	•	-	3/	- 1.		30/ 1	١.	١.	- I-	217/5	'				313	32		22	33		91	72
9	16.4		T	T	1	:	1	2	3/	- 1	١.	318/	1	L	L	i.	1.		Ī	Ī	142	6	MEAN	13.22	35,33	MEAN	14.46	34,72
5	1,521	T	T	Ī	1	Ť	1	7	Ţ	÷	Ţ	18/3			L	14/	/2	-			129	7		~	_		_	_
9			T		1	;	1	1		† ::		\ \}	L		-	1/2	2/	72			48	7		NI H	E ( 1N		NI JH	EC IN
2				T	$\dagger$	T	1	1	$\dagger$	1	† ;	+	-	2	2/ 1		1,			-	7	7	N N	ENGT	RENC	z	ENGT	RENC
11.0	┷				$\dagger$	$\dagger$	+	$\dagger$	1	$\dagger$	1	+	1/2	-	72				$\vdash$		8	4	MOM	<u></u>	UMFE	NOME	آ ا	M F F
9.01					1	+	$\dagger$	+	+	$\dagger$	t	1		-	-	H	-	-	-		2	<b>K</b>	USAF WOMEN	FRO	CIRC	JSR I	FRO	CIRC
Ľ	46.4	45.4	7.5	43.4	10 1	4.14	7 07		38.4	37.4	7 92	35.4	34.4	33.4	32.4	31.4	30.4	29.4	28.4	27.4	10101		1968	WAIST FRONT LENGTH(IN	BUST CIRCUMFERENCE(IN)	1976 USA WOMEN	WAIST FRONT LENGTHLIN	BUST CIRCUMFERENCE(IN)
	Ľ	_	Ľ	Ľ	Ľ	1	_	_		1.	1	าทบ ภไณ		L.,	ш	აი მი		2	2	2		<u>:</u> ]	1;	ž	ద	16	₹ .	ಹ

TABLE 11

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND WAIST CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

	TUTHE	/ 1	/ 1	3/2	8/ 1	8/4	23/ 12	31/ 10	63/ 34	105/85	141/ 96	277/156	328/218	381/192	299 / 195	158/180		L	k	2 /	-	1330	FRROR	.31	.36	ERROR	.63	52
-	42.0		1 /			-	-			10	=	2.	32	36	20	1 2			-		-	27	STO F		-	.0 E	1.6	1.
L.	5	1 /	_	-	-	-	-		-	$\vdash$	-	L	L			┞	-	$\mid$	-	-	-	~	S	_	6)	STD	_	4)
L	40.04			27		-	-	-		-	-	L	L		L	-		l	-		-	N		(0.764)*BUST CIRCUMFERENCE(IN)+(-0.53	(O.829)*WAIST CIRCUMFERENCE(IN)+(13.39		0.849)*BUST CIRCUMFERENCE(IN)+(-1.53	(0.740)*WAIST CIRCUMFERENCE(IN)+(14.04
L	_					<u> </u>					-	-				-	-		-		_			)-)+	)+(		-)+	)+(
Į.	38.0	_			L						_				-	L	L	L	L	L	L	-		(NI)	E(IN		(NI)	E(IN
L	38.0			L		_	/ 3			11	-	L	L		L	L			L	_	_			NCE	KENC		ENCE	RENC
	3/.0			1	L		\		ļ.,	\	\		L					L	L			7		FERE	MFER		FERE	MFEF
Š	30.0					1/2	1/1			-	_											2,10	ONS	RCUM	IRCU	ONS	RCUM	IRCU
L	33.0				1	1/2	2 / 2		/ 2	/ 3	1 /	7	1 /									13	EQUATIONS	10 1	3T C	JATI	L CI	ST C
3	34.0				3/	1	2 / 3	1	1/6	9 /	/ 3		/ 1									1.9		BUS.	WAIS	REGRESSION EQUATIONS	BUS	WA I
(IN)	33.0			1		1	3/3	5/ 1	2 / 5	1/10	*	/ 1	<b>†</b> /	-					-			13 28	REGRESSION	64)**	29)*	SION	49)**	40)**
III .	35.0	1		<u></u>	<u> </u>	-	8/ 1	7/2	3/ 7	1/7	8 /	1 1	1 /	2 /	_	-			_	_	-	25 35	3RES	(0.7	0.8	3RES	8.01	10.7
CIRCUMFE	4	1			_	-			9 /	. 11/	7.22	/ 20	21/	9 /	9 /	2 /	_				-	83	RE	11	H	RE	11	н
ST CI	20.00	1			1	9	+	1 1 7	/ 311	/15 13/	£  £1/	/37	62/	6 /	8 /	2 /	L		$\vdash$		-	=	2	0.796	.796	<b>∝</b>	0.793	0.793
HH.		1				1	2	1 8,	4 15/	۷,	, 22 22	37 11	48 5/	92	3/10 2,	7	8		-		_	165 1		0	0.		0	0
	_	1		_		-	2/	2/2	111/	3 28/	11 26/	27 27 /	<b>26 18</b> /	35 1/	31 3/	19	5	2			_	11 08	DEV	16	24	DEV	2.67	49
9	╁	+	_				1/	2/	16/	1 21/	9 42/	7 64/	4 39 /	4 22/	1 7/	47 1/	14 /	2 /				12 61	ST	2	0	ST	6	2
600	+	+	_					/2	/2	/8	126/	789/1	7886	6 62 / 1	1/98/8	1 6/	3 1/	10 1/				330	A N	26.46	35,33	Z	27.94	.72
96	+	1							/2	/9	20/	163/	379/1988/	3h30/3	8 <b>69 / </b> 6	8 15/4	0 4/23	`	2			388	MEAN	26	35	MEAN	27	34.
200	_	1		_						72	.	. 1	29/	2 96/13 130/36 62/6	6 82 / 26 69 / 68 35 / 6	2 48 / 21 58 / 39 15 / 41	323/1815/30	3/15	/			330		(NI	ŝ		(NI	ŝ
2.0	_											/9	.		9 / 08	18/51	23 / 18	3/18	/ 3			192		NCEC	CE(I		NCEC	CE(I
6	2											/2	72	10/	707			8/ 7	1/4			91	MOMEN	FERE	EREN	Z	FRE	REN
0 66	2.1													1/	1/		2/ 1	1/1	1/	1	/ 1	07	ξΩM.	CUM	UMF	WOME	CUM	UMFE
6		1	1															1/				7	USAF	CIF	CIRCUMFERENCE(IN)	USA	CIRCUMFERENCELIN	CIRC
L	18 4		45.4	44.4	43.4	42.4	41.4	40.4	39.4	38.4	37.4	36.4	35.4	34.4	33.4	32.4	31.4	30.4	29.4	28.4	27.4	TOTAL	1968 USAF	WAIST CIRCUMFERENCE(IN)	BUST	1976 USA WOMEN	WAIST	BUST CIRCUMFERENCE(IN)
	•			1			(1	NI:	333	ENC	 1813	46	inc	נצנ	3	18	301	3					~		ш	•		w

TABLE 12

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND SLEEVE INSEAM 1968 USAF WOMEN/1976 USA WOMEN

Ļ	101 11	7	1	3/ 2	1 /9	* /s	23 / 12	. 1	83/34	105 / 65	141/ 96	277 / 156	328/218	381 / 192	1 299 / 195	150 / 100	1007	١.	15/ 53	2/ 10	2	1305	1330						
-	21.0												7			l													
	21.3					1																		~				_	
3	21.0	Ī	Ī	1		Ī				/ 1			1/			-	1	1				-	2	RROF	0.95	2.24	0		2.48
	;	Ť	ĺ	1	1			1			7		1/	1/2		-	1		1			3	2	STD ERROR	<u>_</u>	. 2	oto repo	יין רואון סיים ביין	. 2
<u> </u>	£.0.5	1	$\dagger$	Ť	†	,		†	1	7	2 /	7	1/1	- -		-	•	†	$\dagger$		1	7	6	S	_		C		5
- 1	;;;				,	1	1	+	1	-	2	1/2	3		1/2	-	-	-  -	†	$\dagger$	1	6	13		16.2			4	
	0.01	T	t	†	†	$\dagger$	1	<u> </u>	<u></u>	1/1	2/1	2	3/3	3/ 4	2/2	6	,	,	$\dagger$	1	$\dagger$	12	19		) + ( N	2,35		) + ( N	9.56
и 0	-	†	T	$\dagger$	+	†	7	<del>ا</del> :	7/2	7	2/3	5/7	6/9	4/2	3/3	8	-	,	$\dagger$	1	+	22	34		(0.031)*BUST CIRCUMFERENCE(IN)+(16.28	(0.171)*SLEEVE INSEAM(IN)+(32,35)		COLOGOS ENGLISONS	(0,291)*SLEEVE INSEAM(IN)+(29,56
0 01	-	l	$\dagger$	1	+	†	1	†	7	٠ŀ		_1	<u>E</u>	60	4	3 / 5	6/1	1	,	1	1		88		EREN	MIJN		N T N	MCIN
0 81			+	t	-		† : :	- - - - -	-	-	9	7	6/19	9/12 10/		4/7	3/2		t	$\dagger$	$\dagger$		98	SZ	CUMF	NSEA	ď	DI ME	NSEA
8 8	٠.			†	/,	; ; ;	; ; ;	-1.	- 1	0	11/0/	107	0/18	0 / 20	1/17	8 / 8		6	1	+	$\dagger$		108	ATIO	CIR	VE I	DITO	2 6	VE I
~   ~	┷	-		$\dagger$	+	,	+	- 1	0	١.	4/4	1/1/9	8, 102	3/22 2	0 / 20 1	7/13	16 6 16	- (**		-	-	122	109	E00	BUST	SLEE	T.	RIIST	SLEE
INSERH	-		2	+	-	•	7 / 2	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0		B/ B14/	177/0	8/221	7 / 202	9 / 25 2	5/11	6/12	1 / 2	+	-	+	138	142	SION	31)*	71)*	NO 1 S	50.3	91)*
SLEEVE INSERMIIN	4			•	,  -	: 6	, ,	- 1	٠,	4/ 6/	617/1518/	207/9	18/2/3	6 / 22 3	725/2144/2539/2534/1829/2520/2011/17 4/	7/12/18/16/16/20/29/24/13/27/15/11/7/13/8/8	8/1012/12 8/10 6/11 6/12 9/	2		†	T		159	REGRESSION EQUATIONS	0.0)	(0.1	REGRESSION FOURTIONS		(0,2
5.7.4		-		T	<u> </u>	0/0	⇃	7 / 6	- 1	8/ 414/	1/0/2	111/0	2/2/2	1/21	9/263	9/241	8 / 10	6 / 2	4	+	T	247	142 159	<b>5</b>	11	Ш	Ω.		П
17.1	-			†  -	<u>+</u>	0/6	J	+	•	1	310/ 616/11/21/	2/1/6	3/ 20	3 / 50 5	4 / 25 3	6 / 20 2	2/12	/12		$\mid$		226 2	154	œ	0.072	0.072	œ	n. 12n	0.120
16.8				-	/2	16	7 / 0	1/ 010/	╌	/01 4 /0	200	0 1	17.10	1 1	5/214	8/16	8 / 10 1	9 /1	-	+		202	108	>			>		
18.5				T		/ 5		6	- 1			7	22/1/41/16 43/26 42/21 38/27 38/22 18/10 20/18	35/ 34	. 1	7/12/1	8/11	2/7	-			2 2 2	Eg	I DEV	0.95	2.24	T DEV	1.03	2.49
16.2				-	-	1/9	_	7 6	1	7 6	6 / 6 / 5	٠١,	۱۵	2	ឿ	1/14[1	6/ 1	2/2	1/1	-	+	124/1	S	ഗ 	7	<u>ლ</u>	···	4	2
15.9				-		-	. 6	) e	1	ا	٠	- 1	ીં.		10/224	11/ 911	1/3	1/ 1	-			68	32	ALT	17.37	35,33	MERN	17.74	34.7
15.6			1				ľ	T	- /6	1 0	J			7	7	2/2	3/	1				04	177			2			<b>-</b>
15.3							T		16	7	7 /2	, 0	I.		3/	3/						24	•			E(I)			EC I
15.0							Ī	1		1	-  -	†	7 2	/6	7							8/		Z	(NI)	RENC	z	(NI)	RENC
14.7						1		T	1	-	:	-	+	  -	>1						T	2	1 6	N N	ISEAN	UMFE	MOME	ISEAM	UMFE
14.4							ľ					-	1	†	1							/-	1 2	LON	Æ IN	CIRC	USA	/E IN	CIRC
-	46.4	45.4	44.4	43.4	45.4	41.4	40.4	39.4	38.4	37.4	36.4	3F. A	34.4		33.4	32.4	31.4	30.4	29.4	28.4	27.4	TOTAL		ISDS USHF WUMEN	SLEEVE INSEAM(IN)	BUST CIRCUMFERENCE(IN)	1976 USA WOMEN	SLEEVE INSEAM(IN)	BUST CIRCUMFERENCE(IN)
,						(	NI	Εt	ЭN	138	13.	พเ	131	II	ວ	18	ne	3											=

TABLE 13

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND VERTICAL TRUNK CIRC 1968 USAF WOMEN/1976 USA WOMEN

Total	4		16	7 /0	)	* /0	23/ 12	91/10	69/34	105/ 65	141/ 98	277/158	\$28/218	381 / 192	289 / 185	158/180	RE / 97	15/ 53	1.		3 -	1908	STD FREDR	2 10	1.76	STD ERROR 2.24 1.96
7	ㅗ	$\downarrow$		$\downarrow$	K	•														L				170	89)	19) 96)
1 04							<u> </u>	-							L							-/		(0.751)*BUST CIRCUMFERENCECIN)+(34 27	(0.517)*VERTICAL TRUNK CIRC(IN)+(3.89)	GRESSION EQUATIONS (0.702)*BUST CIRCUMFERENCE(IN)+(36.19) (0.541)*VERTICAL TRUNK CIRC(IN)+(1.96)
40 4						П	<b>)</b>				/ 1						L					2/		TN T	( IN)	IN)+
88	_L.			1/6	, ,	ì	ŀ	/2	2 / 2	1/												77		FUN	CIRC	NCE ( CIRC
A 7.8	**/>	,		-	3/4	ŀ	J٠	J	٠l	4/2	/2	2/1	3/1	11		/						25		FRF	XX	EREI JNK (
86.4	7				-		7	- 1.	4/2	4/ 5		3/3	1/	7					ĺ			25	SNC	MIL	TRI	NS CUMF
85.4			2/ 1		-	J	7 6	7	7/2	4 /8	.	9/8	8 /9	6/2	2/3	7	1					81	RTIC	7	ICAL	CIR ICAL
84.4			-		-	ļ	7	.  .	Ų.		4/17	8/18	.	4/5	1/4	1/3						182	REGRESSION EQUATIONS	BIIST	VERT	REGRESSION EQUATIONS = (0.702)*BUST CIRCU = (0.541)*VERTICAL T
13.4	_	ľ		İ	T		Ţ	၂.	. I.	5/ 921,	1121/1129/1822/1214/	17 48/18 51/24 39/31 39/22 28/	/2050/3347/2852/3653/4241/3013/	19 19 / 16 14	1/8	1 / 5	1	1				167 1	SION	51)*	17)*	SION 02)* 41)*
3.4 80.4 81.4 82.4 F	+-			/2	-	6	J	J٠	νŀ	8/915/	9/18/2	9/313	3/424		4/15	6 /4	1/3					221	GRES	(0.7	(0.5	GRES (0.7 (0.5
81.4	_				1 /1		100	١,	9 /0	12 16 / 13 18,	1/11/2	1/243	418/ 734/2050/3347/2852/3653/	5/364	4/242	0/14	3/4	2 /				267 2	RE FE	11	H	
80.4	+						ţ	1	√ι.		2/11/2	9/185	7/285	0/275	4/353	33 32 / 31 17 / 29 10 /	8/10	9 /1				274 2	aح	0.623	0.623	R 0.616 0.616
59.4							+		٠ŀ,	5/ 311	412/1022/	1/17	7 33 4	3/38/7	3/364	2/31/1	4/16	8 /	7 2	_		263 2'		0	0	
58.4				-	H		-		7	7	1	1/26 /	1/2050	7.26 63	1/37 56	$\geq$	81/1	1/10	/ 1			210 28	r DEV	2,70	2.24	T DEV 2.84 2.49
57.4	1_				-			1		-	7	100	/ 73	/ 12 56	/ 22 80	1/23/26	1 19 8	17	/ 1		/ 1	7 2	S			ဟ
58.4	↓_	_		-	-		+	$\dagger$	+	-		٠ŀ	. 1.	٠ŀ	/ 536	<b>~</b>	7 11	7 5 5	/ 1	/ 1		90 147	MEAN	60.80	35,33	MEAN 60.56 34.72
55.4	٠.			-	_		+	$\dagger$	+	+	7	7	. 1.			. 1	12	7	/ 1 2			34 9	2	_		~
54.4 E					_				+	+		1	1		. 1	2	3	/ 6 2/	-	_		12 3		CCIN	( NI )	C(IN)
53.4 5				H	_	-		+	+	+	+	+	-	6	_		/ 3 3	7	/ 3			3 13	z	CIR	ENCE	CIR
52.4 5			_			-	-	+	1	+	+	+	+		7	-	1 1	1	-	1		(E)	MOMEN	RUNK	MFER	OMEN RUNK MFER
51.4 5	_				-	_	-	+	1	+	+	1	+	+		-	-	2/	+			2	USAF	VERTICAL TRUNK CIRC(IN	BUST CIRCUMFERENCE(IN)	1976 USA WOMEN VERTICAL TRUNK CIRC(IN BUST CIRCUMFERENCE(IN)
ما	48.4	45.4	44.4	43.4	45.4	41.4	40.4	40.4	1000	• • •	* , ,	30.4	+ .	34.4	33.4	32.4	31.4	30.4	29.4	28.4	7.4	TOTAL	1968 U	RTIC	ST C	76 U RTIC ST C
į	4	4	4	4	4	Ь	NI	_					i_		_	18	_1	_	۲,	Ñ	6۷	10	19	VE	BU	19 VE BU

TABLE 14

A BIVARIATE FREQUENCY TABLE FOR BUST CIRCUMFERENCE AND BUST PT-BUST PT BR 1968 USAF WOMEN

	TOTAL		3 5	-	œ	24	31	82	104	87	200	300	387	000	3	101	-	₽.	~	1905			
	ø	;		-					T							1		+	1	က	FRROR	40	. 56
	6			1									T		1	1	1				STD	c	5 🛶
	60	-	1					-					T	Ī	ľ	1		Ť	1	4		_	38)
	0.6		-	,	7			2	2		-						1	1		ø		0.41	15.0
	8.8		-	•		2	3	4	4	-	-				1		Ţ		1	18		) + ( N )	+ (N)
	8.6		6	,		+	3	عا	7	2	33	2	-						Ī	31		. J. H.U.Z	BR
	8.4		-			3	7	6	o	2	4	-	67				T			49		FRF	I PT
	8.2					8	9	æ	11	18	1.4	8	2							71	ONS	(0.195)*BUST CIRCUMFFRENCELIN)+(0.41)	PT-BUST PT BR(IN)+(15,98)
	8.0	-		,	~	1	4	15	17	1.7	28	15	4	_	-	•				103	REGRESSION EQUATIONS	T C1	- L
=	7.8			,	,	69	в	80	20	53	42	40	17	6						170	N EG	*BUS	*BUS
BUST PI-BUST PT BRIIN	7.8					-		2	11	88	53	45	38	22	2		L			200	5510	195)	(2.652)*BUST
BUGT P	7.4	L	L					2	8	18	99	64	67	27	•	0				238	EGRE		
ST PT-1	7.2	L						4	11	21	0+	90	7.7	46	13	-				279	2	11	0
BO	7.0								2	*	23	45	70	46	23	6	-			217	<u>~</u>	0.720	0.720
	6.8		L					-	1	4	12	29	20	8	34	14	-		╀	207	EV	11	4
	6.6		_					_			9	13	82	48	28	=	6		_	137	ST DEV	0.61	2.24
	6.4	_								-	2	8	18	2.1	15	80	-		L	77	Z	7.30	33
	6.2			-								2	ø	11	20	13	6			28	MEAN	7.	35,33
	6.0								_					2	2	7				21		ŝ	S.
1	5.8			L	$\downarrow$								-		2	e	L		Ľ	60		BR()	ICE ( )
Ĺ	5.6				1	1		1	_			~		1	2		~	_	Ľ	<b>6</b> 0	MEN	PT-BUST PT BR(IN	SUST CIRCUMFERENCE(IN)
L	5.4			_	1								_				L	_		-	USAF WOMEN	-BUS	CUMF
	5.2													-			_	L	L	2	USF		CIF
		44.4	43.4	4.7.4			_	_			_i	_		_	32.4	31.4	30.4	29.4		TOTAL	1968	BUST	BUST
						( N	I)	33	EN	EKI	46.	ıno	81	3	10	snı	9						

TABLE 15

A BIVARIATE FREQUENCY TABLE FOR STATURE AND BUST CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

	100	10	0 1	/1	51	820	103	140	208	107	88		001	100	54	26	12		0 -		STO FRROR	0 17	0000	7 * 70	STD ERROR	2.42	2.49
TOTAL	1		•	è 1	22/	98/		1 227 / 140	24.0	407 / 107	200 / 188	1000	2	132/100	/98	46/	8	6		1905			(80)	201			61)
46.4								1															n L	•			55.
45.4								/ 1			-										1		( N	-			+ (N
44.4								1		•	,	-			1/					8	3	75.)	) <u> </u>	֡֝֝֝֝֡֝֝֡֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֓֡֓֓֡		83)	ICE (1
43.4		Ī	T	,	7		/2		>		1		<u></u>	;				ľ	T	8		(0.244)*STATURF(IN)+(19 75	(0.270)*BIIST CIRCIMFERENCE(IN)+(54.28	רווי		(0.232)*STATURE(IN)+(19.83	(0.246)*BUST CIRCUMFERENCE(IN)+(55.61
42.4	1		•		7		1/1	/2	12	-				1							NS	+ ( N 1	T WILL	5	SN	1N)+	CUMF
41.4	╀			†		3/ 1	2 /4	2 /4	1 /4	2/3	Ļ	-	+	†	7	2/			t	23	REGRESSION EQUATIONS	IRF	7 L	;	REGRESSION EQUATIONS	JRE (	CIR
40.4	↓.			+	7		/2	8 /6	2/1	5/1	-		, ,	,		-		$\mid$	-	31	EQU	STATI	311ST		EQU	STATI	BUST
39.4	╄-	-		J	7	<b>8</b> 4	ന	/ 6 10/	8 /	=	80	7	6	J.	-			_	L	83	10N	4 ) *	*(U		NOI	12)*8	₩(9)
<u> </u>	_	-	•	•	וֹמ		/10 8/	/ 410/	/ 19 11	/ 7113/	/ 8 5	a	0	1	0	-	/ 1	/ 1	-	1	RES	0.24	0.27		RESS	0.23	0.24
37.4 3	-	2 /	•	1	١,	. 1	911	1181/	/ 8 21	/ 11 14	/ 13 10,	/ 912	١.		7	7 2 1	1		_	105	REG	11	11	•	REG	11	"
35.4 36.4 37.4 38.	-	2	-		9	8	14/1425/1523/1419/	49/26 42/28 38/19 20/	51/31/47/43/40/24/25/	89/27 53/32 48/28 21/11	52/28 58/30 34/20 27,	17 7	2	0	Ц.	72	-	_	L	158	2	0.257	257		œ	0.239	239
7 CIRC	L	2 2	1_		7 9 9	/21/21	1523/	28 38/	43 40 /	32 48 /	30 34 /	24 30/	8 29 /	211	7	3 3/	1 2/			27.		0	0	)	<u>.</u>	0	0
_	1		6			1312/15151	1423/	26 42/	91 47/	27 53/	28 58 /	22 37/	38/17/28/	1	>    -	3 6/	-1	<del>-</del>		192 328	DEV	2.24	36	) 	ST DEV	2.49	21
4 34.4	1 /	2/	3 1-	· ·	١					789/2	/ 28 62/	/ 29 59 /	98/		3	311/	2	_		8 /	ST	2	2	ì	ST	2.	2
1 33.4	/	1	3 1/		1	0 7	6 16 / 17	9 28 / 18	/ 28 30 / 33		0 54/8			517/	ŀ	7113/	3 1/	2/	_	299	Z.	35,33	82	!	Z.	~	12
32.4		\	\				2	. 1	1211/2	9/18/25/31 44	3 28 / 3	30/5	1 28 / 1	8/1014/1517		2	3			158	MEAN	32	63		MEAN	34.	64.
31.4						`	-	2			512/1828/3054/	9 10 / 12 30 / 25 42	814/	1.	1		1			65 97		Î				Ê	
30.4					•	1	2 /		9 /	3/10	3/8	/*	3/	\	ŀ	7/1	7			16 53		CE(I				CE(I	
29.4									7			1/2	1/2	/ 2		1	1			2 10	4EN	EREN			Z	REN	
26.4												/ 1	/ 1							2	USAF WOMEN	U.H.E.	(N		MOM	CIRCUMFERENCE (IN	ŝ
27.4					Ī	T			7						Ī		Ī			1	USA	CIRC	JRE ( )		USA	CIRC	IRE ( )
	72.0	71.0	70.0	0.68	6		מיים	68.0	86.0	84.0	83.0	62.0	81.0	80.0	0	20.00	200	67.0	66.0	TOTAL	1968	BUST CIRCUMFERENCE(IN	STATURE(IN)		1976 USA WOMEN	BUST	STATURE( IN
	1				•			( N	1)	35	IU1	U.	18		-			1			-	ш	ഗ			ш	U)

TABLE 16

A BIVARIATE FREQUENCY TABLE FOR NECK-BUSTPOINT LENGTH AND BUST PT-BUST PT BR 1968 USAF WOMEN

TOTO		م	7	24	29	75	113	213	180	351	252	320	205	3 8	3 2	2	*1	7	1905	_		
3 0	2	-			-			-		T			T	T	T	1			တ	FRROR		0.65
0	4.0														Ī					STD		. 0
0	3.5			-		2			-				Ī	Ī					4	] .	2.27	
0			7		-	2	-	-	2				Ì		T	T	1		Ø		()+(	5.67
ď			1	2	2		4	-			8	-	1		$\dagger$	1	1		16	1	H. IN	) + ( N
a	3		1	3	*	2	2	2	20	2	-	2	ı		T		1		31	_	FNGT	BR(I
7 8	;	-	~	2		80	80	10	*	7	2	9		T	-	+			49		L N	_ 
8 2	,	,		+	6	11	8	13	60	10	8	2		-	-	+	l		71	NS	(0.401)*NECK-BUSTPOINT   FNGTH(IN)+(3.27) 0.53	(0.599)*BUST PT-BUST PT BR(IN)+(5.67)
0		-	-	2	ေ	s	15	25	Ø	23	11	,	-	+	╁	$\dagger$	l		103	ATIO	-BUS	1 4
7.8	+	$\dagger$		2	+	æ	23	27	12	34	21	02	on	2	-	+	$\dagger$		170	REGRESSION EQUATIONS	NECK	BUST
0 7.2 7.4 7.6	+		1	1	1	7	14	22	53	53	28	23	18	2	7	+	$\dagger$	1	200	SION	01)*	88)*
7.4		1	-		8	8	8	34	88	51	35	41	24	9	-	-	$\dagger$	$\dagger$	238	GRES	(0.4	(0.5
7.2		1	1	3	•	10	15	30	23	59	38	48	34	8	8	~	1	İ	279	8		11
7.0			1		-	9	2	21	20	38	38	45	24	2	10		-	•	217	2	0.490	0.490
8.8		1	-		-	2	2	14	15	35	33	87	35	12	60	3			207	 		
9.8	ľ	1	1		-	-	2	2	10	24	19	30	24	ø	80	6	-	1	137	ST DEV	0.61	0.74
8.4		T	1					3	₹	10	8	02	18	2	5	3		ĺ	77		õ	14
8.2			1				~	-	4	2	10	16	13	8	4	-		T	28	MEAN	7.30	10.0
6.0		1	T					-	2	-	-	-	7	2			T		21		<u></u>	NI F
5.8													2	2	1			Ī	80		3R( 11	ENGT
5.8								2	ļ	-		-		1					8	MEN	PT	N L
5.4																			1	USAF WOMEN	BUST	TPOI
5.2											~								2	USA	PT-	-BUS
	12.5	2 6		2	11.0	11.3	2.0	10.7	10.4	10.1	8.8	8.5	3.2	8.9	8.8	8.3	0.8		TOTAL	1968	BUST PI-BUST PT BR(IN)	NECK-BUSTPOINT LENGTH(IN)10.04

TABLE 17

A BIVARIATE FREQUENCY TABLE FOR CROTCH HEIGHT AND HIP BREADTH 1968 USAF WOMEN/1976 USA WOMEN

TOTAL	/ 1	1	,	9 /	9/ 14	3/ 14	17/ 30	28 / 58	1 47/ 70	75/ 97	121/ 96	143/121	191/188	234/155	254/152	225/134	139 / 82	130 / 61	107/ 37	74/ 26	24/ 8	15/ 4	4/ 2	4/ 1		11	1330				
19.2			L		L				`							L				L			L								
18,9		L				L	L	L						L												L					
18.8		L			L		L					L										ندا	_								
18.3																															
18.0																												OR			OR
17.7												/															/	STO ERROR	0.85	1.55	STD ERROR 0.94
17.4											/				72												2 1	STD	0	-	STD
17.1												-	11														2				
16.8								/	/ 1		1	3 /	1/	1/	7 2												2/2		3)		))
16.5									/ 1			2 /	/ 1	1/1	/ 1		1 /	11									2,7		= (0.124)*CR0TCH HEIGHT(IN)+(10.13	.70)	EGRESSION EQUATIONS (0.127)*CROTCH HEIGHT(IN)+(10.10)
16.2							1/1		1/1	1	2/ 1	7 2	3/8	/1	/ 1	2/ 1	3/	/ 1									13		1)+(1	.(23,	1)+(1
15.9							1	1/3	7	2/3	1/1	2/3	2 / 2	/9		1/2	3/2				1/						19.7		TIL	+(NI	TCIN
15.6				-	/ 1	( )	-	1/2	1/2	3/6	3/3	10/3	2/3	8 / 4	1 / 1	2/4		1/	2 /	1/2	1/1						35	NS	EI GH	DTHO	NS EIGH
15.3				-	7	11	/ 2	2 / 5	3/4	9 /	4/5	9/21	2/ 1	5/5	1 / 6	4/5	4/5	1/	72		1/						52 50	REGRESSION EQUATIONS	CH H	= (0,409)*HIP BREADTH(IN)+(23,70)	REGRESSION EQUATIONS = (0.127)*CROTCH HEIGHT(IN)+(10.
7 15.0 15.3	_				/ 1	7	1/5	3/3	1/ 6	5/4	9/2	9/14	4/ 7	6 /	8/7	8 / 2	<b>4</b> /8	4/ 1	1 /2	1.71	1/		/ 1				727	EQU	CROI	HIP	EQU
14.7					7 2	7 2	/ 3	4/7	4/13	8/10	2 /8		8/24	. 1		12	1/1	9 /8	2/	3 / 2	5/1	3/					141	SION	24]*	*(60	SION 27)*
14.4	_			-	1/1	1	3/ 4	3/8	7 /8	7/14	1.4	2/ 7/1	0/191	3/191	3/192	6 18 / 12 12 /	1/ 7	9 /	6/ 1	2/ 1	3/1	/ 1	1/				167 1	GRES	(0.1	(0.4	GRES
14.1	/ 1				3/2	1/1	9 /2	1/ 4	5/9	14/9	17/13/20/	18/1012/	32/21 20/19 18/24	37/19 13/19 19/	8/18 3	30/6]1	18/ 911,	4	12/3	5/5	1/			1/			232 1	RE			97. ii
13.8				2 /	1 / 2	-	2 /1	5/7	8/8	9/161				4/303	B / 24 2			6	9 / 8 1	1/	2/	1 / 1	1/	/ 1			295 2	œ	0.225	0.225	R 0.228
13.5					2 /1	/ 1	2/ 4	4	8 4	8	10 14/11 19/13	15 16/17 25/16	1/13/2:	1/21/3	3 / 23 4:	3/152	3/841/		4	3/ 31	4/2	4/	/1				255 2	>		0	
13.2	_	/ 1			7 1	1	/ 1	4	2	/8 4 /		/ 15 16	1/14/20	7 20 2	7 19 36	1/22 33	1/12/28	1/ 9/18	/ 2 16/	1 8 13	2/ 1	'					47	ST DEV	0.87	1.59	ST DEV
12.9 1				1	2	/ 2 1	2 /	6 3/	/ S 4	5/ 611,	// 8 10/	9/ 911/	/ 13 20	/ 7 21	8 25 / 12 22 / 19 36 / 23 49 / 24	788/	28/11/26/12/28/	3/ 6/15	1/ 817/	1/311/	.7	3/21	1 /				215 211	S		m.	ΔI 1
12.6 1				-	1 /		-	2 /	/ 3 2	/ 7 5	/ 3		l l		~	l~ I		/ 5	1111/	/ 1 13,	7	(,		_			76 21	MEAN	13.77	29.33	MERN 13.92
12.3 1					_		_		-	6 /	2 2 /	3	/88/	2 /	4	7	4 /	4	7 4 7	8 2 /	/ 1		_ /	7		/	74 17			W	Z (
12.0 1				-	-		2	-	~	3	/ 3	/ 1 2	/ 1 4	1 2 7	/ 1 8/	/ 6 13/	6 /	7	/ 3 9.	/ 3 3/	_	2	1			-	7 61 2				
11.7 1			_				_		1 1 /	_	/ 1 1	2 /	/ 1 2	/ 1 3/	/ 5/	2 /	/ 8	7	/ 3	/ 1,	1			2.			8 8	z	_	(NI	<b>-</b> = :
11.4 1			_			_	_	_	-				/ 1 1	/	1	/ 2	/ 1 1	1	1 /	1 1 /	-	/					8	MOME	H(IN	GHT (	IOMEN HCIN
11.1	_			_		L		-	L					1		2			/ 1 1				Ш		-		7	SAF	EADT	HE I	SA W EADT
=	36.2	35.7	35.2	34.7	34.2	33.7	33.2	32.7	32.2	31.7	31.2	30.7	30.2	29.7	29.2	28.7	28.2	27.7	27.2	26.7	26.2	25.7	26.2	24.7	24.2	23.7	TOTAL	1968 USAF WOMEN	HIP BREADTH(IN)	CROTCH HEIGHT(IN	1976 USA WOMEN HIP BREADTH(IN)
	." <u>,</u>	Ľ				L".	<u>"</u>	Ľ"	Ľ		NI		ш	ш							, 0		-			.7	끄	1,5	Ξ	ວັ	Ξ Ξ δ

TABLE 18

A BIVARIATE FREQUENCY TABLE FOR CROTCH HEIGHT AND HIP CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

그 나는 나는 그의 그의 마이트 바이를 바이를 바이를 하는 것이 없는 것이 없다.	35.5 36.5 37.5 38.5 39.5 40.8 41.5 42.5 43.5 44.5 45.5 46.5 47.5 48.5 49.5 50.5 51.5 52.5 1018	11/			1, 1, 3, 2, 1, 3, 5, 1, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		70 70 70 70 70 70 70 70 70 70 70 70 70 7	71 47 7 27 5 77 8 57 10 47 5 47 4 17 4 7 9 7 1	1	11110/918/9015/13 7/1111/11 4/ 41/ 41/ 5/ 5/ 5/ 11/ 11/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/ 5/	(1318/1426/1421/2320/715/38/4/4/4/1/1/2/20/715/38/4/4/4/4/2/20/715/38/4/4/4/4/2/20/715/38/4/4/4/4/2/20/20/715/38/4/4/4/4/2/20/715/38/4/4/4/2/20/20/20/20/20/20/20/20/20/20/20/20/2	1719/1623/2235/ 821/1811/12 8/ 5 4/ 9 9/ 4 1/	2725/2831/2315/14 7/ 5 5/ 2 1/ / 1 1/ / 1	4032/2127/17117/1210/ 3/23/21/2/11/17/1210/	88/44/82[23/13]18/ 8 9/ 4 2/ 8 4/ 3 3/	27/46/25(29/16)15/12 8/ 6 7/ 7 1/ 3 2/ 4/	7 37/ 8 22/15 18/11 8/ 6  5/ 2  3/ 3/ 2/	713/14[19/ 6]16/ 4 5/ / 1 2/ [130/	423/712/3 8/4/1 / 2	317/ 614/ 3 7/ 2 3/ 1	2 4 1 4 7 7 1 1 2 1 1 1 1 2 7	15/1/1/2/1/2/1/2/1/2/1/2/1/2/1/2/1/2/1/2	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1		11 337 357 280 207 127 65 28 24 8 5 4 1 1 1 1 1905 170 195 241 199 157 101 46 28 14 5 3 2 1 1 1	ST DEV R REGRESSION EQUATIONS STO FRAGE	2.33 0.246 = (0.361)*CRATCH HEIGHT(IN)+(27 01)	1.59 0.246 = (0.168)*HIP CIRCUMFERENCE(IN)+(23.02)		MEAN ST DEV R REGRESSION EQUATIONS
			_	/ 1 /	/ 2 1/	1 1 /	16	13 1/4 1/2/	7 8 8 7 8	1110/ 918/8	13 16/14 26/1	/17 19/16 23/2	1001		ω,	2748/8	737/	_	4 23/	317/ 814/	1 1	Ţ.	11 11 11	, ,	337 357		37.60 2.3	ij	H	<u>_</u>

TABLE 19

A BIVARIATE FREQUENCY TABLE FOR CROTCH LENGTH AND CROTCH HEIGHT 1976 USA WOMEN

Ľ		_	20	90	⊢	-		L	_	_ ⊢	ľ	CROTCH HEIGHT (IN)	I SHI	S C	[	,	L						ŀ		ľ
-	7	7.07	7:07	7.97	702	7.12	7/7	79.5	7.07	23.2	28.7	30.5	30.7	31.2	31.7	32.2	32.7	33.2	33.7	34.2	34.7	35.2	36.7	36.2	T01
39.0																_					_				
38.0	-	-																							
37.0	-																								
36.0																									
32.0							_																		1
34.0		-						1	-	-		3	4					Ī							
33.0								4		9	2		S		2	-	2								26
32.0				-				-	4	7	2	7	9	5	7	9	7	9		2		-			
31.0				2		2	3	8	16	10	52	27	13	1.4	18	13	8	11	4						175
30.0	1	+			4	4	9	10	23	13	31	30	24	20	14	16	8		2	ß			~		213
29.0			2		9	4	13	12	28	32	28	56	18	1.7	16	8	12	25	4	ß					242
28.0	-	2			2	8	13	13	26	37	34	92	13	16	14	13	7	2	3	2	-				249
27.0				.,	2	11	12	8	12	30	16	18	1.4	10	14	9	60		~						163
26.0					9	വ	8	8	11	13	6	14	10	7	9	2	4	2							108
25.0					က	რ	4	4	9	1	2		4	9		2									
24.0					1	_	L	2	4	4	3	4		-		3									1
23.0								4		-		3						2							
22.0		-					L					2													
21.0	Ì				2				-		2		,												1
TOTAL	-	2	4	9	26	37	61	982	134	152	155	159	121	96	97	70	26	30	14	14	ນດ	6			1330
1976 USA WOMEN CROTCH HEIGHT(IN) CROTCH LENGTH(IN)	USA H HE	MOME I GHT NGTH	N I			MEAN 30.07 28.71	NF 70.	ST DEV 1.72 2.15		R 0.205 0.205		REGRESSION EQUATIONS = (0.164)*CROTCH LEN = (0.255)*CROTCH HET	SSI0 164)	N W W	URT I	ONS	GRESSION EQUATIONS (0.164)*CROTCH LENGTH(IN)+(25.36	W) + C 7	25.36	(6.5		3TD E	STD ERROR 1.69		1
	1					ĺ		i		i			} }	1	5	)			)			j	)		

TABLE 20

A BIVARIATE FREQUENCY TABLE FOR CROTCH LENGTH AND WAIST CIRCUMFERENCE 1976 USA WOMEN

Γ	7	<b>-</b>	<b>-</b>	Т	7		1	T	1	1	Т	Т	<b>T</b>	<b>T</b>	7			!	T	Т"	T	STD ERROR 2.58	2.07
TOTAL	L	-				-	12	92	8	0 0	213	74.7	267	601	108	36	24	12	0	, -	1330	STD E	2.
0 67	12.0									-											-		.84)
0 17	3						,	7		-											2	] _	-(22
0 07					1	1	-	1	T			-	•	T	1						8	8.58	IN)
39.0		1	T	1	1	1	+	+			T	$\dagger$	$\dagger$	T	1	1					ļ		NCE (
38.0	+	†	†	$\dagger$	T	1	+		Ť	T	-	†		T	1							NI JH	FERE
37.0	┿	l	T	†	1	1	<b>~</b>  .	+		T	-	+		$\dagger$	+			1			4	NS ENGT	RCUM
38.0	╀				1	+	- 0	<b>+</b>	,	•		, -	-	•	1	+					2	EQUATIONS	I CI
35.0	┸	•	l	$\dagger$	$\dagger$	1	+	+	0	,		+	~	-	1.	+					13	PRESSION EQUATIONS	(0.210)*WAIST CIRCUMFERENCE(IN)+(22.84
34.0		1	$\dagger$	†	$\dagger$	-	- 0	4 -		,	U.	0		T	-	7		-			13	REGRESSION = (0.326)*C	10)*
33.0		1		†	T	¢	7	• 65	-	60	-	62		-	1	1	,	2			82	GRES (0.3	(0.2
32.0	_	T	T	$\dagger$	T	,	10	1 60	60	-	4	8	2	^	, -	•	-	7			35		Н
1.0 31.0 32.0 33.0 3	1	T	<del> </del>		$\dagger$	1	1	-	15	17	7.	12	2	5		•		2			83	R 0.262	.262
30.0		T	T	$\dagger$		-	•	4 68	18	22	22	18	7.	67	•	١.	-	,			117	>	0
28.0						•	1 60	=	22	31	34	22	17		0	, 0	•	1	-		165	ST DEV 2.67	2.15
28.0						-	. 07	-	36	35	88	38	31	=	-		<b>J</b> (	,	1	-	190	လ	
27.0					-	+	67	65	38	21	21	14	28	7.	L.		, ,	1	-	က	248	MEAN 27.94	28.71
28.0				_		T	-	9	8	88	35	22	31	21	8	+	•	+			185	1	
25.0							T	4	8	15	28	31	23	17	4	"	,	$\dagger$			128	CE(I	
24.0				-				-	1	3	12	16	10	<u>_</u>	ß	-	-	4-	-	$\dagger$	61	N EREN	(NI)
23.0				-	-						2	•	2	ω	2	-	+	+	+	+	16	MOME	NGIH
22.0			-	<del> </del>										2	-	-	<u>.</u>	$\dagger$	+	+	<b>→</b>	USA	T T
-	39.0	38.0	37.0	38.0	35.0	34.0	33.0	32.0	31.0	30.0	28.0	28.0	27.0	26.0	25.0	24.0	28.0	2000	2000	21.0	TOTAL	1976 USA WOMEN WAIST CIRCUMFERENCE(IN)	CKGICH LENGIH(IN)

TABLE 21

A BIVARIATE FREQUENCY TABLE FOR CROTCH LENGTH AND HIP CIRCUMFERENCE 1976 USA WOMEN

		TOTAL	~					7	71	2 0	175	010	010	240	243	207	108	32	24	12		, -	1330		
		52.5	7		$\dagger$			1				1		+	$\dagger$				-		-			STD ERROR	62
		51.5	-	T				1								1						T		STD E	1.
		50.5																							_
		49.5																						$\frac{1}{2}$	(0.565)*HIP CIRCUMFERENCE(IN)+(7.47)
		48.5							-	•													-	GRESSION EQUATIONS	) + ( N
		47.5						-															-	+ ~ Z	CE(I
		46.5							,	,													2	] I	EREN
		45.5		·				0	1			-										L.	е	ONS	CUMF
	ı	44.5						٥		-	2			L									ស	URTI	CIR
_	ŝ	43.5						-	4	2	3	_	2	-									14	REGRESSION EQUATIONS = (0.755)*CROTCH LEN	*HIP
NOTION TOD OFF	CIRCUMFERENCE (IN)	42.5				_		-	. rc	6	9	9	2	-									28	SS10	565)
-	UMFER	41.5				L			2	=	16	7	2	r.									46	REGRE = (0.	
)	<b>a</b> .	40.5					-	2	4	1.4	34	20	14	7	٥	0	J	•					101		ن 11
•		39.5						3	æ	13	36	48	30	15	2	cr	,	-	-				157	R 0.653	0,653
		38.5							2	10	36	46	48	23	14	8	•	0	1	2			193	DE V 48	15
	1	37.5								4	29	52	52	47	40	œ	)	1	ŀ	e			241	ST DE 2.48	2.1
		38.5								-	σ	18	38	65	38	16	6	9 6	,	5			195	MEAN 37.59	71
	-	35.5									4	12	33	48	37	25	1	6	J,	-		-	170	MEAN 37.5	28
		34.5										2	8	25	20	22	6	1	-		-		84	<u> </u>	
	L	33.5	$\downarrow$	_					_				9	10	9	17	1	. 6	,	-	4	3	52	CE( 11	_ 
		32.5												2	က	80	lt:	U.	٠,	~			25	YEN EREN(	THUI
	L	31.5														_	2	-		+	-		9	1976 USA WOMEN HIP CIRCUMFERENCE(IN)	CROTCH LENGTHEIN
	10	30.5	) )	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		~		0	7	6 US CIR	TCH
		ç	2	38.0	37.0	36.0	35.0	34.0	33.0	32.0	1	1	_	28.0		26.0	ــــــــــــــــــــــــــــــــــــــ	24.0	000	5	22.0	21.0	TOTAL	197 HIP	CRO
										. ,,	140	J + 1 _	. 1	17.	J.1	υđ	J								

TABLE 22

A BIVARIATE FREQUENCY TABLE FOR SLEEVE INSEAM AND WRIST CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

10101	4		•	7 /6		2 / 6		ا۔	١,	. I.	26/ 66	101/108	122/109	198/142	226/159			1.	1.	L	1.	I.	L	4 /8	6/ 1	1	1905	STO FREDR		0.91	SID FRROR		0.96
0	20											7	1/				2/										1			62)			79)
9	0.0		Ī	1	T				Ī			1															7			(11,			(3
	;	$\dagger$	$\dagger$	╁	+	$\dagger$	+	$\dagger$	+				/ /		-				-		-						= -		41)	+ (N)		14)	+ ( N )
9	:	+	+	+	$\dagger$	+	1.		+	2	-		2 /	1	/ 1 1	/ 1 2	1				$\vdash$	_	-	_			4	<u> </u>	+ { 4	CEC		+(4	CEC
	+	+	+	+	+	+	6	3 - 7 -	3	+	2	-	1,	_	1 3,		-	-	2	-		-	H	-			13		(NI	REN		(NI	REN
9	1	$\downarrow$	$\downarrow$	-	-	1	-	;	\	20	7	8 -	2/	4 8/	1 3/	14/1	7	2 5/	1/	3/	1/1	1	_	_			12 43		EAM (	UMFE		EAM (	UMF
9	1						• 0	0	$\perp$		_1	$\perp$	8 2/	6 2/	74	/2	5 1/	3/			1/						2/	SS	INSEAM(IN)+(4.41	(0.977)*WRIST CIRCUMFERENCE(IN)+(1	REGRESSION EQUATIONS	(0,093)*SLEEVE INSEAM(IN)+(4,14	372)*WRIST CIRCUMFERENCE(IN)+(9.
4	٠l			-			•		ì	;	J.	/9	1/	15/	12/	12/	1/2	10/	/+	/9	/2						101	URT		ST (	URT	EVE	ST (
	7			6	,	1/ 5	,,,	7	?	4/ 6		J	10/5	12/ 4	11/ 6	7 / 4	5/8	5/2	5/3	4	1/	-	2/	1 /			80	EQ	(0,085)*SLEEVE	, MRI	E	(SLE	E ME
	;	T	1	16	-  -	•	1	6	J٠	2 6	. !-	77	13	10	38 / 14	8/3	5/11	8/5	5/3	11/11	1 /0	2/ 1	4/	1/1	1/1		320 95	REGRESSION	85)*	77)*	SION	93)	723*
는 H	;	+	-		<u> </u> -	-	6	_	,	77 10 12/		12	12	•	/17	/ 18 48	/ 8 32/	9/ 3/26/	/ 525/	7 2	/ 1/10/	/	_ /	/			7	RES	0.0	0.9	3RES	0,0	1.3
CIRCUMFERENCE (IN)		+	T	_	-	-	0	L	1	_	٦.	2	13	<b>∼</b> ı	/ 29 18,	/ 11 23,	/ 917,	19	21	8 2 /	/ 3 4	/ 3	/	1	1		186	RE	11	11	RE(	н	11
CIRCUM	┸	$\perp$	-	-	+	٥	6	30	1	41/18	77	1,15	828	22 41	18 44	24 40,	25 37	737/	1029/	617	1 7	3 4	2	2			170 11	∞	0.288	288	<b>0</b> ∠	358	358
MRIST (	L	+			-		10	6	1	2 2		~⊥	23 8/	31 17/	23 21 /	29 22 /	23 24/	22 27 /	16 15/	10 15/	8 8	2 3/		-	1	-	28 18	—	0	0		0	0
. T.	1	$\downarrow$	L		-		-	, ,	;	100	000	√ ŀ	∕ı.	<b>`</b> ' '				25 35/		_	612/	10/	77 2	3 4/	=		183 25	DEV	0.28	<b>3</b> 2	DEV	27	03
5				L	2			<u> </u>	10	12 6	<b>√</b>  `	٠ĺ٠	ſ.	6 16 / 2	8 12/2			<b>\</b>	<u> </u>	713/	1/	3 1/	3/		1		15.	ST	0	Ċ	ST	0	<u>.</u>
5.5									ŀ	3	┸	_	'n	- 1.	7110/	<u>1</u>	-	7	722	15/	_	1,	77		-	\	125	z	83	37	z	79	74
5.4									-	1	;	Ţ٠	Į.	١.	- 1	110/11	913/1318/	7/11	7 /8	2/ 7	7/2	2/1	7		7		67	MERN	5.89	17.	MEAN	ъ	17.
5.3										-	, ,		7	7	1/ 5		\	5/ 5	4/6	4/ 5	2/ 1	1	1				28 38		Ê			Ê	
5.2					<u> </u>	<u> </u>	l		T	1	+	†. .\	~	-	3	2	1/1	7	2	-	=	7	-	1	1	7	3,17		CE (I			CE(I	
5.1		T				ļ	_		-	+		1	•	7	_	2	-	1	2	-	=		7		+	+	28	Z	REN	IN	<b></b> -	REN	[N]
5.0	$\vdash$		_		-	$\vdash$	-	-	L		+	+	+	+	-	+	-	7	-	-	+	+	7	1	+	-	-	WOMEN	UMFE	EAM(	OMEN	UMFE	EAM(
9.4	H	$\perp$	L		L	L	-	-		+	1	+	+	+	1	+	-	-	-	-	+	+	+	+	+	1		USAF	SIRC	INS	3.A M.	SIRC	INS
_	L	6	0	7	+	-	8	rs.	6	1 0	2 4	2 0	2 0	2 6	-	*		8	2	2	/1 6	9	e	0	- -	4	7		WRIST CIRCUMFERENCE(IN	SLEEVE INSEAM(IN)	1976 USA WOMEN	WRIST CIRCUMFERENCE(IN)	SLEEVE INSEAM(IN)
	21.6	21.3	21.0	20.7	20.4	20.	18.8	19.	ā	18.	_	1		_		_1.	17.1	18.8		16.2	15.9	18.6	15.3	16.0	1	14.4	TOTAL	1968	MR I	SLE	197	KR I	SLE

TABLE 23

A BIVARIATE FREQUENCY TABLE FOR UPPER THIGH CIRC AND HIP CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

	TOTAL	7	3/ 3	3/ 1	6/3	5/ 12	12/ 14	17 17	33 / 36	↲		7/129	173/138	4/161	0/148	< I	-	<	.	٠l	╮	32/ 16	22 / 12	2/2	4		1905						
	52.5 T		1 /					11	9	ě	7	107/	17	164/	240/	253/	208,	204	133,	105/	7	3	2				<u> </u>	ERROR	34	74	RROR		76
	51.5 5											-		-											+	+		STD EI	1.04	0.74	STO ERROR	1.05	0.76
	50.5																									+		တ		_	S		$\Box$
	49.5																												0.21)	-2.18		48)	-2.22
	48.5	/ 1																									1		)+(10	·)+(N		6)+(	+ 2
	47.5		1/			1 /																					1 1		CIRC(IN)+(10,21	CE(I		CIRC(IN)+(9.48)	CE(I
	46.5	/ 1	11		1/1		1/	1/															_				3 4 2		1 CIR	EREN		CIR	EREN
:	45.5		1 /	11/1	2 1/	1 1/2	2/	-	1		•																5 5	IONS	THIGH	RCUMF	SNOI	THIGH	CIRCUMFERENCE(IN)+(-2,22
	5 44.5		/1	1 1	1 4	76 2	3 1/	2 1/	7 2			1/														_	6.	EQUAT	PER	P CI	QUAT	PER	
. (X	5 43.5			1	72 2	/	7 4/	75 2	5 5/	5 3/	12 2		1/		/1	_			_							$\dashv$	28 24		254)*UPPER THIGH	639)*HIP CIRCUMFERENCE(IN)+(-2.18	I ON E	5)*UP	655)*HIP
ERENCE	41.5 42.5	_			_	/1 1/	/ 2 3/	12 1/	/8 01/	/ 2 /	/ 12   21 /	/ 5 3/	2 /	/ 1/	/1 //				_								23 46 7	REGRESSION	(1.254)	(0.63	REGRESSION EQUATIONS	(1.255)*UPPER	(0.65
HIP CIRCUMFERENCE (IN)	40.5 41		1 /	_	_	1 /	/ 2 /	/ 3	/1012/	/1812/	/27 17/	181	/16 8/	/ 4 3/	/ 1 3/	/	-								_	_	101	REG		11	REG	11	U II
HIP	39.6	L J		_				/ 2 2	1 1 1	6/14 9/	3/31/30/	`	7 29 22/	/91/81/6	/9 9 /0	9/52	2/	2/	1/								157 127	œ	.895	.895	œ	0.907	0.907
	38.5	_		-				-	/ 1	1/2	7/16/18/	317/4641	57/47/60/	7 66 / 42 39 /	1 76 / 21 30,	18 48 / 11	7 /8	/#	3/	2/			_				2 063	>	0.	0.	>		
5	37.5								-	/ 1	/ 1	3/131	4	32/67	89/617	106/38	_	33/ 7	10/	1/	1/1						357	ST DEV	2.33	1.66	ST DEV	2.48	1.79
	36.5	1										2 /	5/8	7 8/22 32/6	7/10/26/49/89/6	5 13/28 74/57 108/3	·	/17	4	1414/ 1	/9		1/				337/195		90	84		53	40
	35.5								_				1/1	1/7	7/10	513/28	7 36 / 33 94,	15 86/44 80	32 54/34	12 27/14	111/	2 2/ 1	3/				4 170	MEAN	37,60	21.84	MERN	37,59	22.40
	5 34.5	L				<u> </u>					_		_	_	1	1/1	1/2 3	319/1	10 28 / 3	20 47 / 1	9 14/12 29/11	310/	14	1			148		ŝ	~		Ê	_
	5 33.5	1		L					_		_					<u> </u>	`	\	3/1	1 13/20 47/	914/1	613/	16 6	12 3			25 52		I ) 30	SC( IN		VCE(I	SC( IN
	31.5 32.5	_		<u> </u>									_			_		_		1/1	1/4 /	/8 4 /	/1 1 8/	/2 /	/1 1/		23 8	MOMEN	FEREN	H CIF	OMEN	FERE	H CIF
	30.5 31	i		L	_		-	-		_			_	_	_		-				/3	1-7	2	/ 2 1/	3/		8/2	USAF	CIRCUMFERENCE(IN)	THIG	JSA W	RCUM	THIG
	60	28.7	28.2	27.7	27.2	28.7	28.2	25.7	25.2	24.7	24.2	23.7	23.2	22.7	22.2	21.7	21.2	20.7	20.2	19.7	19.2	18.7	18.2	17.7	17.2	18.7	TOTAL	1968	HIP CI	UPPER THIGH CIRC(IN)	1976 USA WOMEN	HIP CIRCUMFERENCE(IN	UPPER THIGH CIRC(IN)
		ــــا	L	L	1	1	1	L	1_	Ь.	ــــــا	<u> </u>	A I		_	_	1	<u>l</u>			<u> </u>	<u> </u>	<u> </u>	L	L.,		<u> </u>	]	I	<b></b>		工	⊃

TABLE 24

A BIVARIATE FREQUENCY TABLE FOR WAIST CIRCUMFERENCE AND HIP CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

	TOTAL	-	2 /	/ 2		-	7	107	13	2 0	19/ 28		L	-	118/185	001/2		3307.243	3/195	330 / 129	1/ 87	91 /6	7 4	7 99	1330							
	52.5 T	L	-			-			-	•	-	2	4	à			/200	S	388/	33(	247,	89,	10,	11906	1	ERROR	ц	<u> </u>	2	ERROR		91
	51.5		-			_	-	-	-	-	+	-	-	-	-	$\frac{1}{1}$	+	+	+		-			-	7	STD EF	-	1.00	- •	STD EF	1 77	1
	50.5									T						T	$\dagger$	+	1		_				1	S	_	· .			433	) 
	48.5								-							†	1	1	1								CIRCUMFFRENCETINI+(16 27	44)	•		(0.650)*WAIST CIRCUMFERENCE(IN)+(19.4	(0.754)*HIP CIRCUMFERENCE(IN)+(-0.40)
	48.5		/ 1																						7		IN	) + (Z			( NI )	·)+(N
	47.5						7		/1															-	1		FNCF	CECI	! !		ENCE	CECI
L	46.5					_		/ 1	/2 1			11/	1/											4	3 2		MFFR	EREN			MFER	EREN
L	45.5	-	-		1			1/	1	2/	1	1 1/		1 1/			ļ	-	1		1	-	_	ها	9	SNOT	IRCL	CUMF		ONS	IRCU	CUMF
	44.5		\	-	4		-	3 1/	/	3 2/	1 1/	1	1 1/	2 2/	71 2				-	-	+		1	6	14	LECE	ISI	(0.692)*HIP CIRCUMFERENCE(IN)+(0.44		KEGKESSION EQUATIONS	1SI	F C 1 F
(N)	43.6	1	-	-	+	1	<b>-</b>		71 2	3	4 3/	_1	3 3/		2 2/	2 3/			$\downarrow$	+	+	+	+	24	287	20	)*WA	H   (	1 :	S E	)*WA	)*H1
Ž,	41.5 42.5	+	1	}	+	+	1		3	<u>ب</u>	4 1/	1		9	12	2 2/	5 1/	16	1	1	1	+	+	29	46	NEGREGOTION FEORE	= (0.806)*WAIST	.692	(	(ESS 1	0.650	754
IRCUMF	40.0	+	+	+	+	+		2	~ 1	/ 5 1/	ເນ	_1		/1910/	/1315/	/14/13/	/ 10 1/	18 8	1			+	+	99	101	5	<u></u>	)	L	77.5	) 	"
HIP C	_	+	+	+	1		1	1		/ 1 2,	-	/ 5 3/	4/22 12/14	417/27/18/2016/	328/4031/2619/	50 50/38 46/32 30/14 13,	40 56 / 33 32 / 10	8 8	-			1	+	12	101	_	0.747	0.747	c	Ľ	0.700	700
- u	4	+	+	+	+	+	+		7	2 /		0	3/19 4	/ 27 19	/ 40 31	1/38/46	/ 40 58	/11/34/	1∕	1	+	+	+	0 207	130		o.	0			0	0
2 2	+	1	+	+	+	$\frac{1}{1}$	+	-	7	_1	9	•	- 11	~!:	√ŀ	∖l	~	2/ 32 72/	9/1931	'1	٦.	  -	1	367 290	7 057		2,33	2.16			2,48	2.67
8 R	3	1	$\dagger$	†		$\dagger$	$\dagger$	1	+		+	1	7				57 / 50 82.	37/42112/3	13/29/69/	. 1	Ţ		<del> </del>	337 3		)				ָ י		
35 E												1	1	7	√!`	√ı		24 43 / 55 97 /			<u>'</u>  _			221	٧ -	- -	37,60	26.46	E E	ב ב ב ב	37.59	27.94
34.5	1			L				$\downarrow$								3/	1	1311/24	15 43 / 20 69	11 58 / 21 63	8 20/3	L		146			=	(NI			_	(NI
5 93 5	┺	-	-	-	_	-	1	1	1	+		1	+	:	,	-		က		7 20/1	I~	1 1/		25 EZ		1	CE [ ]N	ENCE (		į	Z	ENCE (
.5 32.5	⊢	_		-				+	+	+	+	+		+	-  -	1	.7	1 3/	_	1 5/	112/	1 2/		22 2	1		LKEN	MFER	Z L X	֓֞֝֝֝֜֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝ ֓֓֞֞֞֞֞֞֞֞֞֞֞֞	L K L N	IRCUMFERENCE(IN)
30.5 31.	L			-	-	-	-	+	+	+	+	+	+	+	-	<u> </u>	1	1	2/	/ 2 3/	72	1	1/	2 9	<u>ч</u>		ストロMト	IRCU	ש שנ		A C U M F	IRCU
30	42.0	41.0	40.0	39.0	38.0	37.0	36.0	35.0	34.0	2 0	32.0	31.0	30.08	0.66	0.80	200	0.12	20.0	25.0	24.0 /	23.0	22.0	21.0	TOTAL	1968 US		HIF LIKCOMFEKENCELIN]	WAIST CIRCUMFERENCE(IN)	1976 USB WOMEN		HIT CIRCUMPERENCELIND	MAIST C
	L_	Ľ	Ľ	<u> </u>	Ľ.	_	ــــــــــــــــــــــــــــــــــــــ	_		Т.	383	ــــــــــــــــــــــــــــــــــــــ	_	ㅗ	L	1		_					~	유	] ~	=	E.	孟	5	í	Ē :	Ĭ

TABLE 25

A BIVARIATE FREQUENCY TABLE FOR VERTICAL TRUNK CIRC AND HIP CIRCUMFERENCE 1968 USAF WOMEN/1976 USA WOMEN

1	30.5	5 31.5	32.5	33.5	34.5	L.	35.5	98.5	87.5	38.5	20.00	40.5	A1 S	S 40 S 41 S 42 S	2 27	1 11 E	- ⊢	45 5 4	48 5 47	-	2 87	-	ם נו	_	1	101
1	4	_	_	_	┺.	┺	1	₩	+	┺	╄-	-			1	+	+-	-		-	+	_	4	4	┵	1
1	70.4							-		-	-						-	-		-	+		+	-	•	
1	69.4					L	-	-	_	-		1		1	=	-	L	-		1,		_		-		
1	68.4						-		_			27	2/1		9	2/	1	1	-	1	-		-	-	=	,  _
1	87.4								2	1 1	1 /	i	/9	1/4	/2	12 4	1 2,	/ 1 2	1,1	Ĺ	17				2	5/ 16
1	86.4								7 2		l_ l	L.	1/1	4/2	2/	3 3/	1,	1	7						52	L
1	65.4					1/	2	/ 1	_	۷,	/	71,	7/7	1/ 4	L	2 1/	Ľ	1 /	_	L			 		81	_
1	64.4					1/	1 7	LΙ								1	1,1	L	_	-		-	_	L	122	7/ 67
1	63.4					2/	1 0	/ 227	1/17/33	. 1			1/8	l_	>	3			-	<u> </u> -	-	<u> </u>		-	157	17
1	62.4			1/ 1	/2	13/	527	/15 45	:/ 86 53		1/27/11	721	7/15		L_	1/1	-	-		-	<u> </u>		-	-	221	٠١.
## 1	61.4		=		. /9	118/	12 48	/ 23 61	1/5157	1/3837	1/ 28 1	110		7	\	17	L	-		-	<u> </u>		_		257	7/17
1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2   1/2	60.4			- 1	13/11	/980	15 57	/ 38 7E	1/4046	1/34/22	1/24 11	7 7	2/1	/ 1	/2	L	-		_	<u></u>	_	_		L	274	17.17
1	59.4			5/ 4	20/	9 42/	48 74	/ 45 64	1/21 28	1/21 15	/111	4/7									<u> </u>	-	-	_	253	3/19
1	58.4		3	9/1	30 / 51	8 41/	42 60	/ 32 40	1/22 21	7 15 6	l. 1	7						_			<u> </u>	_	_		210	0/180
1	57.4	1 7	*		38/1	138/	23 32	/21 16	1/24 6		7 2					_	L	_					_	ļ 	147	7/10
## 27 37 37 37 2 37 2 37 2 37 2 37 2 37	56.4 /	1 3/ 1			24/1:	2 24/	12 17	/ 10 4	1/42							_	_		_		-		-	<u> </u>	6	
## 27 27 37 37 35 17 2 27 4 3 5 17 2 27 15 15 15 15 15 15 15 15 15 15 15 15 15	55.4	2/	/ 3	11/	ļͺ	3,		7 7	/:							_	-							L	3	L
## 1, 2 1, 5   6   1, 1   ## 1, 1   2   6   1, 1   ## 1, 1   2   6   1, 1   ## 1, 1   2   6   1, 1   ## 1, 1   2   6   1, 1   ## 1, 1   2   6   221, 337, 357, 2590, 207, 127, 66   28   1,4   6   28   1,4   6   28   1,4   6   28   ## 1, 1   1   1   ## 1, 1   2   6   221, 337, 357, 2590, 207, 127, 66   28   24   3   2   1   1   ## 1, 1   2   6   221, 337, 357, 2590, 207, 307, 307, 307, 307, 307, 307, 307, 3	54.4		/2	/2	3/	5 1/														_	_	_			12	L
1	53.4	⇃	1			-	~		_							L		<u> </u>			_				87	3
State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   State   Stat	52.4	/ 1	/ 2													L	_				_	-	-		-	
B USAF WOMEN  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  STD ERROR  STO CANNOWEN  ST DEV  R REGRESSION EQUATIONS  STD ERROR  CIRCUMFERENCE(IN)+(29.44)  STD ERROR  CIRCUMFERENCE(IN)+(29.44)  STD ERROR  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  STD ERROR  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  STD ERROR  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  STD ERROR  CIRCUMFERENCE(IN)  ST DEV  R REGRESSION EQUATIONS  STD ERROR  CIRCUMFERENCE(IN)  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV  ST DEV	51.4 /	1 / 1														_	-		_		_	-		_	_	
B USAF WOMEN  CIRCUMFERENCE(IN) 37.60 2.33 0.718 = (0.617)*VERTICAL TRUNK CIRC(IN)+(0.09) 1.62  CIRCUMFERENCE(IN) 60.80 2.70 0.718 = (0.834)*HIP CIRCUMFERENCE(IN)+(29.44) 1.88  TICAL TRUNK CIRC(IN) 60.80 2.70 0.718 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56) 1.61  CIRCUMFERENCE(IN) 37.59 2.48 0.760 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56) 1.61	$\setminus$	6)	22	52 55	# \ #	$\sqrt{2}$	75	7 38 195	115	93	57	10	46	53		0,	(a)	l \	1 2	7	-				<u>8</u> /	35/26
CIRCUMFERENCE(IN) 37.60 2.33 0.718 = (0.617)*VERTICAL TRUNK CIRC(IN)+(0.09)  TICAL TRUNK CIRC(IN) 60.80 2.70 0.718 = (0.834)*HIP CIRCUMFERENCE(IN)+(29.44)  6 USA WOMEN  CIRCUMFERENCE(IN) 37.59 2.48 0.760 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56)  CIRCUMFERENCE(IN) 60.56 2.84 0.760 = (0.833)*VERTICAL TRUNK CIRC(IN)+(-2.56)		F WOL	MEN			Ä	EAN	Ś		_	<u>o</u>	RE	GRES	5810	N	THUC	NOI.	လ			<u> </u>		STD	1	O.R	
TICAL TRUNK CIRC(IN) 60.80 2.70 0.718 = (0.834)*HIP CIRCUMFERENCE(IN)+(29.44)  6 USA WOMEN  CIRCUMFERENCE(IN) 37.59 2.48 0.760 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56)	IP CIRC	CUMFEL	RENCI	E(IN	_	e L	7.60		$\omega$	o.	718		(O, E	317)	*VEF	?TIC	Ä	TRUN	K CI	RC(I	)+(N	0.09)		1.62		
6 USA WOMEN  CIRCUMFERENCE(IN) 37.59 2.48 0.760 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56)  TICAL TRUNK CIRC(IN) 60.56 2.84 0.760 = (0.870)*HIP CIRCHMERENCE(IN)+(2.26)	ERTICAL	- TRUI	N N N	IRC	IN)	)9	0.80		7	0.	718		3.0)	334)	¥HIF	C.	RCU	MFER	ENCE	( NI )	+(29	.44)		1.88		
CIRCUMFERENCE(IN) 37.59 2.48 0.760 = (0.663)*VERTICAL TRUNK CIRC(IN)+(-2.56) 1	976 USF	MOM F	EN			Ä	FAN	လ		_	<u>ac</u>	RE	GRES	5510	NEG	JUAI	NOI.	လ					STD	ERR	OR.	
2 84 0 760 = (0 870)*HIP CIRCIMPERENCE(IN)+(27 0E)	HIP CIRC	CUMFE	RENCI	E(IN	_	ω,	7.59		4	0	760	11	(O.E	363)	*VER	RTIC	Ĥ.	TRUN	K CI	RC(I	) + ( N	-2.56	3.3	1.61		
	ERTICAL	TRIE	C X	IRCI	(N)	) U	7,56		2 R 4	_	760	11		370)	u H			7 1 1 1 1 1	FINCE	(NT)	1001	n T		a		

### CHAPTER IV

# An Introduction to Anthropometric Sizing

An anthropometric sizing analysis for clothing and personal protective equipment is based on the concept of dividing the population into subgroups of individuals who are more or less similar in certain relevant body size dimensions (i.e. tall and slender, short and heavy, large-busted and long-waisted) and then analyzing the anthropometric data for these subgroups in order to arrive at appropriate dimensional design values which will accommodate the size variability within each group.

Specifically, the sequence of steps involved is:

1) selection of an appropriate body of data for analysis,

2) selection of the key or sizing dimensions, 3) selection of intervals for the key dimensions (that is, the upper and lower limits of the key dimensions that will establish each size category), 4) development of the dimensional data for each of the established size categories, 5) conversion of the summary statistical data to the appropriate design values, and

5) establishment of the tariff or numbers of each size necessary to outfit the user population.

In Chapter I we established the rationale for using the data for USAF women and U.S. Army women for this analysis. Thus, Step #1 has already been completed.

Step 2, the choice of key or sizing dimensions is of crucial importance but is seldom, if ever, clear cut. These dimensions should have the attributes of being conveniently measurable, of being an integral part of the garment to be fabricated and have a high degree of correlation with other dimensions which are of importance in the design and sizing of the end item. Sometimes a key dimension, such as bust circumference, is chosen simply because it is the most obviously critical dimension in the fit of the garment. fact, no single body measurement or dimension is adequate as a basis for sizing most items of clothing or personal protective equipment because no single dimension is closely related both to the lengths or heights of the body and to its girths, breadths and depths. For example, waist or hip measurements alone are inadequate to obtain a good fit in women's slacks since women vary so widely in height.

The obvious solution is to select two or more key dimensions selected so that each will control some different aspect of body size variability such as linearity or mass. The next problem is to determine which pair or group of three should be used in a particular sizing program. The selection often

depends on which ones exercise maximum control over other dimensions of body size which are relevant in the design. By "control" we mean the degree to which changes in a given dimension correlate with changes in another dimension. The statistic used to measure this relationship is the correlation coefficient—the closer the relationship, the closer the correlation coefficient approaches 1.0.

While it should be clear from the foregoing discussion that pairs of key dimensions should not correlate well with each other, each key dimension should correlate well with other related dimensions. Thus, for example, stature might be chosen because it controls other height measurements such as leg length and waist height, and weight might be chosen as a companion value because it correlates well with other measurements of girth and breadth. Stature and weight typically have very little control over each other (r  $\sim$ .500).

We do not believe it to be either necessary or desirable to use the same key dimensions for all garments, even for a given part of the body. Men's dress shirts, for a number of reasons, are usually sized on neck circumference and sleeve length but it may be far more appropriate to size a vest on chest circumference and waist front length.

In selecting the key dimensions, an evaluation of the interrelationships of the dimensions involved in the design of the garment is made using simple, multiple and partial correlations in a manner similar to that described by O'Brien and Shelton (1941), and Emanuel, et al. (1959).

Key dimensions for the sizing programs presented in this chapter are Bust Circumference, Bustpoint-to-Bustpoint Breadth and Neck-to-Bustpoint Length for garments worn above the waist, and Waist Circumference combined with Crotch Length for lower torso garments. Although these sizing dimensions are used because they were specified by the Navy Clothing and Textile Research Facility, we believe they are of questionable value. A discussion of this point and our own recommendations will be found in Chapter VI.

Step 3 calls for the establishment of size intervals. The width of the size interval of the key dimension(s) dictates not only the size variation for that dimension but for all the other design dimensions that are highly correlated with it as well. Thus, in the small-medium-large system often used to categorize inexpensive clothing, there is a very high degree of body size variability to be found among persons in each group. A "medium" sized sweater might be the garment of choice for a very short woman with a relatively heavy torso, a woman whose height and bust circumference approach the mean for U.S. women, or a tall woman with a narrow torso and small bust. Obviously there will be a good

deal less variation among women in each group if a six-size system (10, 12 . . . 18) is used.

While a surprisingly large number of women can be successfully fitted in upper-torso garments by a three-size program, it is clear that more sizes will fit more women better. On the other hand, it has been found that overall size homogeneity of individuals within a size category cannot be indefinitely improved by the addition of more sizes—that is, by subdivision of the key dimensions into more and more increments. At some point the minimum level of within-group variance for the body dimensions in the design will be approached and even by doubling the number of sizes, this level of within-a-size variance will remain essentially constant. This is a function of the less than perfect relationships that other body dimensions have with the key dimensions by which the individuals in the size category are selected.

It is not only the body size variability that must be considered in establishing the sizing interval but factors such as the type of fit necessitated, the material that will be used in fabrication, the cut and possibly the logistics of procurement and stocking of the final item. At some point, decisions will be made regarding the various trade-offs among the design considerations, and the sizing category intervals will be established. The major thrust of any such decision, of course, is to provide the best fit possible for the maximum proportion of users with the fewest number of sizes. Inevitably, there will be individuals within the design group who, because of extremes in body dimensions or unusual proportions, will not be satisfactorily fitted. An effective size scheme, however, will keep the numbers of individuals disaccommodated to a minimum.

In this sizing analysis, the key dimension intervals specified are those adopted by the contract monitor from the National Bureau of Standards publication PS42-70 (see Chapter I, Table 2).

The next step is to establish the dimensional data for each of the size categories. This is done by treating all the individuals in the sample who fall within the limits of a size category as a subsample and computing the means and standard deviations for each of the dimensions included in the design. It can be seen on Table 2, Chapter I, that size 3 for the lower torso indicates that the key dimensions of Waist Circumference and Crotch Length have midpoint values of 20" and 23.5", respectively. The sizing intervals are one inch for Waist Circumference and 0.75 inch for Crotch Length. All the individuals in our samples who have waist circumferences between 19.5" and 20.49" and also have crotch lengths between 23.125" and 23.875" become the size 3 Junior subsample.

While we have established that slacks for all the women in Junior size 3 will have waist measurements of approximately 20" and crotch length measurements of approximately 23.5", we must now establish dimensions for all the other variables. What are the crotch heights for this subset, the thigh girths, the hip girths? The means and standard deviations for all the relevant variables are computed, using the Junior size 3 subsample. This step is, of course, repeated for each size category. For reasons relating to sampling stability, the standard deviations for the individual subsets are, in effect, averaged to provide for each dimension a single within-a-size standard deviation. This value is then used in conjunction with the mean value to develop the next element in the sizing analysis, the design value.

The design value is a single numerical value for each variable that represents the actual body measurement for which a given end item will be designed. While the mean value of the Junior size 3 waist circumference is 20 inches, the design value for hip circumference may be set at the mean value plus two standard deviations since it must be large enough to fit around the hips of the largest individual in that size group. The design value for an elasticized wrist closure, on the other hand, may be the mean value minus two standard deviations so it will be small enough to seal the sleeve of the person having the smallest wrist circumference in the same size group. For each dimensional variable of interest, there will be a specific design value for each size category.

The design value can be any combination of the mean plus or minus some increment of the within-a-size standard deviation. Figure 1 shows the coverage of a normal distribution of values as a function of the plus or minus increments of standard deviation.

The ranges suggested by the graph are from approximately three standard deviations below the mean  $(\overline{X}$  - 3SD) to three standard deviations above it  $(\overline{X}$  + 3SD). Other important points on the distribution of a set of anthropometric data can be located, at least approximately, by adding or subtracting a multiple of the standard deviation to the mean value. In particular, it is worth noting that:

about 2/3 of a set of data fall between  $\overline{X}$  - 1.0SD and  $\overline{X}$  + 1.0SD about 87% of a set of data fall between  $\overline{X}$  - 1.5SD and  $\overline{X}$  + 1.5SD about 95% of a set of data fall between  $\overline{X}$  - 2.0SD and  $\overline{X}$  + 2.0SD almost all of a set of data fall between  $\overline{X}$  - 3.0SD and  $\overline{X}$  + 3.0SD




Figure 1. Areas under the normal curve.

It should be stressed that the design value is related to the body size of the population and should not be confused with the actual garment and pattern measurements. To arrive at those values, seam allowances are added and, where necessary, varying increments to permit freedom of movement within the garment.

The final step is to prepare a tariff for procurement of the various sizes. Usage rate will soon establish how many of what sizes must be purchased to maintain the stock of a particular item of clothing or personal protective equipment. Initially, however, the tariff, which is based on the number or percentage of individuals in each size category, establishes the numbers of garments to be provided in each size. If we found, for example, that 6.3 percent of the sample fell within the size 34 category, then the best initial procurement estimate for size 34 would be 63 units per thousand of the production run.

The sequence of steps described above constitutes a well-tried procedure which has been successfully used to develop military sizing programs for such items as USAF flight clothing and protective garments.

#### CHAPTER V

# Sizing Analysis for Navy Women's Clothing

It was our intent to follow the procedures outlined in the previous chapter and subject the combined data from the two military women's surveys to a comprehensive anthropometric sizing analysis. A number of difficulties arose, however, to prevent this straightforward approach.

A significant obstacle to combining the data is that in some instances we lack one or more critical measurements in either one or the other of the samples. In the U.S. Air Force survey, for example, the dimension Crotch Length was not measured, and in the U.S. Army sample the dimension Bustpoint to Bustpoint Breadth was not measured. Using regression equations based on correlates, we had intended to develop the missing data for each sample. Such values would, of course, be estimated with the characteristics of regression on the mean and the lack of outriders for such values. These difficulties would not be insurmountable except that the missing values noted above are key dimensions necessary for the sizing analysis.

A second problem arose with the discovery of inconsistencies in the anthropometric data for some dimensions in the two surveys for which there is no easy resolution. We find, for example, that while the U.S. Army women were, on the average, taller (+0.34 inch), heavier (+4.96 pounds), and had a larger waist girth (+1.50 inches) and comparable hip girth (+0.10 inch), they had a smaller bust girth (-0.60 inch) than did the U.S. Air Force women. This difference in average bust circumference between the two samples is not fully understood but is believed to be a real difference in size and not an artifact of the measurement technique because of corresponding differences in allied dimensions such as Bust Depth. Such inconsistencies would not be so serious were it not for the fact that Bust Circumference is one of the key sizing dimensions for the upper torso. By creating size subsets on the dimension Bust Circumference, we would select Army women for inclusion who were, on the average, larger overall than the similarly selected Air Force women subsample.

For these reasons our initial approach to the development of a sizing program is based on U.S. Army data only since this survey contains the majority of the key dimensions requested (Bust Circumference and Neck to Bustpoint Length for the upper torso sizes and Waist Circumference and Crotch Length for the lower torso sizes). The dimension Bustpoint to Bustpoint Breadth was not measured in the Army survey. The key dimension

intervals specified by the Navy and used to establish the size categories are shown in Tables 1 and 2 which summarize the number of individuals who fall into each size category, the number of subjects in each size as a percent of the total number of individuals who fall within the given size categories (Percent A) and the number of individuals in each size category as a percent of the total sample (Percent B).

TABLE 1
INDIVIDUALS ACCOMMODATED IN SIZE SCHEME *

### - Upper Torso

Siz	<u>e</u>	Bust Circ	Neck to Bustpoint	No. in Size	<u>%A</u>	<u>%B</u>
Junior	: 3 5	29.5 - 30.5 30.5 - 31.5	7.63 - 7.88 7.88 - 8.13	0 0	0	0 0
	7	31.5 - 32.5	8.13 - 8.38	8	57.14	0.60
	9	32.5 - 33.5	8.38 - 8.63	6	42.86	0.45
	Total			14	100.00	1.05
Misses	6	31.0 - 32.0	8.38 - 8.63	4	3.15	0.30
	8	32.0 - 33.0	8.63 - 8.88	24	18.90	1.80
	10	33.0 - 34.0	8.88 - 9.13	14	11.02	1.05
	12	34.0 - 35.5	9.13 - 9.50	43	33.86	3.23
	14	35.5 - 37.0	9.50 - 9.88	42	33.07	<u>3.16</u>
	Total			127	100.00	9.54
Women	34	37.00 - 39.00	10.38 - 10.88	57	78.08	4.28
	36	39.00 - 41.00	10.88 - 11.38	13	17.81	0.98
	38	41.00 - 43.00	11.38 - 11.88	3	4.11	0.23
	40	43.00 - 45.00	11.88 - 12.38	0	0	0
	Total			73	100.00	5.49

^{*} Dimensions in inches.

TABLE 2
INDIVIDUALS ACCOMMODATED IN SIZE SCHEME *

- Lower Torso -

Size	Waist Circ	Crotch Length	No. in Size	<u>%A</u>	<u>%B</u>
Junior 3	3 19.5 - 20.5	23.13 - 23.88	0	0	0
<u>.</u>		23.88 - 24.63	0	0	0
-	21.5 - 22.5	24.63 - 25.38	0	0	0
٥	22.5 - 23.5	25.38 - 26.13	2	1.94	0.15
13	23.5 - 25.0	26.13 - 26.88	17	16.50	1.28
13	3 25.0 - 26.7	5 26.88 - 27.63	41	39.81	3.08
15	26.75 - 28.	25 27.63 - 28.78	43	41.75	<u>3.23</u>
Tot	al		103	100.00	7.74
Misses 6	22.0 - 23.0	26.00 - 26.75	2	1.05	0.15
8	3 23.0 - 24.0	26.75 - 27.50	5	2.61	0.38
10	24.0 - 25.0	27.50 - 28.25	19	9.95	1.43
12	25.0 - 26.7	28.25 - 29.00	55	28.80	4.13
14	26.75 - 28.	25 29.00 - 29.75	53	27.75	3.98
16	28.25 - 30.0	29.75 - 30.50	35	18.32	2.63
18	30.00 - 32.0	30.50 - 31.25	22	11.52	1.65
Tot	al		191	100.00	14.35
Women 38	32.75 - 35.	25 31.75 - 32.50	1	25.00	0.08
40	35.25 - 37.	75 32.50 - 33.25	3	75.00	0.23
42	37.75 - 40.	25 33.25 - 33.81	0	0	0
44	40.25 - 42.	75 33.81 - 34.19	0	0	0
46	42.75 - 45.3	25 34.19 - 34.56	0	0	0
48	45.25 - 47.	75 34.56 - 34.94	<u>0</u>	0	0
Tot	al		4	100.00	0.31

^{*} Dimensions in inches.

It will be noted that a number of the size categories contain either very few subjects or none at all. The size categories cover only 16.08 percent of the Army women for the sizing dimensions of the upper torso and 24.3 percent of the women for the sizing dimensions of the lower torso. As illustrated graphically in Figures 1 and 2, it can be seen that large numbers of the sample fall well outside the chosen size categories.

Detailed computer analyses for each size are shown in Tables 3-25. The values given for each dependent variable include the category mean, the within-a-size standard deviation and the mean plus and minus two standard deviations. The latter values cover approximately 95 percent of the individuals to be found in each size category.

42 4 43 4 44 4 45 4 46 4 1010	1.01 1.01	\ 	5/	1/2	24/	762	75/	113	1013/118		351 / 170	959 / 198	:1:	<u>. `</u>	<u>۱</u> ۲	\ `	<u>۱</u> ۲	1	3	\'	1905	1330
7 57 7 77 7 57	t							Ť	1		-1	ķί	320 / 18E	201 /020	200	3 6	3	٦ °	1	ı	Ø	V
7 57 7 77 7 57	t				_					Ţ	ľ		1	†	+	$\dagger$	+	$\dagger$	1	1	Ť	=
7 77 7 67	1001			l		T	╀	-	+	1	+	$\perp$	+	+	+	╀	$\downarrow$	+	+	+		7
7 67			1						1									Ì				
	-		2/		}		1	-	•							1		1			6	7
	-		1 /1	ļ	ļ	1				T		T						$\dagger$		1	8	7
	į		<u> </u>	1/1		-		3/	-  -					T	1		$\dagger$	$\dagger$		$\dagger$	80	7
41.4	Т.	-	2/ 1	7 2	ļ	3/ 1	•	3/	6/1	; ; ;	-  -	-		<del> </del>	+		+	+	$\dagger$	+	23	12
40.4	+			3/	2/ 1	1 /	6		-	1 /6	5/ 1	2 /	-	+	+	$\dagger$	-	+	$\frac{1}{1}$	1		100
39.4	+		1 /	/ 2	6 /	1 /	•	6	2	1	27	_		-	6/		$\frac{1}{1}$	$\dagger$	+	+	1	45
4	+-	-		1	/ 1 4	/ 2 8	111	/1511		9	6	7 2 1	/ 1 2	-	-	-	$\mid$	+		+	1	200
35.4 36.4 37.4 38.	+-				/ 4 3	/ 3 2,	/ 711,	/ 921,	Ľ	41/1933/23/40/3000/49/40	/1521	8 6 /	/ 4 5	16		-	_	-	$\frac{1}{1}$	+		200
38.4 3	+		/ 1	1 1	/ 6 3 /	/ 5 3/	/ 613	/17 22,	/23/28	/ 30 00	87/29 76/50 62/32 32/	1101	-	/ 5 2		-	-	+	-	$\frac{1}{1}$	7	100
35.4 3	+-	<u> </u>			/ 1 2.	7 9 /	512	19 20	/31 54	/ 23 40	50 62	868	1986	510	6/10 4	1_	<u>L</u>		+	+	22	7017
4	<u>.</u>			-	1 1,	72	8 2	10/13/13/19/20/	18 40	1933	29 76,	49 53 1 39 307	150 00 100 03	126 72	5		-		+	+	32	135
33,4 34	1			-	)	1/	2 3/	310/	1631/	/ 29 41 /	/ 20 87/	, 36 65 /	44047	2641	16 9	L	3		-	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7
4	+				_	1/	2/	2 2/	612/	7114/	11 51/	/31 43/	38 74/	40647	14119/	/21/92	1	-		+	23	V
.4 32					-		1/	/	2 2/	2 8/	6 10/	/13/20/	5 19/19 44/		9115/	13.13/	8		-	+	156	1
.4 31			-		_				2/	1/1	2 4/	310/	519/	3/1514/2539,	787	12 67	5 31			· 	28/	22
4 30	_		-	1	-			_	1/	1	/	2/	1 2/	1 3/	4 3/	2 3/	1	1			[1] [2]	
.4 29.	_		-	+	+	-	-				1	1,	`	<u> </u>	1/	1	\		۲	-	0/	1
28	_		-	+	1		_	_			\				_	/		-	-	-	\	1
27.4	_	8					-		_			8		-		3	3	-				1
	13.1	12.8	12.5	12.2	7:	11.6	11.3	1:0	10.7	10.4	10.	ő	9.5	9.2	8.9	8.8	8.3	8.0	7.7	7.4	TOTAL	

Upper torso size categories plotted on a bivariate frequency table for Bust Circumference and Neck-Bustpoint Length, 1968 USAF women/1976 USA women. Figure 1.

	TOTAL	-	-				• •	71	97	ה ה ה	175	213	242	676	163		001	32	24	3.0	1 6	2	1330
	42.0	+-	-	$\dagger$	$\dagger$	$\dagger$	ſ			1		_	_		$\frac{1}{1}$	+	-		_	-	$\dagger$	$\dagger$	-
	41.0		I	$\dagger$	-	+	1		-	1	-					$\dagger$	1					$\dagger$	2
	40.0		$\dagger$	İ		$\dagger$	t	h	1	1				-	+	1		_		-	<u> </u>	t	2
	39.0		<u> </u>	1		+	1						-			+				-	-		<del>                                     </del>
	38.0	╀		$\mid$	+				+	1			-		l	+	1			-	_	+	-
	37.0	1		<u>.</u>			-		1	$\dagger$			1							-		$\dagger$	+
	36.0	∤	T		I	-	-	1	1	,	7	1	2	-	-	-	1			-		$\dagger$	10
	35.0							t	ŧ	)	c	+			0	-	+	-				-	13
<b>=</b>	34.0			T			-		,		٥	1	2	2		<u> </u>	<u> </u>	7		1		-	13
NCE (I)	33.0			T			,	, -	ŀ	ſ	`	9	*	3	-	-	•		2	2			28
UMFERE	32.0			T			6	,	2 6	1	7	4	4	8	2	6		1				r	35
WRIST CIRCUMFERENCE (IN)	31.0								ŗ		01	1.7	14	12	2	102		•		~			83
HAIS	30.0						-	,	, 0	֓֞֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	1	9	22	18	4.	3		7	-	2			117
	29.0	-	-				2	α	, =	20	2.0	-	34	25	17	2	6	2	6			-	165
	28.0			-			-	67	-	3,2	3	2	ŧ	38	31	11	-	,	2	2		-	130
	27.0							or:	0	000	3	1	į	177	82	14	2	2	60		7	3	249
	26.0							-	2	σ	,	92	è	4	15	21	ď	3	4	7		-	195
	25.0								*	9	,	ç,	į		4	7	•		2				129
_ L	24.0									-		2	12	9	9.	1	U.	,	•	1			67
_ L	23.0											ŀ	2	-	9	4	٥						16
	22.0															2							4
-		39.0	38.0	37.0	36.0	35.0	34.0	33.0	32.0	31.0	0	30.0	78.0	28.0	27.0	28.0	25.0	6	74.0	23.0	22.0	21.0	TOTAL

Lower torso size categories plotted on a bivariate frequency table for Crotch Length and Waist Circumference, 1976 USA women. Figure 2.

Junior sizes 3 and 5 and women's sizes 46 and 48 specify waist circumferences too small and too large, respectively, to appear on this table. NOTE:

TABLE 3

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, JUNIOR SIZES

RESULTS FOR SIZE # 7 JUNIOR N = 8

PERCENT OF SYSTEM = 57.14%, PERCENT OF TOTAL = .60%

THE RANGE FOR BUST CIRCUMFERENCE 31.50- 32.50

THE RANGE FOR NECK TO BUSTPOINT 8.13- 8.38

			<del>- 2</del>	0.0000	2 0000
_		SZ-MEAN		-2.00SD	
2	ARM SCYE CIRC		• 74		
3	AXILLA TO WAIST		1.32	7.20	
4	BACK CURV AT BUST		. 43		
6	BACK CURV AT WAIST		•73	_	
9	BUST CIRCUMFERENCE	31.91	• 22	31.48	32.35
14	CHEST BREADTH			9.68	
15	CHEST CIRC AT SCYE				
18	ELBOW CIRC, FLEXED	9.92	• 57	8.77	
19	FRONT CURV AT BUST	16.32	• 48	15.36	17.29
21	FRONT CURV - WAIST	17.46	1.10	15.25	19.67
22	HIP BREADTH				
27	MIDSCYE BACK	14.33	•58		
28	MIDSCYE FRONT		• 40	11.83	
29	NECK TO BUSTPOINT	8.29	•06	8.17	
30	NECK CIRCUMFERENCE	12.50	• 53	11.45	13.55
31	SHOULDER BREADTH				
32		37.36		35.35	
33	SHOULDER LENGTH		• 34	5.07	6.42
34	SLEEVE INSEAM	17.83	1.04		
38	STATURE	63.48	2.62	58.24	68.72
42	•	57.50			
43	WAIST BACK LENGTH				
44	WAIST BREADTH	9.43	• 46	8.50	10.35
46	WAIST FRONT LENGTH	14.38	1.10	12.18	16.59
48	WEIGHT	111.88	9.79	92.30	131.45
49	WRIST CIRC	5.63	.18	5.27	6.00

TABLE 4

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, JUNIOR SIZES RESULTS FOR SIZE # 9 JUNIOR N = 6 PERCENT OF SYSTEM = 42.86%, PERCENT OF TOTAL = .45% THE RANGE FOR BUST CIRCUMFERENCE 32.50- 33.50 THE RANGE FOR NECK TO BUSTPOINT 8.38- 8.63 SZ-MEAN SZ-SD -2.00SD 2.00SD ARM SCYE CIRC •74 14.61 13.12 16.09 AXILLA TO WAIST 8.69 1.32 6.04 11.34 BACK CURV AT BUST 16.25 .43 15.40 17.11 BACK CURV AT WAIST 14.14 .73 12.68 15.60 BUST CIRCUMFERENCE 32.99 • 22 32.55 33.43 CHEST BREADTH 14 11.20 .31 10.58 11.82 CHEST CIRC AT SCYE 33.46 32.14 15 34.79 • 66 ELBOW CIRC, FLEXED 10.59 FRONT CURV AT BUST 16.74 18 • 57 9.44 11.74 19 .48 15.77 17.70 FRONT CURV - WAIST 18.06 21 1.10 15.86 20.27 22 HIP BREADTH 14.88 13.70 •59 12.52 27 MIDSCYE BACK 15.28 •58 14•13 16.43 28 MIDSCYE FRONT 12.97 .40 12.16 13.77 29 NECK TO BUSTPOINT 8.52 .06 8.41 8.64 30 NECK CIRCUMFERENCE 12.91 •53 11.86 13.96 15.79 31 SHOULDER BREADTH 16.59 17.38 · 40 32 SHOULDER CIRC 39.95 1.01 37.94 41.97 33 SHOULDER LENGTH . 34 5.94 5.27 6.62 34 17.74 19.81 SLEEVE INSEAM 1.04 15.66 38 STATURE 63.29 2.62 58.04 68.53 VERT TRUNK CIRC 42 59.99 2.32 55.35 64.63 WAIST BACK LENGTH -.99 13.84 43 15.81 17.79 WAIST BREADTH • 46 44 9.93 9.00 10.85 WAIST FRONT LENGTH 13.94 46 11.74 1.10 16.14 48 WEIGHT 128.13 9.79 108.55 147.71 49 WRIST CIRC 5.86 •18 5•50 6.22

TABLE 5

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 6 MISSES PERCENT OF SYSTEM = 3.15%, PERCENT OF TOTAL = .30% THE RANGE FOR BUST CIRCUMFERENCE 31.00-32.00 THE RANGE FOR NECK TO BUSTPOINT 8.38-8.63 SZ-MEAN SZ-SD -2.00SD 2.00SD ARM SCYE CIRC 12.89 14.06 •59 15.24 AXILLA TO WAIST 9.22 • 93 7.37 11.07 BACK CURV AT BUST 15.71 .61 14.48 16.93 BACK CURV AT WAIST 6 13.63 .76 12.10 15.16 BUST CIRCUMFERENCE 31.36 . 40 30.57 32.15 CHEST BREADTH 14 10.58 .38 9.81 11.35 CHEST CIRC AT SCYE 15 31.60 • 96 29.69 33.52 • 54 18 ELBOW CIRC, FLEXED 9.69 8.62 10.77 19 FRONT CURV AT BUST 15.65 .70 14.25 17.04 FRONT GURV - WAIST 21 17.48 . 94 15.59 19.37 HIP BREADTH 22 14.37 13.06 • 66 11.75 27 MIDSCYE BACK 14.54 13.05 .74 16.03 28 MIDSCYE FRONT 12.60 • 63 11.34 13.86 29 NECK TO BUSTPOINT 8.49 .09 8.31 8.68 NECK CIRCUMFERENCE 30 12.24 . 5 Ü 11.24 13.25 SHOULDER BREADTH 31 15.94 .59 14.77 17.12 SHOULDER CIRC 32 37.76 1.20 35.36 40.15 33 SHOULDER LENGTH 5.46 .40 . 4.67 6.25 34 SLEEVE INSEAM 16.26 . 94 14.38 18.14 38 STATURE 59.80 55.53 2.14 64.08 42 VERT TRUNK CIRC 56.06 1.98 52.11 60.02 43 WAIST BACK LENGTH 15.33 1.00 13.34 17.33 WAIST BREADTH 44 9.85 .61 8.62 11.08 WAIST FRONT LENGTH 46 14.08 .95 12.19 15.98 48 WEIGHT 107.60 10.19 87.22 127.98

5.53

.24

5.06

6.00

49

WRIST CIRC

TABLE 6

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES N = 24RESULTS FOR SIZE # 8 MISSES PERCENT OF SYSTEM = 18.90%, PERCENT OF TOTAL = 1.80% THE RANGE FOR BUST CIRCUMFERENCE 32.00- 33.00 THE RANGE FOR NECK TO BUSTPOINT 8.63-8.88 2.00SD SZ-MEAN SZ-SD -2.00SD 13.92 .59 12.75 15.10 9.18 .93 7.33 11.03 2 ARM SCYE CIRC 3 AXILLA TO WAIST •61 14•45 16.90 BACK CURV AT BUST 15.68 .76 11.62 14.67 .40 31.62 33.20 BACK CURV AT WAIST 13.15 9 BUST CIRCUMFERENCE 32.41 14 CHEST BREADTH 10.58 .38 9.81 11.35 15 CHEST CIRC AT SCYE 31.70 .96 29.78 33.62 18 ELBOW CIRC, FLEXED 9.91 .54 8.84 10.98 19 FRONT CURV AT BUST 16.73 .70 15.34 18.13 .94 15.96 19.74 21 FRONT CURV - WAIST 17.85 HIP BREADTH 13.32 .66 12.01 14.63 22 .74 12.96 15.94 14.45 27 MIDSCYE BACK MIDSCYE FRONT 12.60 8.75 .63 11.35 13.86 28 NECK TO BUSTPOINT .09 8.56 8.93 29 11.40 12.41 •50 13.42 30 NECK CIRCUMFERENCE .59 14.58 16.92 SHOULDER BREADTH 15.75 31 37.37 5.73 1.20 34.98 39.76 SHOULDER CIRC 32 4.94 • 40 6.52 33 SHOULDER LENGTH .94 15.82 19.58 2.14 59.20 67.75 34 SLEEVE INSEAM 17.70 38 63.47 STATURE 42 VERT TRUNK CIRC 58.42 1.98 54.46 62.37 13.94 17.93 43 WAIST BACK LENGTH 15.94 1.00 WAIST BREADTH •61 8.38 10.84 9.61 44 • 95 14.09 .95 12.19 15.98 116.13 10.19 95.75 136.52 WAIST FRONT LENGTH 46 WEIGHT 48

49 WRIST CIRC

5.63 .24 5.16 6.10

TABLE 7

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 10 MISSES N = 14PERCENT OF SYSTEM = 11.02%, PERCENT OF TOTAL = 1.05% THE RANGE FOR BUST CIRCUMFERENCE 33.00-THE RANGE FOR NECK TO BUSTPOINT 8.88- 9.13 SZ-MEAN SZ-SD -2.00SD 2.00SD ARM SCYE CIRC .59 2 14.37 13.20 15.55 AXILLA TO WAIST 9.09 . 93 7.24 10.94 BACK CURV AT BUST 15.98 .61 14.75 17.20 BACK CURV AT WAIST .76 11.96 15.02 13.49 BUST CIRCUMFERENCE 33.50 32.71 34.29 . 40 14 CHEST BREADTH 10.78 .38 10.02 11.55 CHEST CIRC AT SCYE 31.40 35.24 15 33.32 . 96 ELBOW CIRC, FLEXED 10.27 11.35 .54 9.20 18 FRONT CURV AT BUST 18.92 19 17.52 .70 16.13 FRONT CURV - WAIST . 94 16.59 20.37 21 18.48 22 HIP BREADTH 13.76 • 66 12.44 15.07 27 MIDSCYE BACK 14.98 .74 13.49 16.47 MIDSCYE FRONT 11.83 14.34 28 13.08 • 63 NECK TO BUSTPOINT 29 .09 8.84 9.22 9.03 13.75 NECK CIRCUMFERENCE .50 11.73 30 12.74 SHOULDER BREADTH 16.59 • 59 15.42 17.77 31 1.20 37.11 SHOULDER CIRC 39.50 41.89 32 33 SHOULDER LENGTH 6.00 5.21 6.79 . 40 .94 SLEEVE INSEAM 17.91 16.03 34 19.79 38 STATURE 64.42 2.14 60.14 68.70 42 VERT TRUNK CIRC 59.87 1.98 55.91 63.82 43 WAIST BACK LENGTH 16.03 1.00 14.04 18.02 WAIST BREADTH 44 9.88 8.65 11.11 . 61 .95 WAIST FRONT LENGTH 46 14.23 12.33 16.12 WEIGHT 127.55 107.17 48 10.19 147.93 49 WRIST CIRC •24 5.34

5.81

6.28

TABLE 8

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 12 MISSES N = 43PERCENT OF SYSTEM = 33.86%, PERCENT OF TOTAL = 3.23% THE RANGE FOR BUST CIRCUMFERENCE 34.00- 35.50 THE RANGE FOR NECK TO BUSTPOINT 9.13-9.50 SZ-SD -2.00SD 2.00SD SZ-MEAN • 59 ARM SCYE CIRC 13.45 15.80 2 14.62 AXILLA TO WAIST 8.92 • 93 7.06 10.77 BACK CURV AT BUST 15.21 17.66 16.43 . 61 BACK CURV AT WAIST .76 13.66 12.13 15.19 6 BUST CIRCUMFERENCE 34.63 . 40 33.84 35.42 CHEST BREADTH • 38 14 11.16 10.39 11.93 15 CHEST CIRC AT SCYE 33.61 •96 31.69 35.52 ELBOW CIRC, FLEXED 10.16 •54 9.09 11.24 18 FRONT GURY AT BUST •70 16.80 19.59 19 18.20 . 94 FRONT CURV - WAIST 21 18.87 16.98 20.76 •66 HIP BREADTH 14.02 12.71 15.33 22 MIDSCYE BACK .74 13.30 27 14.79 16.28 MIDSCYE FRONT 11.80 28 13.06 •63 14.31 .09 NECK TO BUSTPOINT 29 9.34 9.15 9.53 30 NECK CIRCUMFERENCE 12.60 •5û 11.59 13.61 •59 SHOULDER BREADTH 15.33 17.67 31 16.50 SHOULDER CIRC 1.20 36.87 41.65 32 39.26 .40 33 SHOULDER LENGTH 5.88 5.09 6.67 .94 SLEEVE INSEAM 17.80 15.92 19.68 34 63.94 38 STATURE 2.14 59.66 68.22 56.42 VERT TRUNK CIRC 60.37 1.98 64.33 42 WAIST BACK LENGTH 15.93 1.00 13.94 17.93 43 •61 44 WAIST BREADTH 9.88 8.65 11.11 WAIST FRONT LENGTH 14.13 • 95 12.23 16.02 46 131.18 WEIGHT 10.19 110.80 151.56 48

5.76 .24 5.29

6.23

49

WRIST CIRC

TABLE 9

AN UPPER TURSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 14 MISSES N = 42PERCENT OF SYSTEM = 33.07%, PERCENT OF TOTAL = 3.16% THE RANGE FOR BUST CIRCUMFERENCE 35.50- 37.00 THE RANGE FOR NECK TO BUSTPOINT 9.50- 9.88 SZ-MEAN SZ-SD -2.00SD 2.00SD 14.00 2 ARM SCYE CIRC 15.18 •59 16.36 3 AXILLA TO WAIST 9.û3 • 93 7.18 10.88 BACK CURV AT BUST 17.14 14.40 •61 15.91 18.36 BACK CURV AT WAIST 14.40 .76 12.87 15.93 ·40 35·29 36.87 BUST CIRCUMFERENCE 36.08 14 CHEST BREADTH 11.54 10.77 12.31 • 38 CHEST CIRC AT SCYE 34.94 .96 33.02 36.86 15 18 ELBOW CIRC, FLEXED 10.45 • 54 9.38 11.53 .70 17.55 20.34 19 FRONT CURV AT BUST 18.94 FRONT CURV - WAIST 19.27 .94 17.38 21 21.10 22 HIP BREADTH 14.09 .66 12.78 15.41 MIDSCYE BACK 15.16 .74 13.67 16.65 27 • 63 12.03 14.54 28 MIDSCYE FRONT 13.29 NECK TO BUSTPOINT 9.53 29 .09 9.91 9.72 11.97 NECK CIRCUMFERENCE 13.98 3 D 12.97 .50 31 SHOULDER BREADTH 16.99 • 59 15.82 18.17 32 SHOULDER CIRC 40.81 1.20 38.42 43.20 • 40 5.12 SHOULDER LENGTH 6.71 33 5.91 34 SLEEVE INSEAM 17.84 • 94 15.96 19.72 64.48 60.20 68.75 38 STATURE 2.14 61.37 16.11 10.39 57.42 VERT TRUNK CIRC 1.98 65.33 42 WAIST BACK LENGTH 1.00 14.12 18.11 43 44 WAIST BREADTH •61 9.16 11.62 WAIST FRONT LENGTH 14.50 .95 12.60 16.39 46 10.19 119.45 160.21 139.83 48 WEIGHT

5.87

49 WRIST CIRC

.24 5.40 6.34

TABLE 10

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, WOMEN'S SIZES RESULTS FOR SIZE # 34 HOMEN'S N = 57PERCENT OF SYSTEM = 78.08%, PERCENT OF TOTAL = 4.28% THE RANGE FOR BUST CIRCUMFERENCE 37.00-39.00 THE RANGE FOR NECK TO BUSTPOINT 10.38- 10.88 SZ-MEAN SZ-SD -2.00SD 2.00SD 16.93 2 ARM SCYE CIRC 15.60 .67 14.25 11.29 AXILLA TO WAIST 9.01 1.14 6.74 BACK CURV AT BUST 16.39 19.44 17.91 .76 BACK CURV AT WAIST 13.12 17.59 15.35 1.12 37.82 36.67 38.96 BUST CIRCUMFERENCE .57 11.04 12.54 14 CHEST BREADTH 11.79 • 38 15 CHEST CIRC AT SCYE 35.84 1.24 33.36 38.32 ELBOW CIRC, FLEXED 10.61 9.48 11.74 •56 18 FRONT CURV AT BUST 21.32 19.90 .71 18.49 19 FRONT CURV - WAIST 17.58 22.70 20.14 1.28 21 22 HIP BREADTH 14.72 .82 13.08 16.35 17.10 MIDSCYE BACK 15.58 .76 14.06 27 • 56 12.35 14.61 28 MIDSCYE FRONT 13.48 NECK TO BUSTPOINT 10.38 10.95 29 10.66 .14 NECK CIRCUMFERENCE 13.20 .47 12.25 14.14 30 16.27 18.79 SHOULDER BREADTH 17.53 • 63 31 44.71 38.92 41.82 1.45 32 SHOULDER CIRC 5.17 6.75 33 SHOULDER LENGTH 5.96 • 39 SLEEVE INSEAM 17.92 1.01 15.90 19.95 34 STATURE 64.76 2.19 60.38 69.13 38 2.05 58.38 66.58 VERT TRUNK CIRC 62.48 42 14.13 18.04 43 WAIST BACK LENGTH 16.08 .98 WAIST BREADTH 11.07 .88 9.30 12.84 44 WAIST FRONT LENGTH 14.77 12.54 17.00 46 1.11 12.12 127.63 151.87 176.12 WEIGHT 48

5.95

• 23

5.48

6.41

49 WRIST CIRC

TABLE 11

AN UPPER TORSO SIZING PROGRAM FOR ARMY WOMEN, WOMEN'S SIZES RESULTS FOR SIZE # 36 WOMEN'S N = 13PERCENT OF SYSTEM = 17.81%, PERCENT OF TOTAL = .98% THE RANGE FOR BUST CIRCUMFERENCE 39.00-41.00 THE RANGE FOR NECK TO BUSTPOINT 10.88-11.38 SZ-MEAN SZ-SD -2.06SD 2.0050 ARM SCYE CIRC 16.30 . 67 14.96 17.63 AXILLA TO WAIST 9.56 1.14 7.29 11.83 BACK CURV AT BUST 18.40 .76 16.88 19.93 BACK CURV AT WAIST 15.69 1.12 13.46 17.93 BUST CIRCUMFERENCE 39.61 •57 38.47 40.76 14 CHEST BREADTH .38 12.31 11.56 13.06 15 CHEST GIRC AT SCYE 36.67 1.24 34.19 39.15 ELBOW GIRC, FLEXED 18 10.91 • 56 9.78 12.04 FRONT CURV AT BUST 19 21.21 .71 19.79 22.62 21 FRONT CURV - WAIST 19.89 1.28 17.33 22.45 22 HIP BREADTH 14.60 .82 12.97 16.23 27 MIDSCYE BACK 15.35 .76 13.83 16.87 MIDSCYE FRONT 28 13.67 • 56 12.54 14.80 NECK TO BUSTPOINT 29 11.10 .14 10.81 11.39 30 NECK CIRCUMFERENCE 13.30 . 47 12.35 14.24 31 SHOULDER BREADTH 17.65 . 63 16.39 18.91 32 SHOULDER CIRC 42.45 1.45 39.56 45.35 33 SHOULDER LENGTH 5.89 . 39 5.10 6.68 SLEEVE INSEAM 34 17.77 1.01 15.75 19.79 38 STATURE 65.38 2.19 61.00 69.76 42 VERT TRUNK CIRC 63.79 2.05 59.70 67.89 WAIST BACK LENGTH 43 16.68 .98 14.73 18.64 WAIST BREADTH 44 11.46 .88 9.69 13.23 46 WAIST FRONT LENGTH 15.44 1.11 13.21 17.67 48 WEIGHT 154.25 12.12 136.01 178.50

5.94

.23

5.48

6.40

49

WRIST CIRC

TABLE 12

AN UPPER TORSO SIZING PRO	GRAM FOR	ARMY WO	MEN, WOM	EN'S SIZES
RESULTS FOR SIZE # 38 WO	MEN'S	N =	3	
PERCENT OF SYSTEM = 4.11	%, PERCE	NT OF TO	TAL =	. 23%
THE RANGE FOR BUST CIRCUM	FERENCE	41.00-	43.00	
THE RANGE FOR NECK TO BUS	TPOINT	11.38-	11.88	
	SZ-MEAN	SZ-SD	-2.00SD	2.00SD
2 ARM SCYF CIRC	17.20	.67	15.87	18.54
3 AXILLA TO WAIST	9.92	1.14	7.65	12.19
4 BACK CURV AT BUST	19.75	.76	18.23	21.27
3 AXILLA TO WAIST 4 BACK CURV AT BUST 6 BACK CURV AT WAIST	17.65	1.12	15.42	19.89
9 BUST CIRCUMFERENCE	42.01	•57	40.86	43.15
14 CHEST BREADTH	12.80	.38	12.04	13.55
14 CHEST BREADTH 15 CHEST CIRC AT SCYE	38.27	1.24	35.79	40.75
18 FLBOW CTRC. FLEXED	11.42	•56	10.29	12.55
19 FRONT CURV AT BUST	22.26	.71	20.84	23.67
18 ELBOW CIRC, FLEXED 19 FRONT CURV AT BUST 21 FRONT CURV - WAIST	21.64	1.28	19.08	24.20
•				
22 HIP BREADTH 27 MIDSCYE BACK 28 MIDSCYE FRONT	15.54	• 82	13.90	17.17
27 MIDSCYE BACK	16.44	•76	14.92	17.96
28 MIDSCYE FRONT	13.77	•56	12.64	14.90
29 NECK TO BUSTPOINT	11.59	.14	11.30	11.88
30 NECK CIRCUMFERENCE	13.85	• 47	12.90	14.79
31 SHOULDER BREADTH	18.53	.63	17.27	19.79
32 SHOULDER CIRC	44.53	1.45	41.63	47.42
33 SHOULDER LENGTH 34 SLEEVE INSEAM	6.06	.39	5.28	6.85
34 SLEEVE INSEAM	18.94	1.01	16.91	20.96
38 STATURE	68.19	2.19	63.81	72.57
		0.07	(0.00	76 30
42 VERT TRUNK CIRC 43 WAIST BACK LENGTH	55.18	2.05	02.08	/U•∠0 Da na
43 WAIST BACK LENGTH	10.14	• 98	1001/	41. 90
44 WAIST BREADTH 46 WAIST FRONT LENGTH 48 WEIGHT	13.14	• 00	11.32	14.07 18.50
46 WAIST FRONT LENGTH	10.30	1011	166 06	10+27 204 34
48 WEIGHT	TODOTO	12.12	1 22 0 0 0	204034
49 WRIST GIRC	6.19	.23	5.73	6.66

TABLE 13

RESULTS FOR SIZE # 9 JUNIOR N = 2  PERCENT OF SYSTEM = 1.94%, PERCENT OF TOTAL = .15%  THE RANGE FOR WAIST CIRC 22.50- 23.50  THE RANGE FOR CROTCH LENGTH 25.38- 26.13  SZ-MEAN SZ-SD -2.00SD 2.00SD 1 ANKLE CIRC 7.48 .38 6.72 8.24 5 BACK CURV AT HTP 16.34 .85 14.63 18.04	S
THE RANGE FOR WAIST CIRC 22.50- 23.50 THE RANGE FOR CROTCH LENGTH 25.38- 26.13	
THE RANGE FOR CROTCH LENGTH 25.38- 26.13	
SZ-MEAN SZ-SD -2.00SD 2.00SD	
1 ANKLE CIRC 7.48 .38 6.72 8.24	
TO THE TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL	
6 BACK CURV AT WAIST 11.71 .46 10.80 12.62	
12 GALF GIRCUMFERENCE 12.72 .79 11.13 14.30	
16 CROTCH HEIGHT 28.66 1.70 25.27 32.06	
17 CROTCH LENGTH 25.98 .21 25.56 26.40	
20 FRUNI GURV AI HIP 11.59 .55 10.50 12.68	
21 FRONT CURV - WAIST 16.59 .84 14.91 18.27	
22 HIP BREADTH 12.36 .55 11.27 13.45 23 HIP GIRCUMFERENCE 32.93 1.14 30.64 35.22	
23 HIP CIRCUMFERENCE 32.93 1.14 30.64 35.22	
25 KNEE CIRCUMFERENCE 12.4456 11.31 13.57	
38 STATURE 61.02 2.39 56.24 65.81	
40 UPPER THIGH CIRC 19.43 1.02 17.39 21.47	
44 WAIST BREADTH 8.33 .38 7.57 9.08	
44 WAIST BREADTH 8.33 .38 7.57 9.08 45 WAIST CIRC 23.31 .47 22.36 24.25	
47 WAIST HEIGHT 37.81 1.76 34.29 41.34	
47 WAIST HEIGHT 37.81 1.76 34.29 41.34 48 WEIGHT 100.40 7.94 84.51 116.29	

TABLE 14

A LOWER TORSO SIZING PRO	GRAM FOR	ARMY WOM	EN, JUNIO	OR SIZES
RESULTS FOR SIZE # 11 J	UNIOR	N =	17	
PERCENT OF SYSTEM = 16.5	0%, PERCE	NT OF TO	TAL = 1	. 28%
THE RANGE FOR WAIST CIRC	;	23.50-	25.00	
THE RANGE FOR CROTCH LEN	IGTH	26.13-	26.88	
	SZ-MEAN	SZ-SD	-2.00SD	2.00SD
1 ANKLE GIRC	7.66	• 38	6.90	8.42
1 ANKLE CIRC 5 BACK CURV AT HIP	16.89	. 85	15.19	18.60
6 BACK CURV AT WAIST	12.34	• 46	11.43	13.26
12 CALF CIRCUMFERENCE	12.62	.79	11.03	14.20
16 CROTCH HEIGHT	29.14	1.70	25.74	32.53
17 CROTCH LENGTH	26.44	.21	26.02	26.86
20 FRONT CURV AT HIP	12.03	• 5 5	10.94	13.12
21 FRONT GURV - WAIST	17.17	.84	15.49	18.85
22 HIP BREADTH	12.69	• 55	11.60	13.78
23 HIP CIRCUMFERENCE	34.06	1.14	31.77	36.35
25 KNEE CIRCUMFERENCE	12.75	• 56	11.62	13.88
38 STATURE	61.65	2.39	56.86	66.43
40 UPPER THIGH CIRC	19.93	1.02	17.89	21.97
44 WAIST BREADTH	8.90	• 38	8.15	9.66
45 WAIST CIRC	24.37	• 47	23.42	25.32
47 WAIST HEIGHT	38.47	1.76	34.95	42.00
48 WEIGHT	105.33	7.94	89.44	121.22

TABLE 15

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, JUNIOR SIZES RESULTS FOR SIZE # 13 JUNIOR N = 41PERCENT OF SYSTEM = 39.81%, PERCENT OF TOTAL = 3.08% THE RANGE FOR WAIST CIRC 25.00- 26.75 THE RANGE FOR CROTCH LENGTH 26.88- 27.63 SZ-SD -2.00SD SZ-MEAN 2.00SD ANKLE GIRC 7.95 • 38 7.19 8.71 1 BACK CURV AT HIP 17.82 16.12 19.53 .85 BACK CURV AT WAIST 12.85 13.76 • 46 11.94 .79 12 CALF CIRCUMFERENCE 13.21 11.62 14.79 CROTCH HEIGHT 29.71 1.70 26.31 33.10 17 CROTCH LENGTH .21 27.70 27.28 26.86 20 FRONT CURV AT HIP 13.02 • 55 11.93 14.11 21 FRONT CURV - WAIST 19.76 18.08 . 84 16.40 22 HIP BREADTH 13.43 • 55 12.34 14.52 23 HIP CIRCUMFERENCE 35.91 33.62 38.20 1.14 25 KNEE CIRCUMFERENCE 13.18 12.05 14.30 • 56 38 STATURE 63.09 2.39 58.31 67.88 40 UPPER THIGH CIRC 21.17 1.02 19.13 23.21 WAIST BREADTH 44 9.48 .38 8.73 10.23 WAIST CIRC 45 25.87 24.93 • 47 26.82 47 WAIST HEIGHT 39.37 1.76 35.84 42.90

116.62

7.94 100.74

132.51

48

TABLE 16

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, JUNIOR SIZES
RESULTS FOR SIZE # 15 JUNIOR N = 43

PERCENT OF SYSTEM = 41.75%, PERCENT OF TOTAL = 3.23%

THE RANGE FOR WAIST CIRC 26.75- 28.25
THE RANGE FOR CROTCH LENGTH 27.63- 28.38

		SZ-MEAN	SZ-SD	-2.00SD	2.0050
1	ANKLE CIRC	8.10	.38	7.34	8 • 85
5	BACK CURV AT HIP	18.16	. 85	16.45	19.86
6	BACK CURV AT WAIST	13.68	. 46	12.77	14.59
12	CALF CIRCUMFERENCE	13.63	.79	12.05	15.22
16	CROTCH HEIGHT	29.53	1.70	26.14	32.93
17	CROTCH LENGTH	27.98	• 21	27.56	28.40
20	FRONT CURV AT HIP	13.77	•55		14.86
21	FRONT GURY - WAIST	18.60	. 84		20.28
22	HIP BREADTH				
		13.66	• 55		_
23	HIP CIRCUMFERENCE	36.76	1.14	34.47	39.05
25	KNEE CIRCUMFERENCE	13.42	• 56	12.29	14.55
38	STATURE	63.23	2.39	58.44	68.01
40	UPPER THIGH CIRC	21.93	1.02	19.89	23.97
44	WAIST BREADTH	9.92	.38	9.17	10.67
45	WAIST CIRC	27.45	• 47	26.50	28.39
47	WAIST HEIGHT	39.08	1.76	35.55	42.61
48	WEIGHT	126.01	7.94		

TABLE 17

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 6 MISSES 2 PERCENT OF SYSTEM = 1.05%, PERCENT OF TOTAL = .15% THE RANGE FOR WAIST CIRC 22.00-23.00 THE RANGE FOR CROTCH LENGTH 26.00-26.75 SZ-SD -2.00SD SZ-MEAN 2.00SD ANKLE CIRC 7.78 •41 6.96 8.59 1 BACK CURV AT HIP 17.03 18.96 5 . 97 15.09 BACK CURV AT WAIST 11.59 •52 10.56 12.63 6 CALF CIRCUMFERENCE 12.78 12 .73 11.31 14.24 CROTCH HEIGHT 29.13 1.58 25.97 32.30 16 CROTCH LENGTH .21 17 26.34 25.92 26.76 20 FRONT CURV AT HIP 11.26 12.41 •58 10.11 FRONT CURV - WAIST 21 16.79 1.00 14.79 18.80 22 HIP BREADTH 12.46 • 63 11.21 13.71 HIP GIRCUMFERENCE 36.53 23 33.82 1.35 31.11 KNEE CIRCUMFERENCE 13.93 25 12.66 11.39 • 63 38 STATURE 61.83 2.24 57.36 66.30 UPPER THIGH CIRC 19.90 40 1.02 17.86 21.94 44 WAIST BREADTH 8.29 • 33 7.63 8.95 WAIST CIRC 22.85 21.96 23.75 45 . 45 WAIST HEIGHT 35.29 47 38.64 1.68 41.99

101.15

8 • 47

84.22

118.08

WEIGHT

48

TABLE 18

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 8 MISSES N = 5PERCENT OF SYSTEM = 2.62%, PERCENT OF TOTAL = .38% THE RANGE FOR WAIST CIRC 23.00- 24.00 THE RANGE FOR CROTCH LENGTH 26**.**75-27.50 SZ-MEAN SZ-SD -2.00SD 2.00SD ANKLE CIRC 7.65 . 41 6.83 8.46 BACK CURV AT HIP 16.99 • 97 18.93 15.06 •52 BACK CURV AT WAIST 11.83 16.80 12.87 CALF CIRCUMFERENCE 12 12.32 • 73 10.85 13.79 16 CROTCH HEIGHT 28.98 1.58 25.82 32.15 CROTCH LENGTH 17 27.22 .21 26.80 27.64 20 FRONT CURV AT HIP 11.76 •58 10.60 12.91 FRONT CURV - WAIST 21 17.08 1.00 15.07 19.08 22 HIP BREADTH 12.99 • 63 11.74 14.25 23 HIP CIRCUMFERENCE 34.07 1.35 31.36 36.78 25 KNEE CIRCUMFERENCE 13.76 12.50 • 63 11.23 38 STATURE 62.77 2.24 58.30 67.24 40 UPPER THIGH CIRC 19.37 1.02 17.33 21.41 WAIST BREADTH 44 8.71 • 33 8.05 9.37 45 WAIST CIRC 23.59 22.70 24.48 • 45 47 WAIST HEIGHT 39.04 1.68 35.69 42.39

101.76 8.47

84.83 118.69

TABLE 19

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 10 MISSES N = 19PERCENT OF SYSTEM = 9.95%, PERCENT OF TOTAL = 1.43% THE RANGE FOR WAIST CIRC 24.00- 25.00 THE RANGE FOR CROTCH LENGTH 27.50- 28.25 SZ-MEAN SZ-SD -2.00SD 2.00SD ANKLE CIRC 1 7.83 • 41 7.02 8.65 BACK CURV AT HIP 17.39 . 97 19.32 15.45 BACK CURV AT WAIST 6 12.40 .52 11.37 13.43 CALF CIRCUMFERENCE 13.15 .73 11.68 14.62 12 CROTCH HEIGHT 16 29.83 1.58 26.67 33.00 17 CROTCH LENGTH 27.86 .21 27.44 28.28 20 FRONT GURV AT HIP 12.14 10.98 13.29 •58 21 FRONT CURV - WAIST 17.94 1.06 15.94 19.94 22 HIP BREADTH 13.22 • 63 11.97 14.47 HIP CIRCUMFERENCE 23 35.33 1.35 32.62 38.03 25. KNEE CIRCUMFERENCE 13.07 • 63 11.80 14.34 38 STATURE 63.78 2.24 59.30 68.25 40 UPPER THIGH CIRC 18.54 22.62 20.58 1.02 WAIST BREADTH • 33 44 8.93 8.27 9.59 WAIST CIRC 45 24.54 . 45 23.65 25.43 WAIST HEIGHT 47 39.82 43.17 1.68 36.46

114.32

8 • 47

97.39 131.25

48

TABLE 20

A LOWER TORSO SIZING PROGR	RAM FOR A	ARMY WOM	EN, MISS	ES SIZES
RESULTS FOR SIZE # 12 MIS	SES	N =	55	
PERCENT OF SYSTEM = 28.80%	, PERCEN	T OF TO	TAL = 4	. 13%
THE RANGE FOR WAIST CIRC		25.00-	26.75	
THE RANGE FOR CROTCH LENGT	Н	28.25-	29.00	
S	Z-MEAN	SZ-SD	-2.00SD	2.00SD
1 ANKLE GIRC	8.07	. 41	7.25	8.88
5 BACK CURV AT HIP	18.10	• 97	16.17	20.03
6 BACK CURV AT WAIST	12.91	•52	11.87	13.94
12 CALF CIRCUMFERENCE	13.50	•73	12.03	14.97
16 CROTCH HEIGHT	29.96	1.58	26.80	33.13
17 CROTCH LENGTH	28.58	• 21	28.16	29.01
20 FRONT CURV AT HIP	13.03	•58	11.87	14.18
21 FRUNT GURY - WAIST	18.21	1.00	16.21	20.21
22 HIP BREADTH	13.56	•63	12.31	14.82
23 HIP CIRCUMFERENCE	36.31	1.35	33.61	39.02
25 KNEE CIRCUMFERENCE	13.40	• 63	12.13	14.67
38 STATURE	64.02	2.24	59.55	68.49
40 UPPER THIGH CIRC	21.44	1.02	19.40	23.47
44 MATZI BKEWDIH	9.37	• 33	8.71	10.03
45 WAIST CIRC	25.93	• 45	25.04	26.82
47 WAIST HEIGHT	39.92	1.68	36.57	43.27
48 WEIGHT	122.18	8 • 47	105.25	139.11

TABLE 21

A LOW	ER TORSO SIZING PRO	GRAM FOR	ARMY WON	IEN, MISS	SES SIZES	
RESUL	TS FOR SIZE # 14 M	ISSES	N =	53		
PERCE	NT OF SYSTEM = 27.7	5%, PERCE	NT OF TO	TAL = 3	8. 98%	
THE R	ANGE FOR WAIST CIRC		26.75-	28.25		
THE R	ANGE FOR CROTCH LENG	STH	29.00-	29.75		
		SZ-MEAN	SZ-SD	-2.00SD	2.00SD	
1	ANKLE GIRC	8.18	. 41	7.36	8.99	
5	ANKLE GIRC BACK CURV AT HIP	18.90	. 97	16.96	20.83	
6	BACK CURV AT WAIST	13.69	• 52	12.65	14.72	
12	GALF CIRCUMFERENCE	13.89	.73	12.42	15.36	
16	CALF CIRCUMFERENCE CROTCH HEIGHT	29.98	1.58	26.81	33.14	
17	GROTCH LENGTH	29.39	•21	28.97	29.81	
20	FRONT CURV AT HIP	13.69	•58	12.54	14.85	
21	FRONT CURV - WAIST	19.12	1.00	17.11	21.12	
22	HIP BREADTH	14.07	•63	12.82	15.33	
23	HIP BREADTH HIP CIRCUMFERENCE	38.01	1.35	35.31	40.72	
25	KNEE CIRCUMFERENCE	13.71	•63	12.45	14.98	
30	STATURE	64.00	2.24	59.52	68.47	
40	UPPER THIGH CIRC	22.78	1.02	20.74	24.82	
44	WAIST BREADTH	9.87	• 33	9.21	10.53	
45	WAIST BREADTH WAIST CIRC	27.38	• 45	26.49	28.27	
47	WAIST HEIGHT	40.12	1.68	36.77	43.47	
48	WEIGHT			114.88		

TABLE 22

A LOWER TORSO SIZING PROG	GRAN FOR ARMY WO	MEN, MISSES SIZES
RESULTS FOR SIZE # 16 MI	SSES N =	35
PERCENT OF SYSTEM = 18.32	2%, PERCENT OF TO	OTAL = 2.63%
THE RANGE FOR WAIST CIRC	28.25-	30.00
THE RANGE FOR CROTCH LENG	TH 29.75-	30.50
	SZ-MEAN SZ-SD	-2.0CSD 2.00SD
1 ANKLE CIRC	8.41 .41	7.59 9.22
1 ANKLE CIRC 5 BACK CURV AT HIP	19.71 .97	17.78 21.64
6 BACK CURV AT WAIST	14.42 .52	13.39 15.45
12 CALF CIRCUMFERENCE	14.28 .73	12.82 15.75
16 CROTCH HEIGHT	30.65 1.58	27.48 33.82
17 CROTCH LENGTH	30.17 .21	29.75 30.59
20 FRONT GURV AT HIP	14.62 .58	13.46 15.77
21 FRONT CURV - WAIST	19.61 1.00	17.60 21.61
22 HIP BREADTH	14.51 .63	13.25 15.76
23 HIP CIRCUMFERENCE	39.31 1.35	36.61 42.02
25 KNEE CIRCUMFERENCE		
38 STATURE	65.16 2.24	60.69 69.64
40 UPPER THIGH CIRC	23.57 1.02	21.54 25.61
44 WAIST BREADTH	10.39 .33	9.73 11.05
45 WAIST CIRC	29.04 .45	28.15 29.93
47 WAIST HEIGHT	40.73 1.68	37.38 44.08
47 WAIST HEIGHT 48 WEIGHT	145.02 8.47	128.09 161.95

TABLE 23

A LOWER TORSO SIZING PROGRAM FOR ARMY WOMEN, MISSES SIZES RESULTS FOR SIZE # 18 MISSES N = 22PERCENT OF SYSTEM = 11.52%, PERCENT OF TOTAL = 1.65% THE RANGE FOR WAIST CIRC 30.00-32.00 THE RANGE FOR CROTCH LENGTH 30.50-31.25 SZ-MEAN SZ-SD -2.00SD 2.00SD ANKLE CIRC .41 1 8.42 7.61 9.23 BACK CURV AT HIP .97 20.05 18.12 21.99 BACK CURV AT WAIST 15.07 • 52 14.03 16.10 CALF CIRCUMFERENCE 12 14.47 .73 13.00 15.94 16 CROTCH HEIGHT 1.58 27.84 31.01 34.17 17 CROTCH LENGTH 31.22 30.80 30.38 .21 20 FRONT CURV AT HIP 15.74 14.58 16.89 •58 FRONT GURV - WAIST 21 19.67 1.00 17.67 21.68 22 HIP BREADTH 14.73 •63 13.48 15.99 23 HIP CIRCUMFERENCE 39.73 1.35 37.02 42.43 25 KNEE CIRCUMFERENCE 14.51 • 63 13.24 15.77 38 STATURE 2.24 65.92 61.45 70.39 40 UPPER THIGH CIRC 23.89 1.02 21.85 25.93 WAIST BREADTH 44 11.03 • 33 16.37 11.69 WAIST CIRC 45 30.80 . 45 29.91 31.69 47 WAIST HEIGHT 41.23 1.68 37.87 44.58

153.29

8.47 136.35 170.22

48

TABLE 24

A LOW	ER TORSO SIZING PROG	RAM FOR	ARMY WOM	IEN, WOME	N'S SIZES
RESUL	TS FOR SIZE # 38 WO	MEN'S	N =	1	
PERCE	NT OF SYSTEM = 25.00	%, PERCE	NT OF TO	TAL =	.08%
THE R	ANGE FOR WAIST CIRC		32.75-	35.25	
THE R	ANGE FOR CROTCH LENG	тн	31.75-	32.50	
		SZ-MEAN	SZ-SD	-2.0050	2.0050
1	ANKLE CIRC	8.15	• 07	8.00	8.30
5	BACK CURV AT HIP	22.09	• 41	21.28	22.90
6	BACK CURV AT WAIST	17.44	.88	15.68	19.20
12	CALF CIRCUMFERENCE	14.25	• 39	13.47	15.04
	CROTCH HEIGHT				
17	CROTCH LENGTH	32.44	•13	32.18	32.70
20	FRONT CURV AT HIP	16.85	1.01	14.83	18.88
21	FRONT CURV - WAIST	18.03	2.05	13.94	22.13
22	HIP BREADTH	14.37	•63	13.11	15.63
23	HIP CIRCUMFERENCE	40.12	2.34	35.44	44.80
25	KNEE CIRCUMFERENCE				
38	STATURE	60.12	•57	58.98	61.26
40	UPPER THIGH CIRC	24.69	•61	23.46	25 <b>.</b> 91
44	WAIST BREADTH WAIST CIRC	11.57	• 17	11.23	11.92
45	WAIST CIRC	34.29	• 45	33.38	35.20
47	WAIST HEIGHT	36.85	1.06	34.73	38.97
48	WEIGHT	148.30	2.64	143.02	153.58

TABLE 25

A LOW	ER TORSO SIZING PROC	GRAM FOR	ARMY WOM	IEN, WOME	EN'S SIZES
RESUL	TS FOR SIZE # 40 HG	MEN'S	N =	3	
PERCE	NT OF SYSTEM = 75.00	%, PERCE	NT OF TO	TAL =	. 23%
THE R	ANGE FOR WAIST CIRC		35.25-	37.75	
THE R	ANGE FOR CROTCH LENG	тн	32.50-	33.25	
		SZ-MEAN	SZ-SD	-2 • 00 SD	2.0050
1	ANKLE CIRC	8.70	•07	8.55	8.85
- 5	BACK CURV AT HIP	22.43	.41	21.62	23.24
6	BACK CURV AT WAIST	18.73	.88	16.97	20.48
12	CALF CIRCUMFERENCE	15.91	• 39	15.12	16.69
16	CROTCH HEIGHT	29.84	• 97	27.91	31.77
17	CROTCH LENGTH	32.66	•13	32.40	32.93
20	FRONT CURV AT HIP	17.51	1.01	15.48	19.53
21	FRONT CURV - WAIST	22.24	2.05	18.15	26.34
2 <b>2</b>	HIP BREADTH	16.81	•63	15.55	18.07
23	HIP BREADTH HIP CIRCUMFERENCE	44.67	2.34	39.99	49.35
2 <b>5</b>	KNEE CIRCUMFERENCE				
38	STATURE	64.38	• 57	63.24	65.53
40	UPPER THIGH CIRC	28.04	.61	26.82	29.27
44	WAIST BREADTH	13.07	•17	12.72	13.42
45	WAIST CIRC	36.23		35.33	
47	WAIST HEIGHT	39.61	1.06	37.48	41.73
48		189.10	2.64	183.82	194.38
	· = = - · · ·		,		

Clearly, there are too few subjects in a number of sizing categories to permit a meaningful sizing analysis to be made. All other things being equal, even if we combined data from both sample populations the same size categories would remain deficient in subjects since the two groups are relatively homogeneous in terms of most body size dimensions.

Faced with these difficulties an alternate approach to the sizing analysis was sought. The method which seems to offer the optimum solution from a statistical standpoint and, more importantly, satisfies the intent of the research task is to compute the necessary sizing data from multiple regression equations. The regression equations were developed from the military surveys described in the previous section and take the following form for a two-variable predictor combination:

$$A_1 = aX_1 + bY_1 + C$$

If, for example, an equation to estimate each woman's hip circumference in terms of her waist girth and crotch length is desired, we develop the regression equation,

Hip Girth = a x Waist Circ + b x Crotch Lqth + c

The terms a, b and c are parameters determined so that the resulting estimates of Hip Circumference are, as a group, the most accurate estimates that can be obtained from the linear combination of Waist Girth and Crotch Length. Similar multiple regressions and correlations, whether based on two or a larger number of predictor variables, are calculated directly from the simple correlation coefficient, the means and standard deviations without recourse to the original data.

This approach results in sizing tables which cover areas of sizing for which there are no individuals in the limited survey samples but for which there may well be individuals in the larger population represented by the sample subjects.

The sizing tables for upper and lower torso which follow are based on multiple regression equations developed from the U.S. Air Force and U.S. Army survey data, respectively, and the size category midpoint values shown in Table 1. The predictor or sizing variables for the upper torso are Bust Circumference, Neck to Bustpoint Length and Bustpoint to Bustpoint Breadth, and for the lower torso Waist Circumference and Crotch Length. For each size and each dimensional variable a single entry (the regression estimate) is given. These same values, rounded to the nearest eighth of an inch and reordered in the format and terminology requested by the contract monitor, are also given in Appendix D.

TABLE 26

# UPPER TORSO

JUNIOR SIZING PROGRAM BASED ON AIR FORCE WOMEN'S BUST CIRCUMFERENCE, NECK TO BUSTPOINT LENGTH

AND BUSTPOINT TO BUSTPOINT BREADTH

BUST	CIRCUMFERENCE PI - BUSTPT BR TO BUSTPOINT	30.00 6.38 7.75	5 31.00 6.63 8.00	7 32.00 6.88 8.25	33.00 7.13 8.50
2 ARM S	SCYE CIRG	12.99	13.27	13.56	13.84
4 BACK	CURV AT BUST	14.92	15.23	15.54	15.85
7 BIACE	ROMIAL BREADTH	13.48	13.59	13.69	13.80
8 BICE	PS GIRC, RLXB	8.49	8.78	9.07	9.36
9 BUST	CIRCUMFERENCE	30.00	31.00	32.00	33.00
10 BUSTA	PT - BUSTPT BR	6.38	6.63	6.88	7.13
11 BUTTO	DCK CIRC SIT	34.83	35.61	36.39	37.17
13 CERVI	ICALE HEIGHT	52.89	53.17	53.45	53.73
14 CHEST	I BREADTH	9.76	10.00	10.24	10.48
15 CHEST	I CIRC AT SCYE	29.09	29.84	36.59	31.34
22 HIP E	M CIRC, FLEXED	9.87	10.02	10.16	10.30
	I CURV AT BUST	15.08	15.77	16.46	17.15
	BREADTH	12.43	12.65	12.86	13.08
	RSCYE CURV	12.45	12.68	12.91	13.14
	TO BUSTPOINT	7.75	8.00	8.25	8.50
33 SHOUL	GIRCUMFERENCE	12.47	12.62	12.77	12.91
	DER BREADTH	14.81	15.11	15.41	15.71
	DER GIRC	35.65	36.37	37.09	37.81
	DER LENGTH	5.42	5.46	5.49	5.52
	VE INSEAM	17.14	17.18	17.22	17.26
35 SPINE 36 SPINE 37 SPINE 38 STATU 39 STRAF	E TO SCYE LN E TO WRIST LN Jre	19.95 7.41 30.07 61.79 21.28	20.12 7.50 30.28 62.09 21.82	20.30 7.60 30.50 62.38 22.37	20.47 7.69 30.72 62.68 22.91
41 VERT 42 VERT 43 WAIST 44 WAIST 46 WAIST	T BACK LENGTH T BREADTH	54.95 56.18 15.52 8.16 12.39	55.61 56.93 15.57 8.40 12.54	56.28 57.69 15.62 8.64 12.68	56.94 58.45 15.67 8.87 12.82
48 WEIGH	CIRC	93.30	99.32	105.33	111.35
49 WRIST		5.53	5.59	5.66	5.72

TABLE 27

## UPPER TORSO

MISSES SIZING PROGRAM BASED ON AIR FORCE WOMEN'S BUST CIRCUMFERENCE, NECK TO BUSTPOINT LENGTH AND BUSTPOINT TO BUSTPOINT BREADTH

	SIZE BUST CIRCUMFERENCE BUSTPT - BUSTPT BR NECK TO BUSTPOINT	31.50 6.75 8.50	8 32•50 7•00 8•75	10 33.50 7.25 9.00	12 35.00 7.50 9.38	14 36.50 7.75 9.75
24 7 8 9	ARM SCYE CIRC BACK CURV AT BUST BIACROMIAL BREADTH BICEPS CIRC, RLXD BUST CIRCUMFERENCE	13.44 15.34 13.66 8.93 31.50	13.73 15.64 13.76 9.22 32.50	14.01 15.95 13.87 9.51 33.50	14.45 16.46 14.03 9.96 35.00	14.89 16.97 14.20 10.40 36.50
10	BUSTPT - BUSTPT BR	6.75	7.00	7.25	7.50	7.75
11	BUTTOCK CIRC SIT	36.15	36.93	37.70	38.88	40.06
13	CERVICALE HEIGHT	53.50	53.78	54.06	54.47	54.87
14	CHEST BREADTH	10.10	10.34	10.58	10.95	11.32
15	CHEST CIRC AT SCYE	30.19	30.94	31.69	32.86	34.03
18 19 22 29	ELBOW CIRC, FLEXED FRONT CURV AT BUST HIP BREADTH INTERSCYE CURV NECK TO BUSTPOINT	10.09 16.16 12.82 12.80 8.50	10.23 16.86 13.03 13.03 8.75	10.37 17.55 13.25 13.26 9.00	10.58 18.54 13.58 13.64 9.38	10.80 19.53 13.92 14.02 9.75
30	NECK CIRCUMFERENCE	12.70	12.84	12.99	13.22	13.44
31	SHOULDER BREADTH	15.27	15.57	15.88	16.34	16.81
32	SHOULDER CIRC	36.72	37.44	38.16	39.26	40.36
33	SHOULDER LENGTH	5.54	5.57	5.60	5.65	5.70
34	SLEEVE INSEAM	17.23	17.27	17.30	17.35	17.39
35	SPINE TO ELBOW LN SPINE TO SCYE LN SPINE TO WRIST LN STATURE STRAP LENGTH	20.26	20.43	20.60	20.86	21.12
36		7.57	7.67	7.76	7.92	8.08
37		30.44	30.66	30.88	31.20	31.52
38		62.43	62.73	63.03	63.46	63.89
39		22.69	23.24	23.78	24.60	25.40
41	VERT TRNK CIRC SIT	56.15	56.81	57.47	58.50	59.52
42	VERT TRUNK CIRC	57.50	58.26	59.02	60.19	61.35
43	WAIST BACK LENGTH	15.66	15.71	15.76	15.84	15.91
44	WAIST BREADTH	8.54	8.77	9.01	9.38	9.74
46	WAIST FRONT LENGTH	12.64	12.79	12.93	13.14	13.34
48	WEIGHT	103.16	109.18	115.19	124.16	133.12
49	WRIST CIRC	5.64	5.70	5.76	5.86	

TABLE 28

UPPER TORSO

WOMEN'S SIZING PROGRAM BASED ON AIR FORCE WOMEN'S BUST CIRCUMFERENCE, NECK TO BUSTPOINT LENGTH

AND BUSTPOINT TO BUSTPOINT BREADTH

	AND DODING TO DODING THE DICEASTIN					
	SIZE BUST CIRCUMFERENCE BUSTPT - BUSTPT BR NECK TO BUSTPOINT	34 38.00 8.00 10.63	36 40.00 8.25 11.13	38 42.00 8.50 11.63	40 44.00 8.75 12.13	
2	ARM SCYE CIRC	15.36	15.95	16.54	17.13	
4	BACK CURV AT BUST	17.41	18.13	18.84	19.55	
7	BIACROMIAL BREADTH	14.39	14.61	14.84	15.06	
8	BICEPS CIRC, RLXD	10.85	11.45	12.05	12.65	
9	BUST CIRCUMFERENCE	38.00	40.00	42.00	44.00	
10	BUSTPT - BUSTPT BR	8.00	8 • 25	8 • 5 0	8.75	
11	BUTTOCK CIRC SIT	41.42	42 • 99	44 • 5 7	46.14	
13	CERVICALE HEIGHT	55.52	56 • 05	56 • 5 7	57.10	
14	CHEST BREADTH	11.56	12 • 17	12 • 6 7	13.17	
15	CHEST CIRC AT SCYE	35.17	36 • 76	38 • 3 6	39.95	
18	ELBOW CIRC, FLEXED	11.01	11.28	11.56	11.84	
19	FRONT CURV AT BUST	20.59	21.87	23.16	24.45	
22	HIP BREADTH	14.33	14.78	15.23	15.68	
24	INTERSCYE CURV	14.41	14.94	15.47	16.00	
29	NECK TO BUSTPOINT	10.63	11.13	11.63	12.13	
30	NECK CIRCUMFERENCE	13.67	13.98	14.29	14.59	
31	SHOULDER BREADTH	17.29	17.92	18.55	19.18	
32	SHOULDER CIRC	41.46	42.94	44.42	45.90	
33	SHOULDER LENGTH	5.84	5.91	5.98	6.05	
34	SLEEVE INSEAM	17.48	17.53	17.58	17.63	
35	SPINE TO ELBOW LN	21.45	21.79	22.13	22.48	
36	SPINE TO SCYE LN	8.27	8.49	8.71	8.93	
37	SPINE TO WRIST LN	31.91	32.33	32.76	33.18	
38	STATURE	64.59	65.14	65.71	66.25	
39	STRAP LENGTH	27.01	28.09	29.16	30.24	
41	VERT TRNK CIRC SIT	60.81	62.19	63.57	64.95	
42	VERT TRUNK CIRC	62.77	64.35	65.92	67.50	
43	WAIST BACK LENGTH	16.08	16.17	16.27	16.37	
44	WAIST BREADTH	10.13	10.62	11.11	11.61	
46	WAIST FRONT LENGTH	13.60	13.87	14.14	14.41	
48	WEIGHT	143.21	155.13	167.04	178.96	
49	WRIST CIRC	6.06	6.18	6.30	6.42	

TORSO

OWER

M . . らてらって NOONE ロケナント MO 101 できると 2002 NNOMO • • NO નનનંગ MH H 00404 S 90922 50010 50010 5 t wown 44.0  $\omega \omega \omega \omega \omega$ CD 60 35778 35778 • • • • • ν ν ν υ υ υ υ υ . . 2007 NN တ်ဖ HHHO400 MO 5.00 5.00 5.00 4000to ヤイノログ 000000 72 V94100 MOHOM NNOWN ဆိုမှ ON ARMY WOMEN. 7.00 12000 242330 90 アラナスの NNOONN LENGT NO ထထ **UHHHM** 494 らちょうり アラア 40 OΟ NOTON 24. 4. 8. 7. 7.  $\omega \omega \omega \omega \omega$ S \$1004H AND CROT 4440 **21448** 494 0 PROGRAM BASED 5000 4m 001000 ON 340cm 90420 94 200.2  $\omega \omega \omega \omega \omega$ らられらり ØM 22 30 40 40 40 40 37. 40220 404 ш H LENGTH CURV AT HIP CURV - WAIST READIH IRCUMFERENCE HIP WAIST RENCE CIRCUMFERENC RCUMFERENC ပ SIRCUMFEREN RETHIGH CIRC BREADTH CIRC SIZE WAIST CIRC CROTCH LENGTH SIZING C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C AT E C GH_T HEI HARAH COBBANCO COBBANCO COCO COCO COCO COCO HTRONT PRONT PRONT PHICH CBH JUNIOR MH W W ST WAIST WENT AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HELD AND THE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY HE PARTY AI ( 33 もろららず M040M NEOWN

**40000** 

DО

S

OM

4.2 8 8

ヤワノノ母

00000

20MMO

toomt

**4440** 

01mg4

 $ON \otimes OO$ 

a a maga

0444M

HOTOH

エアア30

ころりりら

MM HON

4.00 N

97450

9

94

62

mN

C.D

N-00

tt

tttmn

74

TORSO

OWER

90440 MV44W WV404 40040 040040 01 40 20000 9.0 HOMMO SO 00440 44M00 90 NM HHHM MAHAM 400H0 tt 70498 20498 50 90000 90000 40 4.6 22001 アキオのい 22 a www a 344 44 44 44 44 44 2007 90 20 HHHM ME വര 97977 946.94 9222 900 4.0 യയവസ്യ **BOWWO** ww-loo S NO SIZING PROGRAM BASED ON ARMY WOMEN HOW. **HHHO 01110** MO 17.92 12.67 13.13 29.74 74.0 9.0 9.0 24488 24488 24488 20460 20460 20460 43 35. ててるるら toomm AND CROTCH LENGT Ni **NHHHM** 7 001 5 よて8万ア てとらける **9**2000 44 93° てもよるのとのできるとのの 4mr om 20400 40 トンテンノ NOOM 0.4 20 4440 こまままる S SOF MO 22.5 26.5 26.4 りられて8 တဖ 40 30448 กดอกก 4440 40H MO CIRCUMFERENCE HIP WAIST RENCE CURV AT HIP CURV - WAIST CURV - WAIST READTH IRCUMFERENCE RCUMFERENCE ERENCE SIRCUMFERENC READIH CIRC SIZE WAIST CIRC CROTCH LENGTH ANKLE CIRC BACK CURV AT H BACK CURV AT W CALF CIRCUMFER CROTCH HEIGHT HE IGH MISSES HTROOT PPOONT CBT CBT CBT CBT SAFF AIST FIGHT WAIST STATE WADPER WAIST **TOMOU** 400002222 7.4.000 7.4.000

90

30

840

9790

MAMOR

∞0040

21110

00+00

000000 to 000000

ヤマモンと

0000 Ja

DOM+N

**MPNOH** 

OM

t.

an.

LOWER TORSO

	4 8 4 9 7 9 9 8 9	077	000000	No the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the	78
	arm)	94400 94000	ることよら	466464	41 244
	+ + + + + +	400000 04000	4745W	08040	.74
	3 m	とせるともなる	ちょうでき たまってを	40044 40004	231
	**************************************	08410 094400	02470 98690 98690	00040 00000	.91
	4W	9400H	ナイト Count	440004 440044	217
·	3 • 0 3 • 6	489064 40064	63 79 39 35	00000 00000 00000	. 56
NG	ัพพ	00000 00000	204444 204444	44204W 94846	204
٦	00v	<b>₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩</b>	$\omega$ $\omega$ $\omega$ $\omega$ $\omega$ $\omega$ $\omega$	70000 040040	• 44
0	4 8 8	3440 4570 4570 4570 4570 4570 4570 4570 4	80444 00894	ようこよる	41 189
. (3	8 • •	9478	86244 86443	000043	732
A	MW 24W	84900 0000	なっている	42005 42005	174.
ENCE		NOT	IP IST CE	N C C E	
FER	т	HAH HAH	IE N	H R H R R	
E	<b>-</b>	DAME THIL	HAIM	M HO	GHT
H	H R M	またななば	しりりなり	S HERH	HE I.
_	프핑	m COOL	SH-ESO THE STI	UK	μĦ
WAIS	SIZE WAIS CROT	SAACC CAACC CAACC CAACC CAACC	AAAHH 0000 q	METONE PAPPE HETONE	MAN MAI MAI SO
		ようらくら	2222	なれた MN かれる GU	<b>4</b> 44
	AIST CIRCUMFERENCE AND CROTCH LE	AIST CIRCUMFERENCE AND GROTCH LENGTH  IZE AIST CIRC 34.0 36.5 39.0 41.5 44.0 46.8  ROTCH LENGTH 32.1 32.9 33.6 34.0 34.4 34.	SIZE	SIZE	SIZE  NAIST CIRCUMFERENCE AND CROTCH LENGTH  SIZE  NAIST CIRCUMFERENCE  SIZE  NAIST CIRCUMFERENCE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZE  SIZ

#### CHAPTER VI

#### Summary and Conclusions

The anthropometric data from the 1968 survey of U.S. Air Force women and the 1977 survey of U.S. Army women are, in general, remarkably similar in terms of both mean values as well as in their degrees of variance. Dissimilarities and discrepancies surfaced in a surprisingly few number of variables. Their effect, however, was disproportionately disruptive since problems arose in three of the five specified key sizing dimensions. Bustpoint to Bustpoint was not measured in the Army survey and Crotch Length was not measured in the Air Force survey. Of more significant concern is the overall difference in Bust Circumference which we suspect represents a real dimensional difference between the two samples rather than a discrepancy in measuring techniques.

Four variables (Knee Height, Vertical Trunk Circumference, Sitting, Waist Front Length and Neck Circumference) show large enough between-sample differences to preclude our calculating composite values in Chapter II. The discrepancies in all these dimensions, however, are almost certainly due to differences in the measurement techniques employed and do not, therefore, suggest any significant proportional discrepancies in the subject groups.

While a detailed review of the considerable body of anthropometric information for military women leads us to believe that a large-scale survey of Navy women for similar purposes is unnecessary, we would certainly recommend a carefully designed limited survey to establish the missing data, resolve the artifactual discrepancies and determine whether the Navy women's population more nearly mirrors the marginally taller and heavier Army women with their slightly larger waist and smaller bust dimensions, than the somewhat shorter, lighter, slenderer but larger busted subjects in the AFW sample. Such a survey might use one of several sampling strategies designed for relatively small representative groups (Churchill & McConville, 1976) and focus on a selected group of "problem" variables.

In a good sizing scheme, the body size variability of the population should determine the sizing program. The drawbacks of fitting a pre-determined pattern of size categories and key dimensions around a population have been amply demonstrated in this analysis. It has become clear from our distribution of the subject data into the specified categories that the resulting sizing scheme actually accommodates very few of the people in the sample population. This is perhaps most graphically shown in Chapter V, Figures 1 and 2, combined

bivariate tables which reflect, outside the marked boxes, the large number of subjects who fall into none of the specified size categories.

The key dimensions do not meet a number of the proven criteria for effective sizing dimensions outlined in Chapter IV. It can be seen, for example, by examining Tables 26-28 in Chapter V that Neck-to-Bustpoint does not realistically control a significant dimension such as Stature. Only in the very largest sizes (women's 38-44) do stature dimensions creep even marginally beyond the average of 64 inches. This means that most sizes and certainly all the popular sizes are geared for women of average height or below. We would recommend that alternate key dimensions such as Bust Circumference and Waist Front or Sleeve Inseam be considered for the upper torso and that Hip Circumference and Crotch Height or Leg Outseam be used for the lower torso.

Since, by and large, the military women's populations appear to be relatively homogeneous in body size, the sizing dimensions used to discriminate between the youthful junior body and the mature woman's figure in the civilian clothing industry may be of very limited use to the military clothier, as can be seen from the numbers of junior and women's size categories left totally unoccupied in our analysis of the subject military samples (Chapter V, Tables 1 and 2).

The intervals of one inch for Bust Circumference, Waist Circumference, etc. also appear to be unreasonably stringent and unrealistic. The human body is a dynamic rather than a static structure—it may, on the average, lose 3/4" in stature from morning to night and as much as five percent body weight. The very act of respiration can change the girths of the torso by a factor of 5 to 10 percent and even more when combined with motion. We would recommend that size category intervals be increased to accommodate a larger proportion of the individuals within their boundaries.

Finally, we would recommend an improved approach to the sizing scheme itself. Under current specifications, each of a pair (or triplet) of key dimensions is coupled with only one size of its companion dimension. This is based on the erroneous assumption that people's dimensions vary from smaller to larger in lock-step progression—that small waists always accompany short crotch lengths and that as waists are larger, women invariably get taller.

A sample sizing scheme incorporating the above recommendations appears below in Figure 1. Using the key dimensions of Crotch Height and Hip Circumference, this program was developed from the data which appear in the bivariate frequency table for those dimensions (Table 18) in Chapter III and thus reflects the actual distribution of the military women's population.

HIP CIRCUMFERENCE (in)

	TOTAL	-	1	- 6	٠	1		7	/ 30	99 /	70	18/	_	143/121	1 50	234/166	3	701	-1	Ι.	. I.	37	、Ι.	9	7	7	1		_	1330
	L	4	1	1	1	-	7	2	17,	28	1 47	75/	121	143	101	234	3 2	2	223	188	130	107	74	2	12	*	7	4	-	1805
	52.5	1					1					L	L	L		l	1							1						
	51.5						1	ĺ																	Į					
	50.5		1	Ī	T	T		1								Ī	1		1	Ī	1		7					1		
	48.5	T	t	+	1	†	1	1						r		t	$\dagger$	$\dagger$	1	†	1	1	1	1	1	1		1		
	48,5	-	+	+	1	$\dagger$	+	+	-		_		1 /	-	-	+	1	$\frac{1}{1}$	+	+	+	+	+	+	+	1	1	1	-	7
- 1	47.5	-	ł	+	+	+	+	+	-					L	=	+	-	+	+	+	+	+	+	+	+	+	1	+	+	(-
	_	_	L	-	1	+	+	+	4	_	_		_	2		1	-	-	4	1	+	+	1	+	+	1	$\downarrow$	+	-	- N
- 1	46.5	L	_		$\downarrow$	1	1	1						/2 1	1	=		1	$\downarrow$	1	1	$\downarrow$	1	ļ				1		4
	45.5													_		2	1		:	}										m/
	44.6		T	T	Ī	T	T	Ī		2		17	7 2	1/1		-		;		ì	Ī	T	T		1			1		5 5
. L	43.6		T	t	t	$\dagger$	†	,	1	1	=	/ 3	=	2. 4	_	3 2	L	ŀ	1		+	1	†	+	1	+	1	†	1	14
}	42.5				-	-			-	4	-	7	l	3	2	2 /	L	L	1		1	+			1	+	+	+	┪	(8)
	_1	_	-	-	-	+	}	ŀ	7	- 1	2 3	7	- 1	5	4	3	7	-	. 0	丄	-	-	1-	1	+	+	+	+	+	94
	5 41.5		-		-	-	-	ŀ	-	- 1	9	_1	9 2	12 8	8	12 10	9	1	1	L	-	Ţ-	- -		7	+	1	1	1	101
	40.5	_						ŀ		- 1.	3				23 15/1	17 15/1	3116	-	α	L.	ŀ	3	10	10	1	1	1	1	1	1/2
- 1	39.6	`		ŀ		-	-	1	2	ا (ه	- 1	-	-		29 29 2	-	22 25/13	ı۸	1517/1	18	F	-		-	1				5	157
1	38.2			F		3/2	Ļ	ŀ	7	_			52/02	22 35 / 8	27 / 29	40 30 / 21 28					L	100		-					1	183
	3/.0		1	-	=	3	5	Ī	- 1	2/2				_	37 27 27 /	_	8 / 29 43		8 / 8			6.	Ι.	3		† ::	<b>†</b>	1	27.6	4:
L	30.3		-		-	2	L	t	?		Ĵ.	_	7	17 20 / 19 21	/21]3	15 40 / 24 51	/ 89 86 /	-		١.	ľ	9			ŧ		†	†	Γ	8
┸	30.0	-	L	L		1 3	-		-		9	=				15 40	115/44	/1551	12 33 / 14 34	827/1524	8 24		2 3		F	1	+	$\dagger$	200	(2)
L	٠	+	_	L	-	1	-	ŀ	3	٠ ا	- 5	7	612	210	7.20	12/26	12 307	8 28	12 33	8127	F	214	2	-	1	+	+	+	033	18
,	5	-	_	L	_			•	;	1:	1	n .	- 1.	7	13	815/	16116	6211	-	4121	1	211/	1	2/	ļ	-		-	15.50	22 ,30
ŝ	3							-	1	1	1	•	100	-1	7	1 3/	/01/1	/6 9	3 6/	76 2		5 5		2	<b>)</b>	-		-	ů	$\vee$
300	_									,		3	/1	`;	J	3/	2	<del>+</del>	7/ 3	1/2	, o	,		-	-	-			35	N
31 6	0	1								Ī	T	1	6 /	7		3/	=	2/3	-	=	1	1/						T	2	2
30 5	4	1						ľ		T	1	1	1	†	7	1			1 /1		-							T		2
L	٠.	2000	35.7	35.2	34.7	34.2	33.7	13.2	10.2	2	3 2		30.00	2000	7	28.7	29.5	28.7	28.2	27.7	27.2	26.7	26.2	75.7	22.5	24.7	4.2	23.7		TOTAL
	Ľ	1						Ľ,	-	u		٠.	٠.	-	_	I	-1	-4	لسا	_	_	_	R.			Ľ	1.	1.	L	트

1968 USAF WOMEN/1976 USA WOMEN

Figure 1. Hypothetical 22-size lower torso system with Hip Circumference and Crotch Height as key dimensions.

					441/	Medium					
			411/	Long	421/	Medium Medium	$41\frac{1}{6}$	ort		- 13	1
	$40\frac{1}{2}$	X-Long	<b> </b> -		401/2	Medium	391/2 4]	Short Short	$40^{1/2}$	X-Short	
	381/2	X-Long X-Long X-Long	2 391/2		381/2	Medium Medium	371/2 39		381/2	X-Short	
	361/2	X-Long	2 371/2	g Long	361/2	Medium		t Short	361/2	<-Short	
1			351/2	Long	341/2	Medium	$33^{1}/_{2}$ $35^{1}/_{2}$	Short Short	341/2	X-Short X-Short X-Short X-Short	
						ĺ		SZ	•		

Reading across the bottom row of boxes, one finds sizes  $34\frac{1}{2}$  extra short,  $36\frac{1}{2}$  extra short,  $38\frac{1}{2}$  extra short and  $40\frac{1}{2}$  extra short. Short, medium, tall and extra tall sizes follow from bottom to top. The top-most box on the right would be size  $40\frac{1}{2}$  extra tall. Such a sizing scheme reflects the body size range and variability of the actual target population rather than being imposed upon it.

In summary we would recommend that the next steps for the improvement of sizing clothing for U.S. Navy women include:
(1) a limited-objective survey of Navy personnel to supplement and refine current data and to establish the comparability of Navy subjects to the military women already measured, and (2) development of sizing programs using key dimensions, intervals and combinations which better reflect the subject population and exert better control over its variability.

#### REFERENCES

- Abraham, Sidney, Clifford L. Johnson, and Matthew F.
  Najjar. 1976. "Height and Weight of Adults 18-74
  Years of Age in the United States," Advance Data from
  Vital and Health Statistics, National Center for Health
  Statistics, Rockville, Maryland.
- Churchill, Edmund and John T. McConville. 1976. Sampling and Data Gathering Strategies for Future USAF Anthropometry, Technical Report AMRL-TR-74-102, Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.
- Churchill, Edmund, Thomas Churchill, John T. McConville, and Robert M. White. 1977. Anthropometry of Women of the U. S. Army-1977, Report No. 2 The Basic Univariate Statistics, Technical Report NATICK/TR-77/024, U. S. Army Natick Research and Development Command, Natick, Massachusetts.
- Churchill, Thomas, Edmund Churchill, John T. McConville, and Robert M. White. 1977. Anthropometry of Women of the U. S. Army--1977, Report No. 3 Bivariate Frequency Tables, Technical Report NATICK/TR-77/028, U. S. Army Natick Research and Development Command, Natick, Massachusetts.
- Clauser, Charles E., Pearl E. Tucker, John T. McConville, Edmund Churchill, Lloyd L. Laubach, and Joan A. Reardon. 1972. Anthropometry of Air Force Women, Technical Report AMRL-TR-70-5, Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.
- Emanuel, Irvin, Milton Alexander, Edmund Churchill, and
  Bruce Truett. 1959. A Height-Weight Sizing System for
  Flight Clothing, WADC TR-56-365, Wright Air Development
  Center, Wright-Patterson Air Force Base, Ohio.
- Laubach, Lloyd L., John T. McConville, Edmund Churchill, and Robert M. White. 1977. Anthropometry of Women of the U. S. Army--1977, Report No. 1 Methodology and Survey Plan, Technical Report NATICK/TR-77/021, U. S. Army Natick Research and Development Command, Natick, Massachusetts.
- McConville, John T., Milton Alexander, and Seth M. Velsey.

  1963. Anthropometric Data in Three-Dimensional Form:

  Development and Fabrication of USAF Height-Weight Manikins,

  AMRL-TDR-63-55, Aerospace Medical Research Laboratory,
  Wright-Patterson Air Force Base, Ohio.

- National Bureau of Standards. 1971. "Body Measurements for the Sizing of Women's Patterns and Apparel," NBS Voluntary Product Standard, PS42-70, U. S. Department of Commerce, U. S. Government Printing Office (SD Catalogue No. C13.20/ 42-70), Washington, D. C.
- O'Brien, Ruth and William C. Shelton. 1941. Women's Measurements for Garment and Pattern Construction, U. S. Department of Agriculture Miscellaneous Publication No. 454, U. S. Government Printing Office, Washington, D. C.
- Snow, Clyde C., Herbert M. Reynolds, and Mackie A. Allgood. 1975. Anthropometry of Airline Stewardesses, Department of Transportation Report No. FAA-AM-75-A, FAA Office of Aviation Medicine, Civil Aeromedical Institute, Oklahoma City, Oklahoma.
- Stoudt, Howard W., Albert Damon, Ross McFarland, and
  Jean Roberts. 1965. Weight, Height and Selected
  Body Dimensions of Adults, United States, 1960-62,
  Public Health Service Publication No. 1000, Series 11,
  No. 35, U. S. Government Printing Office, Washington, D. C.

## APPENDIX A

Background Data for Army and AFW Subjects

TABLE 1 DISTRIBUTION OF SAMPLES BY AGE

	A	RMY	A	FW
Age	<u>N</u>	<u>&amp;</u>	<u>N</u>	<u>%</u>
50-60	3	0.2	9	0.5
45-50	. 12	0.9	18	0.9
40-45	13	1.0	56	2.9
35-40	26	2.0	72	3.8
30-35	74	5.6	87	4.6
28-30	67	5.0	44	.2.3
26-28	104	7.8	82	4.3
24-26	188	14.1	144	7.6
23-24	103	7.7	108	5.7
22-23	138	10.4	133	7.0
21-22	102	7.7	191	10.0
20-21	108	8.1	260	13.7
19-20	156	11.7	380	20.0
18-19	219	16.5	321	16.9
17-18	18	1.4	0	0
Total	1331	100.1	1905	100.2
	Mean Age	e: 23.1	Mean A	ge: 23.4
	Standard		Standa	rd Devi-

ation: 5.4 ation: 6.5

TABLE 2a

DISTRIBUTION OF SAMPLE BY MILITARY OCCUPATION (ARMY)

a.	Officers	<u>N</u>	<u>%</u>
	Nurses	228	66.3
	Student Officers	67	19.5
	Dietitians	22	6.4
	Company Commanders and		
	Training Officers	7	2.0
	Therapists	5	1.5
	Military Police	4	1.2
	Miscellaneous	11	3.2
	112000114110042		
		344	100.1
b.	Enlisted Women		
	Typists	209	21.2
	Clerks, personnel		
	record clerks	61	6.2
	Supply clerks	44	4.5
	Finance clerks	17	1.7
	Medical laboratory		
	technicians	105	10.6
	Medical assistants, nurses'		
	aides, etc.	101	10.2
	X-ray technicians	13	1.3
	Dental specialists	24	2.4
	Pharmacy technicians	7	0.7
	Medical records specialists	12	1.2
	Occupational specialists	9	0.9
	Operating room technicians	26	2.6
	Miscellaneous health		
	specialists	26	2.6
	Military police	67	6.8
	Chaplains' assistants,		
	para-legal aides, etc.	17	1.7
	Cooks	38	3.9
	Food inspectors	10	1.0
	-		
•	Drill sergeants	31	3.1

TABLE 2a (continued)

b.	Enlisted Women (cont'd)	N	90 -
	Communication specialists	25	2.5
	Intelligence analysts	23	2.3
	Cryptologists	6	0.6
	Data processors	2	0.2
	Truck drivers	23	2.3
	Transportation coordinators	10	1.0
	Photographers	3	0.3
	Musicians	3	0.3
	Telephone installers, repairers,		
	operators	9	0.9
	Ammunition, weapons specialists	6	0.6
	Electronics	9	0.9
	Mechanics, welders, carpenters,		
	etc.	18	1.8
	Not given	33	3.3
		987	99.6
	GRAND TOTAL	1,331	

TABLE 2b

DISTRIBUTION OF SAMPLE BY OCCUPATIONAL CATEGORY (AFW)

a.	Officers*	<u>N</u>	<u>%</u>
	Nurse	389	84.2
	Biomedical Sciences	39	8.4
	Administration	12	2.6
	Education and Training	10	2.2
	Personnel	4	0.9
	Miscellaneous	8	1.7
		462	100.0
b.	Enlisted Women*		
	Medical	440	43.9
	Administrative	163	16.3
	Dental	81	8.1
	Communications Operations	60	6.1
	Personnel	59	5.9
	Supply	48	4.8
	Special Duty	36	3.6
	Accounting & Finance	35	3.5
	Miscellaneous	81	8.1
		1,003	100.0
c.	Unknown	21	

GRAND TOTAL 1,486

^{*}Trainees omitted

TABLE 3

DISTRIBUTION OF SAMPLES BY RANK AND GRADE

	A	RMY		AFW*
Officers	$\overline{N}$	<del>8</del>	<u>N</u>	%
Colonel (0-6)	4	1.2	1	0.2
Lt. Colonel (0-5)	21	6.1	24	5.2
Major (0-4)	11	3.2	70	15.2
Captain (0-3)	90	26.2	121	26.2
lst Lieutenant (0-2)	134	39.0	161	34.8
2nd Lieutenant (0-1)	84	24.4	85	18.4
	344	100.1	462	100.0
Enlisted				
E-7	6	0.6	4	0.4
E-6	17	1.7	6	0.6
E-5	78	7.9	12	1.2
E-4	98	9.9	35	3.4
E-3	166	16.8	140	13.7
E-2	191	19.4	411	40.1
E-1	<u>431</u>	43.7	416	40.6
	987	100.0	1,024	100.0
GRAND TOTAL	1,331		1,486	

^{*}Trainees omitted

TABLE 4
DISTRIBUTION OF SAMPLES BY BIRTHPLACE

				AFW		
Reg	ion	<u>N</u>	<u>%</u>	N	<u>*</u>	
1.	New England	87	6.6	129	6.8	
2.	Mid-Atlantic	205	15.5	391	20.6	
3.	South Atlantic	249	18.7	240	12.6	
4.	East North Central	250	18.8	347	18.2	
5.	East South Central	90	6.8	132	6.9	
6.	West North Central	118	8.9	180	9.5	
7.	West South Central	99	7.4	195	10.3	
8.	Mountain	40	3.0	56	2.9	
9.	Pacific	114	8.6	168	8.8	
10.	Foreign**	77	5.8	65	3.4	
	TOTAL	1,329	100.1	1,903	100.0	

- 1. Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut
- 2. New York, New Jersey, Pennsylvania
- 3. Delaware, Maryland, District of Columbia, Virginia, West Virginia, North and South Carolina, Georgia, Florida
- 4. Ohio, Indiana, Illinois, Michigan, Wisconsin
- 5. Kentucky, Tennessee, Mississippi, Alabama
- 6. Minnesota, Iowa, Missouri, North and South Dakota, Nebraska, Kansas
- 7. Arkansas, Louisiana, Oklahoma, Texas
- 8. Montana, Idaho, Wyoming, Colorado, Utah, Nevada, Arizona, New Mexico
- 9. California, Oregon, Washington, Alaska, Hawaii
- 10. Foreign** (Including U.S. Territories)

TABLE 5
DISTRIBUTION OF SAMPLES BY RACE

			<u>:</u>	ARMY		
	To	tal	Off	icers	En1:	isted
	<u>N</u>	<u>용*</u>	N	<u>*</u> *	$\underline{N}$	용 <b>*</b> 
White	989	75.2	302	89.1	687	70.3
Black	302	22.9	29	8.6	273	27.9
Oriental	25	1.9	8	2.4	17	1.7
Not Identified	15		5		_10	
	1331	100.0	344	100.1	987	99.9
*Percents of those	identifi	.ed.				
			<u> </u>	AFW		
	To	tal	Off	icers	Enl	isted
	<u>N</u>	<u> 8</u>	<u>N</u>	8	N	%
White	1742	91.4	526	96.0	1216	89.6
Black	146	7.7	15	2.7	131	9.7
Others	17	0.9		1.3	10	0.7
	1905	100.0	548	100.0	1357	100.0

TABLE 6
DISTRIBUTION OF SAMPLES BY HANDEDNESS

		<u> 1</u>	ARMY		AFW		
		<u>N</u>	8	<u>N</u>	%		
Right Handed		1165	87.5	1676	88.7		
Left Handed		112	8.4	167	8.8		
Ambidextrous		48	3.6	47	2.5		
Unascertained		6	0.5	<del></del>			
	TOTAL	1331	100.0	1890	100.0		

TABLE 7

NUMBER OF SUBJECTS AT EACH SITE

# ARMY Measurement Categories

Location	Core	Trad. Anthro.	Work- space	Head & Face	Static Strength
Fort Sam Houston	261	73		72	119
Fort McClellan	506	94	234	107	156
Walter Reed Med. Center	298	88	32		32
Fort Jackson	266		_34	_37	42
TOTAL	1331	255	300	216	349

		AFW	
	Total	Enlisted	Officers
Sewart AFB	1		1
Wright-Patterson AFB	39		39
Sheppard AFB	593	491	102
Randolph AFB	79	79	
Lackland AFB	1044	681	363
Carswell AFB	149	106	43
	1905	1357	548

#### APPENDIX B

#### Explanation of Statistical Terms

#### The Mean

This commonest of the statistics denoting an average value is widely understood. The arithmetic mean is simply the sum of a given set of values divided by the number of values. Thus, since the 1905 women measured in the AFW survey weighed a grand total of 242,468 pounds, their mean weight was

$$\bar{x} = \frac{\Sigma X}{N} = \frac{242,468}{1905} = 127.3$$
 pounds.

where  $\Sigma$  is the summation operator, x represents the individual values,  $\overline{x}$  their arithmetic mean, and N the number of values. The mean is designated in the statistical literature by a variety of symbols the most common being M,  $\mu$  and  $\overline{x}$ .

#### The Standard Deviation

A basic measure of variability, the standard deviation (SD) indicates the extent to which the values cluster around the mean. If most of the data cluster close to their mean value, the standard deviation is low; if a large number of values in the set lie at some distance from the mean, the standard deviation is high. By definition the standard deviation is the square root of the mean of the squared deviations from the mean value:

$$SD = \sqrt{\Sigma (x-\overline{x})^2/N}$$

For the designer it is useful to know that two-thirds of the values in a given set of data will fall between one standard deviation below and one standard deviation above the mean. Thus, when the mean stature of the Army women was found to be approximately 64 inches and the standard deviation approximately  $2\frac{1}{2}$  inches, it can be safely assumed that two-thirds of the 1331 subjects measured are between  $61\frac{1}{2}$  and  $66\frac{1}{2}$  inches tall. It is further true that 95% of a given sample will fall between two standard deviations below and two standard deviations above the mean and virtually all the

subjects in a sample will be encompassed in a range from three standard deviations below the mean to three standard deviations above it.

#### The Coefficient of Variation

This statistic, usually denoted as V, is a restatement of the standard deviation expressed as a percentage of the mean. The relationships noted for the standard deviation also pertain to the coefficient of variation. Thus, in the case of the Army survey where mean stature is about 64 inches and the coefficient of variation is 4%, about two-thirds of the women will, once again, be between (64 inches -4% and 64 inches +4%) while 95% of the subjects will fall between (64 inches-8%) and (64 inches +8%), etc.

The value of V is often associated with the general anatomical nature of the variable involved. Long bone lengths, such as stature and other height measurements, tend to have coefficients of variation which range from 3.5% to 5%. For fleshy circumferences, V ranges from 6% to 10%. For skinfold measurements (not included in this report) the range for V is as high as 30% to 40%.

#### Symmetry and Kurtosis

A "normal" distribution of values is one in which there will be very few quite low or high values and generally increasing frequencies of a given value as they move toward the center of the distribution where the maximum frequencies occur. The normal curve, which approximates many actual anthropometric distributions of data, looks like this.




Figure 1. The normal curve.

Many generalizations about a set of data are based on the assumption of this mathematical model. (One such is the

relationship of numbers of subjects to standard deviations noted above.) There is no simple way of determining when a set of data differs so drastically from this distribution that it is an inappropriate model and the use of the usual statistical methods, therefore, undesirable. One indication of normally distributed data is their symmetry; that is, data which are normally distributed occur with equal frequency above and below the mean values. This statistic, denoted as  $\beta_1$  or Veta I, is computed from the sum of the cubed deviations by dividing it by the sample size and the cube of the standard deviation producing a dimensionless statistic:

$$\beta_1 = \frac{\sum (x - \overline{x})^3}{N \cdot SD^3}$$

The size of  $\beta_1$  is considered a useful indication of whether a set of data is unsymmetrically distributed and, if so, how badly. Since, ideally, values on each side of the mean should balance each other out, a perfect symmetry would approach zero. In the Army survey, for example, the  $\beta_1$  value for stature is .12 indicating a highly symmetrical distribution of values around the mean; weight, on the other hand, always a more erratic dimension, has a  $\beta_1$  value of .80, reflecting a more skewed distribution.

Kurtosis, denoted as  $\beta_2$  or Veta II, is an indicator of the peakedness of the distribution curve—how closely do the values cluster around the mean? The statistic is computed from the fourth powers of the deviation:

$$\beta_2 = \frac{\sum (x - \overline{x})^4}{N \cdot SD^4}$$

In the normal distribution curve, the ideal value of  $\beta_2$  is 3. Using the examples cited above, stature shows a  $\beta_2$  value of 2.89 (very close to the ideal value) while weight has a  $\beta_2$  value of 5.90. In theory, data distributions can deviate from either  $\beta_1$  or  $\beta_2$  without deviating from the other; for the data in the surveys used in this report deviant values of either  $\beta_1$  or  $\beta_2$  are usually accompanied by deviant values of the other. Together they can be used to assess the level of agreement between the normal distribution and the actual distribution of data for a given variable.

#### Correlation Coefficients and Regression Equations

Single correlation coefficients measure the extent to which pairs of variables agree with each other or, put

another way, the extent to which one variable can be predicted from another. This statistic is usually signified by r but in computer generated material found in this report it is designated as R since the computer has no lower-case letters. The correlation coefficient derives from the related concept of the regression line or the regression formula by which we estimate the value of one variable y from that of the second variable x:

y = a + bx (a and b being constants)

Thus, when stature is higher or lower, other measurements of height such as waist height or knee height are likely to vary correspondingly and by predictable amounts. A perfect agreement is expressed as 1.0; the correlation coefficient of stature and shoulder height is likely to be around .9. Near the other end of the scale are correlation coefficients for such combinations as stature and bust circumference which tend to range around .2 since there is little predictable relationship between a woman's height and her bra size. A moderate degree of relationship (r=.5) usually exists between stature and weight.

If large values of one variable tend to accompany large values of another, the correlation coefficient is a positive number. If, on the other hand, one variable tends to get smaller as the other gets larger, the correlation coefficient carries a negative sign.

A multiple correlation, usually designated as R, expresses the degree to which one variable agrees with or can be predicted by a combination of two others:

z = a + bx + cy

This multiple correlation will always be at least as large as the simple correlations between a and x and between a and y, but will often be only trivially larger.

#### APPENDIX C

#### Frequency Tables

Frequency tables are another means of portraying the population distribution of measurements for a given variable. Here, the data are grouped into tables containing up to fifty intervals of a half, a quarter or an eighth of an inch, depending on the width of the range.

The first table, Ankle Circumference, is divided into eighth-inch intervals, showing data for Army women on the left and comparative data for Air Force women on the right. The fourth and seventh columns (FRQ - frequency) designate how many subjects in each sample fall within the measurement limits of the indicated interval. For example, it can be seen that no subjects in the Army sample had ankle girth measurements exceeding 10 inches, whereas two AFW subjects did fall into that category. The second and ninth columns (FRQ% - percentage of frequency) convey the same information in terms of the percentage of each population whose measurements fall into the given interval.

Reading from the bottom, the third and eighth columns (CUMF - cumulative frequency) show how many women in each sample have measurements up to a given size. For instance, the table indicates that 524 Army subjects and 556 AFW subjects measure eight inches or less, around the ankle. These numbers represent 39.37% of the Army population but only 29.19% of the Air Force population as can be seen in columns 1 and 10 (CUMF% - cumulative frequency percentage).

Frequency tables have a number of practical uses. It could be calculated from a table such as this, for example, that a 9-inch maximum circumference for an elasticized ankle band will fit 95% of the Army sample; 62 women would be disaccommodated. In the AFW population, obviously the 9-inch maximum would disaccommodate a considerably larger number of subjects -- 184 women representing almost 10% of the population. It will be noted, however, that an extra quarter inch would cut the percentage of disaccommodated AFW subjects in half and produce a garment which would fit 95% of that population too.

## 1. ANKLE CIRCUMFERENCE

	ARMY W	OMEN		INTE	R۱	/ALS	,	AIR F	ORCE WO	DMEN
CFRQ%	FRQ%	CFRQ	FRU	IN I	NC	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	0.00	1331	0	10.000	-	10.125	2	1905	. 10	100.00
100.00	0.00	1331	0	9.875	-	10.000	G	1903	0.00	99.90
100.00	. 08	1331	1	9.750	-	9.875	7	1903	. 37	99.90
99.92	. 15	1330	2	9.625	-	9.750	11	1896	• 58	99.53
99.77	• 23	1328	3	9.500	-	9.625	6	1885	. 31	98.95
99.55	. 38	1325	5	9.375	_	9.500	18	1879	. 94	98.64
99.17	1.05	1320	14	9.250	-	9.375	42	1861	2.20	97.69
98.12	1.05	1306	14	9.125	-	9.250	32	1819	1.68	95.49
97.07	1.73	1292	23	9.000	-	9.125	66	1787	3.46	93.81
95.34	2.33	1269	31	8.875	-	9.000	45	1721	2.36	90.34
93.01	5.41	1238	72	8.750	-	8.875	102	1676	5.35	87.98
87.60	4.73	1166	63	8.625	-	8.750	161	1574	8.45	82.62
82.87	7.89	1103	105	8.500	-	8.625	123	1413	6.46	74.17
74.98	7.59	998	101	8.375	-	8.500	201	1290	10.55	67.72
67.39	9.84	897	131	8.250	-	8.375	244	1089	12.81	57.17
57 <b>.5</b> 5	9.02	766	120		-	8.250	110	845	5.77	44.36
48.53	9.17	646	122		-	8.125	179	735	9.40	38.58
39.37	8.64	524	115	7.875	-	8.000	110	556	5.77	29.19
30.73	11.87	409	158	7.750	-	7.875	178	446	9.34	23.41
18.86	6.24	251	83	7.625	-	7.750	118	268	6.19	14.07
12.62	3.83	168	51	7.500	-	7.625	39	150	2.05	7.87
8.79	3.83	117	51	7.375	-	7.500	61	111	3.20	5.83
4.96	1.58	66	21		-	7.375	28	50	1.47	2.62
3.38	2.10	45	28		-	7.250	13	22	• 68	1.15
1.28	• 68	17	9		-	7.125	8	9	• 42	• 47
•60	• 30	8	4		-	7.000	1	1	• 05	• 05
. 30	• 15	4	2		•	6.875	0	0	$0 \cdot 00$	0.00
• 15	0.00	2	0	6.625		6.750	0	0	0.00	0.00
• 15	• 15	2	2	6.500	-	6.625	0	C	0.00	$0 \cdot 00$

## 2. ARM SCYE CIRCUMFERENCE

	ARMY WO	OMEN		INT	ER	VALS	1	AIR F	ORCE WO	OMEN
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES		CFRQ		CFRQ%
100.00	.08	1331	1			20.250	0	1905	0.00	100.00
99.92	0.00	1330	0	19.750	-	20.000	0	1905	0.00	100.00
99.92	0.00	1330	0	19.500	-		Ō	1905	0.00	100.00
99.92	0.00	1330	0	19.250	-	19.500	1	1905	. 05	100.00
99.92	0.00	1330	0	19.000	-	19.250	0	1904	0.00	99.95
99.92	.08	1330	1	18.750	-	19.000	ũ	1904	0.00	99.95
99.85	0.00	1329	0	18.500	-	18.750	1	1904	• 05	99.95
99.85	.08	1329	1	18.250	-	18.500	0	1903	0.00	99.90
99.77	. 23	1328	3	18.000	-	18.250	2	1903	• 10	99.90
99 <b>.55</b>	• 15	1325	2	17.750	-	18.000	1	1901	• 05	99.79
99.40	• 23	1323	3	17.500	-	17.750	0	1900	0.00	99.74
99.17	•53	1320	7	17.250	-	17.500	2	1900	. 10	99.74
98.65	.60	1313	8	17.000	-	17.250	9	1898	. 47	99.63
98.05	• 68	1305	9	16.750	-	17.000	14	1889	. 73	99.16
97.37	1.13	1296	15	16.500	-	16.750	23	1875	1.21	98•43
96.24	2.63	1281	35	16.250	-	16.500	33	1852	1.73	97.22
93.61	2.85	1246	38		-	16.250		1819	2.20	95.49
90.76	4.66	1208	62		-		53		2.78	93.28
86.10	6.39	1146	85			15.750	118	1724	6.19	90.50
79.71	8.64	1061	115			15.500	129	1606	6.77	84.30
71.07	9.69	946	129			15.250	159	1477	8.35	77.53
61.38	10.97	817	146			15.000	228	1318	11.97	69.19
50.41	9.02	671	120			14.750	186		9.76	57.22
41.40	11.04	551	147	14.250		14.500	199	904	10.45	47 • 45
30.35	9.39	404	125	14.000	-		188	705	9.87	37.01
20.96	8.04	279	107	13.750	-	14.000	210	517	11.02	27.14
12.92	5.79	172	77		-	13.756	123	307	6.46	16.12
7.14	3.46	95	46	13.250	-	13.500	87	184	4.57	9.66
3.68	1.80	49	24	13.000	-	13.250	46	97	2.41	5.09
1.88	1.05	25	14	12.750	-	13.000	29	51	1.52	2.68
• 83	• 53	11	7	12.500	-	12.750	19	22	1.00	1.15
• 30	• 15	4	2	12.250	-	12.500	1	3	• 05	. •16
• 15	• 08	2	1	12.000	-	12.250	1	2	. 05	• 10
.08	.08	1	1			12.000	0	1	0.00	• 05
0.00	0.00	0	0			11.750	0	1	0.00	• 05
0.00	0.00	0	0			11.500	0	1	0.00	• 05
0.00	0.00	0	0	11.000	-	11.250	1	1	• 05	• 05

## 3. AXILLA TO WAIST

	ARMY W	OMEN		INT	ERI	VALS		AIR FO	RCE WO	MEN
CFRQ%	FRQ%	CFRQ	FRQ			CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	.08	1331	1			14.000				
99.92	0.00	1330	0	13.500		13.750				
99.92	0.00	1330	0		-	13.500				
99.92	0.00	1330	0			13.250				
99.92	0.00	1330	0			13.000				
99.92		1330	5	12.500	~	12.750				
99.55		1325	1			12.500				
99.47	.60	1324	8			12.250				
98.87	.60	1316	8	11.750	-	12.000				
98.27	.60	1308	8			11.750				
97.67		1300	4	11.250	-	11.500				
97.37	1.13		15	11.000	-	11.250				
96.24	1.35	1281	18	10.750	-	11.000				
94.89	3.01	1263	40	10.500	•	10.750				
91.89	3.46	1223	46	10.250	-	10.500				
88.43	5.18	1177	69	10.000	-	10.250				
83.25	6.16	1108	82	9.750	-	10.000				
77.08	7.81	1026	104	9.500	-	9.750				
69.27	11.34		151	9.250	-	9.500				
57.93	8.56	771	114	9.000	•	9.250				
49.36	9.24	657	123	8.750	-	9.000				
40.12			157							
28.32	8.19		109	8.250	•					
20.14	8.04	268	107		•	8.250				
12.10	6.24	161	83		-	8.000				
5 • 86	2.33	78	31	7.500	•					
3.53	1.73	47	23		•	7.500				
1.80	1.20	24	16	7.000		7.250				
• 60	• 30	8	4		•	7.000				
• 30	• 23	4	3		~					
•08	.08	1	1	6.250	-	6.500				

## 4. BACK CURVATURE AT BUST

A	RMY W	OMEN		INT	ER	VALS		ATR F	ORCE WO	OMEN
CFRQ%		CFRQ	FRQ	_		CHES		CFRQ		CFRQ%
100.00		1331			_		0	1905		100.00
99.92	0.00	1330	0		-	24.250	ō	1905	0.00	
99.92	0.00	1330	0			24.000	0	1905	0.00	
99.92	0.00	1330	0			23.750	Ü	1905	0.00	
99.92	0.00	1330	0			23.500	0	1905	0.00	
99.92	0.00	1330	Ö			23.250	Ō	1905	0.00	
99.92	0.00	1330	0			23.000	0	1905	0.00	
99.92	0.00	1330	Ú			22.750	0	1905	0.00	
99.92	0.00	1330	0			22.500	Ō	1905	0.00	-
99.92	0.00	1330	٥			22.250	Ō	1905	0.00	
99.92	. 15	1330	2	21.750			Ō	1905	0.00	
99.77	0.00	1328	Ō			21.750	0	1905	0.00	100.00
99.77	0.00	1328	0			21.500	0	1905	0.00	100.00
99.77		1328	2			21.250	1	1905	. 05	100.00
99.62	.08	1326	1	20.750	-	21.000	1	1904	• 05	99.95
99.55	.08	1325	1	20.500	-	20.750		1903	.10	99.90
99.47	0.00	1324	0	20.250	-	20.500		1901	. 47	99.79
99.47	. 38	1324	5	20.000	-	20.250		1892	.10	99.32
99.10	• 23	1319	3	19.750	-	20.600	4	1890		99.21
98.87	• 53	1316	7	19.500	-	19.750		1886	• 63	99.00
98.35	• 53	1309	7	19.250	-	19.500	16	1874	. 84	98.37
97.82	• 68	1302	9	19.000	-	19.250	13	1858	. 68	97.53
97.15	• 98	1293	13	18.750	-	19.000	28	1845	1.47	96.85
96.17	2.40	1280	32	18.500	-	18.750	61	1817	3.20	95 • 38
93.76	2.03	1248	27	18.250	-	18.500	25	1756	1.31	92.18
91.74	2.93	1221	39	18.000	-	18.250	58	1731	3.04	90.87
88.81	<b>3.6</b> 8	1182	49	17.750	-	18.000	76	1673	3.99	87.82
85.12	4. 43	1133	59	17.500	-		112	1597	5.88	83.83
80.69	6.31	1074	84			17.500	102		<b>5.</b> 3 <b>5</b>	77.95
74.38	7.36	990	98			17.250	118	1383	6.19	72.60
67.02	6.31	892	84	16.750			137		7.19	66 • 40
60.71	9.47	808	126	16.500			198	1128	10.39	59.21
51.24	8.11	682	108			16.500	103	930	5.41	48.82
43.13	8.56	574	114	16.000			188	827	9.87	43.41
34.56	7. 29	460	97	15.750		16.000	113	639	5.93	33.54
27.27	7.51	363	100	15.500	-	15.750	226	<b>526</b>	11.86	27.61
19.76	5.11	263	68	15.250	-	15.500	74	300	3.88	15.75
14.65	4 • 43	195 136	59 <b>50</b>	15.000 14.750	-	15.250 15.000	66 76	226	3.46	11.86
10.22 6.46	3.76 2.33	86	31	14.500	-	14.750	35	16L 84	3.99	8 • 40
4.13	1.95	55	26	14.250	-	14.500	21	49	1.84	4 • 41
2.18	. 83	29	11	14.000	_	14.250	14	28	1.10	2.57
1.35	• 90	18	12	13.750	-	14.000	9	14	• 73 • 47	1 • 47 • 73
• 45	.30	6	4	13.500	-	13.750	2	5	.10	• 26
•15	.08	2	1	13.250	-	13.500	3	3	• 16	• 16
.08	0.00	1	Ō	13.000	_	13.250	0	0	0.00	0.00
.08	0.00	ī	0	12.750	_	13.000	0	0	0.00	0.00
.08	0.00	1	0	12.500	-	12.750	Õ	0	0.00	0.00
.08	0.00	ī	õ	12.250	_	12.500	Ō	0	0.00	0.00
.08	.08	1	1	12.000	_	12.250	Ö	0	0.00	0.00
		-	-				•	_	5.00	

## 5. BACK CURVATURE AT HIP

Α.	OMV M	MEN		TNIT		IALS	AIR FO	RCE MO	MEN
	RMY WO		EDO			CHES			
CFRQ%		CFRQ					rku orku	1 12 4474	01 100/
100.00		1331		26.250					
99.92		1330		26.000					
		1329		25.750					
		1329		25.500					
		1329		25.250					
	0.00			25.000					
		1329		24.750					
	0.00			24.500					
		1329		24.250					
		1329		24.000					
		1329		23.750					
99.70		1327		23.500					
99.70	• 08	1327		23.250					
99.62		1326		23.000					
99.47	. 15	1324	2	22.750	-	23.000			
99.32	.30	1322	4	22.500	•	22.750			
99.02	.30	1318	4	22.250	•	22.500			
98.72		1314		22.000					
	1.20			21.750					
				21.500					
95.79				21.250					
94.44				21.000					
93.39				20.750					
				20.500					
89.03				20.250					
				20.000					•
83.32	4.13	1109	55	19.750	-	20.000			
79.19				19.500					
	7.74	984		19.250					
	5.48	881		19.000					
	6.54	808		18.750					
	9.24	721		18.500					
	6.01	598		18.250					
	6.69		89	18.000					
32.23				17.750					
24.72	5.79	329	77			17.750			
18.93	4.06	252	54			17.500			
14.88	3.46	198	46			17.250			
11.42	2.78	152	37			17.000			
8.64	3.08	115	41			16.750			
5.56	1.80	74	24			16.500		•	
3.76	1.58	50	21			16.250			
2.18	. 75	29	10			16.000			
1.43	- 68	19	9			15.750			
.75	• 23	10	3	15.250		15.500			
•53	• 15	7	2	15.000		15.250			
.38	. 23	5	3	14.750		15.000			
.15	.08	2	1	14.500		14.750			
	0.00	1	Ō	14.250		14.500			
.08		1	1	14.000		14.250			
• 08	.08	1	1	T4000	_	T-4670			

#### 6. BACK CURVATURE AT WAIST

```
ARMY WOMEN
                          INTERVALS
                                           AIR FORCE WOMEN
 CFRQ%
        FRQ% CFRQ FRQ
                         IN INCHES
                                        FRQ CFRQ FRQ%
                                                        CFRQ%
100.00
         .08 1331
                     1 23.000 - 23.500
99.92
        0.00 1330
                     0 22.500 - 23.000
 99.92
        0.00 1330
                     0 22.000 - 22.500
99.92
         .08 1330
                     1 21.500
                              - 22.000
99.85
        0.00 1329
                     0 21.000
                              - 21.500
99.85
         .08 1329
                     1 20.500
                              - 21.000
99.77
         .08 1328
                     1 20.000
                              - 20.500
99.70
         .08 1327
                     1 19.500
                              - 20.000
99.62
         .08 1326
                     1 19.000
                              - 19.500
99.55
         .30 1325
                     4 18.500
                              - 19.000
99.25
         .38 1321
                     5 18.000
                              - 18.500
98.87
         •75 1316
                    10 17.500
                              - 18.000
98.12
        1.13 1306
                    15 17.000
                              - 17.500
96.99
        1.73 1291
                    23 16.500
                              - 17.000
95.27
        2.25 1268
                    30 16.000
                              - 16.500
93.01
        3.23 1238
                    43 15.500 - 16.000
        5.79 1195
89.78
                   77 15.000 - 15.500
84.00 10.74 1118 143 14.500 - 15.000
73.25 14.20
              975 189 14.000 - 14.500
59.05 17.43
              786 232 13.500 - 14.000
41.62 15.18
              554 202 13.000 - 13.500
26.45 14.12
              352 188 12.500 - 13.000
12.32
        7.96
              164 106 12.000 - 12.500
 4.36
        3.38
               58
                   45 11.500 - 12.000
  . 98
        • 90
              13
                   12 11.000 - 11.500
  .08
         .08
                1
                    1 10.500 - 11.000
```

## 7. BIACROMIAL (SHOULDER) BREADTH

Δ	RMY WO	MEN		INT	ER	VALS		AIR FO	RCE WO	DMEN
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	0.00	255	0	16.375	-	16.500	1	1905	• 05	100.00
100.00	0.00	255	0	16.250	-	16.375	1	1904	• 05	99.95
100.00	0.00	255	0	16.125	•	16.250	2	1903	• 10	99.90
100.00	0.00	255	8	16.000	-	16.125	4	1901	. 21	99.79
100.00	0.00	255	0	15.875	-	16.000	3	1897	• 16	99.58
100.00	0.00	255	0	15.750	-	15.875	4	1894	. 21	99.42
100.00	0.00	255	G	15.625	-	15.750	11		• 58	99.21
100.00	1.57	255	4	15.500	•	15.625	11	1879	• 58	98.64
98.43	.78	251	2	15.375	-	15.500	20	1868	1.05	98.06
97.65	. 78	249	2	15.250	-	15.375	21	1848	1.10	97.01
96.86	1.18	247	3	15.125		15.250	39	1827	2.05	95.91
95•69	2.35	244	6	15.000	-	15.125	30	1786	1.57	93.86
93.33	4.31	238	11	14.875	-	15.000	73	1758	3.83	92.28
89.02	3.14	227	8	14.750	-	14.875	73	1685	3.83	88.45
85.88	2.75	219	7	14.625	-	14.750	87		4.57	84.62
83.14	7.06	212	18	14.500	-	14.625	123	1525	6.46	80.05
76.08	5.88	194	15	14.375	-	14.500	99	1402	5.20	73.60
70.20	7.84	179	20			14.375	187		9.82	68.40
62.35	8.24	159	21	<del>-</del>	-	-	181	1116	9.50	58.58
54.12	9.80	138	25		-	14.125	101	935	5.30	49.08
44.31	8.24	113	21		~		145	834	7.61	43.78
36.08	5.10	92	13	13.750		13.875	154	689	8.08	36 • 17
30.98	4.71	79	12		-		85	535	4. 46	28.08
26.27	8.24	67	21		-	13.625	133	450	6.98	23.62
18.04	2.75	46	7		-	13.500	94	317	4. 93	16.64
15.29	4.31	39	11			13.375	57	223	2.99	11.71
10.98	3.14	28	8	13.125	•	13.250	62	166	3. 25	8.71
7 • 84	2.35	20	6	13.000	-	13.125	23	104	1.21	5.46
5.49	2.35	14	6		-	13.000	27	81	1.42	4 • 25
3.14	1.96	8	5	12.750	-	12.875	24	54 30	1.26	2.83
1.18	.39	3	1			12.750	8	30	• 42	1.57
• 78	0.00	2	0	12.500	-	12.625	6	22	.31	1.15 .84
•78	0.00	2 <b>2</b>	0 1		-	12.500	8 3	16 8	• 42 • 16	• 64 • 42
•78 •39	.39 0.00	1	0	12.125			ა 5	5	• 26	• 42
• 39	• 39	1	1	12.000		12.125	0	C	0.00	0.00
• 3 9	• 39	1	+	15.000	_	14.172	U	U	J • U U	0 • 00

## 8. BICEPS CIRCUMFERENCE, RELAXED

	ARMY WO	OMEN		INT	ERI	ALS	4	AIR F	ORCE WO	DMEN
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	0.00	255	0	14.500	-	14.750	1	1905	. 05	100.00
100.00	0.00	255	0	14.250	-	14.500	0	1984	0.00	99.95
100.00	0.00	255	0	14.000	-	14.250	2	1904	. 10	99.95
100.00	0.00	255	0	13.750	•	14.000	1	1902	. 05	99.84
100.00	• 39	255	1	13.500	-	13.750	2	1901	. 10	99.79
99.61	0.00	254	0	13.250	•	13.500	0	1899	0.00	99.69
99.61	1.18	254	3	13.000	-	13.250	5	1899	• 26	99.69
98.43	1.18	251	3	12.750	-	13.000	6	1894	. 31	99.42
97.25	0.00	248	0	12.500	-	12.750	2	1888	. 10	99.11
97.25	.39	248	1	12.250	-	12.500	11	1886	• 58	99.00
96.86	1.18	247	3	12.000	-	12.250	33	1875	1.73	98.43
95.69	1.96	244	5	11.750	-	12.000	26	1842	1.36	96.69
93.73	2.35	239	6	11.500	-	11.750	35	1816	1.84	95.33
91.37	3.53	233	9	11.250	-	11.500	62	1781	3.25	93.49
87.84	4.31	224	11	11.000	-	11.250	106	1719	5.56	90.24
83.53	7.06	213	18			11.000	100	1613	5. 25	84.67
76.47		195	36	10.500	-	10.750	144	1513	7.56	79.42
62.35	8.24	159	21	10.250		10.500	197		10.34	71.86
54.12	13.33	138	34		-	10.250		1172		61.52
40.78	9.41	104	24	9.750	-	10.000	185	902	9.71	47.35
31.37	5.88	80	15	9.500	-	9.750	197	717	10.34	37.64
25.49	7.84	65	20	9.250	-	9.500	269	520	10.97	27.30
17.65	6.27	45	16	9.000	-	9.250	121	311	6.35	16.33
11.37	2.35	29	6	8.750	-	9.000	90	190	4.72	9.97
9.02	3.92	23	10	8.500	-	8.750	61	100	3.20	5.25
5.10	4. 31	13	11	8.250	-	8.500	23	39	1.21	2.05
.78	• 39	2	1	8.000	-	8.250	12	16	. 63	• 84
• 39	• 39	1	1		-	8.000	3	4	• 16	• 21
0.00	0.00	0	G	7.500	-	7.750	1	1	. 05	• 05

## 9. BUST CIRCUMFERENCE

ARMY HOMEN  CFRQX FRQX CFRQ FRQ IN INCHES FRQ CFRQ FRQX CFRQX CFRQX 100.00 99.92 0.00 1330 0 50.000 99.92 0.00 1330 0 49.500 - 50.500 0 1905 0.00 100.00 99.92 0.00 1330 0 49.500 - 50.000 0 1905 0.00 100.00 99.92 0.00 1330 0 49.500 - 49.500 0 1905 0.00 100.00 99.92 0.00 1330 0 48.500 - 49.500 0 1905 0.00 100.00 99.92 0.00 1330 0 48.500 - 48.500 0 1905 0.00 100.00 99.92 0.00 1330 0 47.500 - 48.600 0 1905 0.00 100.00 99.92 0.00 1330 0 47.500 - 48.600 0 1905 0.00 100.00 99.92 0.00 1330 0 47.500 - 48.600 0 1905 0.00 100.00 99.92 0.00 1330 0 47.500 - 48.600 0 1905 0.00 100.00 99.92 0.00 1330 0 47.500 - 48.600 0 1905 0.00 100.00 99.92 0.00 1329 0 46.600 - 47.500 0 1905 0.00 100.00 99.85 0.00 1329 0 45.500 - 46.600 0 1905 0.00 100.00 99.85 0.00 1329 0 45.500 - 46.600 0 1905 0.00 100.00 99.85 0.00 1329 0 45.500 - 45.500 0 1905 0.00 100.00 99.85 0.00 1326 0 44.500 - 45.500 0 1905 0.00 100.00 99.87 0.15 1328 2 44.500 - 45.500 0 1905 0.00 100.00 99.87 0.00 100.00 99.87 0.00 1326 0 43.600 - 44.500 2 1902 0.00 100.00 99.87 99.62 0.00 1326 0 43.600 - 44.500 2 1902 0.00 100.00 99.87 99.62 0.00 1326 0 43.600 - 44.500 2 1902 0.00 100.00 99.87 99.62 0.00 1326 0 43.500 - 44.500 0 1805 0 1905 0 0 100.00 100.00 99.87 0 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100
100.00
99.92
99.92
99.92
99.92
99.92       0.00       1330       0       48.000       -       48.500       0       1905       0.00       100.00         99.92       0.00       1330       0       47.500       -       48.000       0       1905       0.00       100.00         99.92       0.00       1330       0       47.000       -       47.500       0       1905       0.00       100.00         99.85       0.00       1329       0       46.500       -       47.000       0       1905       0.00       100.00         99.85       0.00       1329       0       45.500       -       46.000       0       1905       0.00       100.00         99.85       0.00       1329       0       45.500       -       46.000       0       1905       0.00       100.00         99.85       0.08       1329       1       45.000       -       45.500       0       1905       0.00       100.00         99.87       15       1328       2       44.500       -       45.000       1905       0.00       100.00         99.62       0.00       1326       0       44.000       -       44.500 <td< td=""></td<>
99.92
99.92
99.92
99.85
99.85
99.85
99.77
99.62       0.00       1326       0.44.000       -44.500       2.1904       .10       99.95         99.62       0.00       1326       0.43.500       -44.000       2.1902       .10       99.84         99.62       0.00       1326       0.43.000       -43.500       4.1900       .21       99.74         99.62       .23       1326       3.42.500       -43.000       4.1896       .21       99.53         99.40       .15       1323       2.42.000       -42.500       4.1892       .21       99.32         99.25       .45       1321       6.41.500       -42.000       9.1888       .47       99.11         98.80       .38       1315       5.41.000       -41.500       14.1879       .73       98.64         98.42       .30       1310       4.40.500       -41.000       11.1865       .58       97.90         98.12       .53       1306       7.40.000       -40.500       17.1854       .89       97.32
99.62       0.00       1326       0       43.500       -       44.000       2       1902       .10       99.84         99.62       0.00       1326       0       43.000       -       43.500       4       1900       .21       99.74         99.62       .23       1326       3       42.500       -       43.000       4       1896       .21       99.53         99.40       .15       1323       2       42.000       -       42.500       4       1892       .21       99.32         99.25       .45       1321       6       41.500       -       42.000       9       1888       .47       99.11         98.80       .38       1315       5       41.000       -       41.879       .73       98.64         98.42       .30       1310       4       40.500       -       41.000       11       1865       .58       97.90         98.12       .53       1306       7       40.000       -       40.500       17       1854       .89       97.32
99.62       0.00       1326       0.43.000       -43.500       4.1900       .21       99.74         99.62       .23       1326       3.42.500       -43.000       4.1896       .21       99.53         99.40       .15       1323       2.42.000       -42.500       4.1892       .21       99.32         99.25       .45       1321       6.41.500       -42.000       9.1888       .47       99.11         98.80       .38       1315       5.41.000       -41.500       14.1879       .73       98.64         98.42       .30       1310       4.40.500       -41.000       11.1865       .58       97.90         98.12       .53       1306       7.40.000       -40.500       17.1854       .89       97.32
99.62       .23       1326       3       42.500       -       43.000       4       1896       .21       99.53         99.40       .15       1323       2       42.000       -       42.500       4       1892       .21       99.32         99.25       .45       1321       6       41.500       -       42.000       9       1888       .47       99.11         98.80       .38       1315       5       41.000       -       41.500       14       1879       .73       98.64         98.42       .30       1310       4       40.500       -       41.000       11       1865       .58       97.90         98.12       .53       1306       7       40.000       -       40.500       17       1854       .89       97.32
99.40 .15 1323 2 42.000 - 42.500 4 1892 .21 99.32 99.25 .45 1321 6 41.500 - 42.000 9 1888 .47 99.11 98.80 .38 1315 5 41.000 - 41.500 14 1879 .73 98.64 98.42 .30 1310 4 40.500 - 41.000 11 1865 .58 97.90 98.12 .53 1306 7 40.000 - 40.500 17 1854 .89 97.32
99.25 .45 1321 6 41.500 - 42.000 9 1888 .47 99.11 98.80 .38 1315 5 41.000 - 41.500 14 1879 .73 98.64 98.42 .30 1310 4 40.500 - 41.000 11 1865 .58 97.90 98.12 .53 1306 7 40.000 - 40.500 17 1854 .89 97.32
98.80 .38 1315 5 41.000 - 41.500 14 1879 .73 98.64 98.42 .30 1310 4 40.500 - 41.000 11 1865 .58 97.90 98.12 .53 1306 7 40.000 - 40.500 17 1854 .89 97.32
98.42 .30 1310
98.12 .53 1306 7 40.000 - 40.500 17 1854 .69 97.32
97.60 .83 1299 11 39.500 - 40.000 21 1837 1.10 96.43
96.77 1.58 1288 21 39.000 - 39.500 39 1816 2.05 95.33
95.19 2.10 1267 28 38.500 - 39.000 48 1777 2.52 93.28
93.09 2.78 1239 37 38.000 - 38.500 52 1729 2.73 90.76
90.31 2.55 1202 34 37.500 - 38.000 64 1677 3.36 88.03
87.75 4.43 1168 59 37.000 - 37.500 88 1613 4.62 84.67
83.32 5.63 1109 75 36.500 - 37.000 108 1525 5.67 80.05
77.69 5.94 1034 79 36.000 - 36.500 158 1417 8.29 74.38
71.75 9.09 955 121 35.500 - 36.000 145 1259 7.61 66.09
62.66 7.21 834 96 35.000 - 35.500 188 1114 9.87 58.48
55.45 6.46 738 86 34.500 - 35.000 175 926 9.19 48.61
48.99 8.04 652 107 34.000 - 34.500 209 751 10.97 39.42
40.95 8.11 545 108 33.500 - 34.000 145 542 7.61 28.45
32.83 6.31 437 84 33.000 - 33.50ú 138 397 7.24 20.84
26.52 6.84 353 91 32.500 - 33.000 104 259 5.46 13.60
19.68 6.61 262 88 32.000 - 32.500 71 155 3.73 8.14
13.07 4.58 174 61 31.500 - 32.000 44 84 2.31 4.41
8.49 3.31 113 44 31.000 - 31.500 23 40 1.21 2.10
5.18 2.25 69 30 30.500 - 31.000 13 17 .68 .89
2.93 1.95 39 26 30.000 - 30.500 2 4 .10 .21
.98 .38 13 5 29.500 - 30.000 2 2 .10 .10
•60 •30 8 4 29•000 <del>-</del> 29•500 0 0 0•00 0•00
.30 .23 4 3 28.500 - 29.000 0 0.00 0.00
.08 0.00 1 0 28.000 - 28.500 0 0 0.00 0.00
.08 0.00 1 0 27.500 - 28.000 0 0 0.00 0.00
•08 •08 1 1 27•000 <del>-</del> 27•500 0 0 0•00 0•00

## 10. BUSTPOINT TO BUSTPOINT BREADTH

A	RHY	MOM	ΕN	
CFRQ%	FRQ	% C	FRQ	FRQ

	ΙN	T	E	RVA	LS	5			A	I	R	F	OR	CE	:	W	OM	E١	ł	
	IN	}	I	NCH	ES	3		F	રવ	C	FF	Q				3%		CF	R	Q%
9.	62	5		-	9.	7	50		1	1	91	15		•	, (	35	1			00
9.	50	0		-	9.	6	25		2	1	9(	) 4				LO				95
9.	37	5		-	9,	5	0.0		0	1	9(	2		0.	. (	0 0				84
9.	25	0	,	-	9.	3	75		1	1	9 (	12				05				84
9.	12	5		-			50		3			1				16				79
9.	00	0		-	9.	1	25		5			38				26				63
8.	87	5		-	9,	0	00		5	1	8	93				26				37
8.	<b>7</b> 5	0		-	8.	8	75	:	LO	1	8 8	88				52				11
8.	62	5		-	8	, 7	50	;	11			78				58			-	58
8.	50	0		-	8.	6	25	7	25	1	8 6	57				31				01
8.	37	5		-	8.	5	00		22			+2				15				69
8.	25	0		-	8	. 3	75	•	+6			20				+1				54
8.	12	5		-	8 .	. 2	50	;	39			74				)5				12
	00			-			25	(	60			35				15				80
	87			-			00		56			75				94				93
7.	75	0		_	7.	8	75		38	1	6:	19				24				99
	62			-	7	. 7	50		26			31				51				74
7.	50	0		-	7.	6	25	1	06			55				56				13
7.	37	5		-	7	5	0.0		46			49				56				56
	25			-			75		55	1		03				66				90
	12			-			50		06			38	1			31				24
	ũ O			-			. 25		33			32				98				43
	87			-			0.0		48			99				77				44
	75			-			175		09			51				72				67
	62			-			50		14			42				98				95
	50			-			25		57			28				99				97
	37			-			00		65			71				41				98
	25			-			75		37			16				94				56
	12			-			50		20			59				05				62
	0 0			-			. 25	i	25			+9		_		31				57
	87			-			00		9			24				+7		1		26
	75			-			75		5			15				26				79
	62			-			50		2		;	10				10				52
	50			-			25		5			8				26				42
	37			-			00		1			3				05				16
	25			-			75		1			2				05				10
5.	12	5		-	5	. 2	50		1			1		•	. (	5			•	05

# 11. BUTTOCK CIRCUMFERENCE, SITTING

	ARMY WO	DHEN		INT	ER	VALS		AIR F	ORCE W	OMEN
CFRQX	FRQ%	CFRQ	FRQ	IN	IN	CHES		CFRQ		CFRQ%
100.00	0.00	255	0	50.500		51.000	1		. 05	-
100.00	0.00	255	0	50.000	-	50.500	0	1904	0.00	99.95
100.00	0.00	255	S	49.500	-	50.000	1	1904	. 05	99.95
100.00	• 39	255	1	49.000	-	49.500	0	1903	0.00	99.90
99.61	0.00	254	٥	48.500	-	49.000	2	1903	. 10	99.90
99.61	0.00	254	8	48.000	-		3	1901	. 16	99.79
99.61	0.00	254	0	47.500	-	48.000	2	1898	.10	99.63
99.61	0.00	254	0	47.000	•	47.500	5	1896	• 26	99.53
99.61	0.00	254	0	46.500	-	47.000	4	1891	• 21	99.27
99.61	.39	254	1	46.000	•	46.500	10	1887	. 52	99.06
99.22	• 39	253	1	45.500		46.000	5	1877	. 26	98.53
98.82	.78	252	2	45.000	-	45.500	10	1872	.52	98.27
98.04	0.00	250	0			45.000	9	1862	. 47	97.74
98.04	1.18	250	3	44.000	-	44.500	26	1853	1.36	97.27
96.86	. 39	247	1	43.500	-			1827	1.21	95.91
96.47	2.75	246	7	43.000	-	43.500	28	1804	1.47	94.70
93.73	1.18	239	3	42.500	-	43.000	48	1776	2.52	93.23
92.55	3.14	236	8	42.800	-	42.500	56	1728	2.94	90.71
89.41	4.31	228	11	41.500	-	42.000	83	1672	4.36	87.77
85.10	4.31	217	11	41.000	-	41.500	101	1589	5.30	83.41
80.78	3.53	206	9	40.500	-		144	1488	7.56	78.11
77.25	5.88	197	15	40.000		40.500	118	1344	6.19	70.55
71.37	6.27	182	16	39.500	-	40.000	148	1226	7.77	64.36
65.10	5.88	166	15		•		171	1076	8.98	50.59
59.22	7.45	151	19			39.000	198	907	10.39	47.61
51.76	9.41	132	24			38.500	142	709	7.45	37.22
42.35	8.24	108	21	37.500		38.000	157	567	8.24	29.76
34.12	5.88	87	15	37.000	-	37.500	140	410	7.35	21.52
28.24	6.67	72	17	36.500	-	37.000	76	270	3.99	14.17
21.57	5.88	55	15	36.000	-	36.500	81	194	4. 25	10.18
15.69	2.75	40	7	35.500	-		46	113	2.41	5 • 93
12.94	5.10	33	13	35.000	-	35.500	31	67	1.63	3.52
7.84	1.96	20	5	34.500	-	35.000	15	36	• 79	1.89
5.88	3.53	15	9	34.000	-	34.500	13	21	• 68	1.10
2.35	1.57	6	4	33.500	-	34.000	8	8	• 42	• 42
• 78	0.00	2	8			33.500	0	C	0.00	0.00
•78	• 39	2	1			33.000	0	0	0.00	0.00
. 39	• 39	1	1	32.000	-	32.500	0	0	0.00	$0 \bullet 0 0$

## 12. CALF CIRCUMFERENCE

ı	ARMY WO	OMEN		INT	ER	VALS		AIR F	ORGE WE	OMEN
CFRQ%	FRQ%	CFRQ	FRQ	IN :	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	. 08	1331	1	18.500	-	18.750	0	1905	0.00	100.00
99.92	0.00	1330	0	18.250	-		0	1905	0.00	100.00
99.92	0.00	1330	0	18.000	-	18.250	0	1905	0.00	100.00
99.92	0.30	1330	0	17.750	-	18.000	0	1905	0.00	100.00
99.92	.08	1330	1	17.500	-	17.750	1	1905	• û5	100.00
99.85	0.00	1329	0	17.250	-	17.500	1	1904	. 05	99.95
99.85	.08	1329	1	17.000	-	17.250	0	1903	0.00	99.90
99.77	. 23	1328	3	16.750	-	17.000	0	1903	0.00	99.90
99.55	• 15	1325	2	16.500	•	16.750	0	1903	0.00	99.90
99.40	. 38	1323		16.25J	-	16.500	2	1903	.10	99.90
99.02	• 53	1318	7	16.000	-	16.250	4	1901	. 21	99.79
98 <b>.50</b>	1.20	1311		15.750		16.000	8		• 42	99.58
97.30	2.10	1295	28	15.500	-	15.750	9	_	. 47	99.16
95.19	2.40	1267	32			15.500		1880	1.00	98 <b>.69</b>
92.79	3.23	1235		15.00J			27		1.42	97.69
89.56	5.48	1192	73				71		3.73	96 • 27
84.07	7.74			14.500				1763	4.09	92.55
76.33	9.09	1016	121			14.500	136		7.14	88.45
67.24	8.41	895	112			14.250	128	1549		81.31
58.83	11.42	783	152			14.000	208	1421		74.59
47.41	10.82	631	144	13.500			179		9.40	63.67
36.59	8.19	487	169			13.500	207	1034		54.28
28.40	8.11	378	108	13.000	-		204	827		43.41
20.29	6.24	270	83	12.750	-		219	623		32.70
14.05	4.21	187	56	12.500	-		130	404	6.82	21.21
9.84	3.46	131	46	12.250	-		108	274	5.67	14.38
6.39	3.83	85	51	12.000	-		90	166	4.72	8.71
2.55	1.58	34	21	11.750		12.000	44	76	2.31	3.99
• 98	• 53	13	7	11.500		11.750	15	32	• 79	
• 45	• 08	6	1	11.250		11.500	9	17	. 47	• 89
• 38	• 30	5		11.000		11.250	4	8	• 21	• 42
.08	.08	1	1	10.750		11.000	3	4	• 16	
0.00	0.00	0	0	10.500	-	10.750	1	1	• 05	• 05

## 13. CERVICALE HEIGHT

ARMY WOMEN				INT	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	. 39	255	1	63.500	-	64.000	0	1905	0.00	100.00
99.61	0.00	254	0	63.000	-	63.500	0	1905	0.00	100.00
99.61	0.00	254	٥	62.500	•	63.000	0	1905	0.00	100.00
99.61	. 39	254	1	62.000	-	62.500	0	1905	0.00	100.00
99.22	. 39	253	1	61.500	•	62.000	2	1905	. 10	100.00
98.82	0.00	252	0	61.000	-	61.500	3	1903	• 16	99.90
98.82	. 39	252	1	60.500	-	61.000	8	1900	• 42	99.74
98.43	.78	251	2	60.000	-	60.500	9	1892	. 47	99.32
97.65	1.57	249	4	59.500	-	60.000	6	1883	• 31	98.85
96.08	1.18	245	3	59.000		59.500	21	1877	1.10	98.53
94.90	2.35	242	6	58.500	-	59.000	35	1856	1.84	97.43
92.55	2.35	236	6		-		59	1821	3.10	95.59
90.20	4.31	230	11			58.000	80	1762	4.20	92.49
85.88	7.84	219	20	57.000			94	1682	4.93	88.29
78.04	8.24	199	21		-	57.000	110	1588	5.77	83.36
69.80	7.86	178	18	56.000	-		131	1478	6.88	
62.75	8.63	160	22	55.500		56.000	156		8.19	70.71
54.12	6.67	138	17	55.000		55.500	147	1191	7.72	62.52
47 • 45	9.80	121	25	54.500	-		179	1044	9.40	54.80
37.65	8.63	96	22	54.000	-		158	865	8.29	45.41
29.02	7.45	74	19	53.500	-		172	707	9.03	37.11
21.57	4.31	55	11	53.000	-		113	535	5.93	28.08
17.25	4.71	44	12		-		117	422	6. 14	22.15
12.55	3.14	32	8	52.000	-		128	305	6.72	16.01
9.41	2.35	24	,6	51.500	-	52.000	68	177	3.57	9.29
7.06	3.14	18	8	51.000		51.500	47	109	2.47	5.72 3.25
3.92	1.57	10	4	50.500	-		33 18	62 29	1.73 .94	1.52
2.35	1.57	6	4	50.000	_	50.500	4	11	. 21	•58
.78	.78	2	2	49.500	_		4	7	. 21	. 37
0.00	0.00	0	0	49.000 48.500	-		2	3	.10	. 16
0.00	0.00	0	0	48.000	-		0	1	0.00	• 05
0.00	0.00	0	0	47.500		48.000	1	1	.05	• 05
0 • 0 0	4 • 0 0	U	U	7/0200	_	700000	-		• • •	• • •

## 14. CHEST BREADTH

Δ	INT	VALS	AIR FORCE WOMEN							
CFRQ%	RMY WO	CFRQ	FRO			CHES		CFRQ		CFRQ%
	•15			14.875				1905		100.00
99.85		1329		14.750				1905		100.00
99.85		1329		14.625				1905	0.00	
99.85		1329		14.500				1905		100.00
99.85		1329		14.375						
								1905	0.00	
99•85 99•85		1329		14.250				1905	0.00	
		1329				14.250		1905		100.00
99.85		1329		14.000				1904	0.00	99.95
99.85		1329		13.875				1904	0.00	
99.85	.08	1329				13.875		1904	0.00	
99.77		1328				13.750		1904	• 10	99.95
99.70		1327				13.625		1902		
99.62		1326				13.500		1898		99.63
99.62		1326				13.375		1895		99.48
99.47		1324				13.250		1893		
99.17		1320				13.125				
98.72						13.000		1883		98 • 85
98.42		1310				12.875		1877		
97 • 90		1303		12.625				1866		
97.15		1293				12.625		1857		
96•39		1283				12.500		1832	1.57	
95.42		1270				12.375		1802	1.05	
93.99		1251				12.250		1782		93.54
91.89	2.25	1223	30	12.000	-	12.125	41	1739	2.15	91.29
89.63	3.23	1193	43	11.875	-	12.000	40	1698	2.10	89.13
86.40	3.91	1150	52	11.750	•	11.875	54	1658	2.83	87.03
82.49	4.51	1098	60	11.625	-	11.750	54	1604	2.83	84.20
77•99	6.01	1038				11.625	82	1550	4.30	81.36
71.98	8.26	958	110	11.375	-	11.500	139	1468	7.30	77.06
63.71	5.94	8 48	79	11.250	-	11.375	97	1329	5.09	69.76
57.78	6.16	769	82	11.125	-	11.250	129	1232	6.77	64.67
51.62	5.71	687	76	11.000	-	11.125	134	1103	7.03	57.90
45.91	6.09	611	81	10.875	-	11.000	99	969	5.20	50.87
39.82	6.76	530	90	10.750	•	10.875	145	870	7.61	45 • 67
33.06	8.64	440	115	10.625	-	10.750	155	725	8.14	38.06
24.42	5.18	325	69	10.500	•	10.625	95	570	4.99	29.92
19.23	5.11	256	68	10.375	-	10.500	137	475	7.19	24.93
14.12	3.38	188	45	10.250	-	10.375	65	338	3.41	17.74
10.74	3.01	143	40	10.125	-	10.250	67	273	3.52	14.33
7.74	3.31	103	44	10.000	-	10.125	88	206	4.62	10.81
4.43	1.05	59	14	9.875	-	10.000	31	118	1.63	6.19
3.38	1.65	45	22	9.750	•	9.875	27	87	1.42	4.57
1.73	.60	23	8	9.625	-	9.750	24	60	1.26	3.15
1.13	. 75	15	10	9.500	•	9.625	18	36	• 94	1.89
. 38	. 15	5	2		-	9.500	10	18	• 52	• 94
. 23	. 23	3	3		-	9.375	4	8	. 21	• 42
0.00	0.00	0	Ō	9.125		9.250	2	4	.10	• 21
0.00	0.00	0	Ö		-	9.125	Ō	2	0.00	.10
0.00	0.00	Ō	Ö	8.875		9.000	1	2	. 05	•10
0.00	0.00	Ö	Ō		-	8.875	1	1	. 05	• 05

15. CHEST CIRCUMFERENCE AT SCYE

ARMY WOMEN				INT	VALS	AIR FORCE WOMEN				
CFRQ%	FRQX	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	.08	1331	1	47.250		47.750	0	1905	0.00	100.00
99.92	0.00	1330	0	46.750		47.250	0	1905	0.00	100.00
99.92	0.00	1330	ō	46.250	-	46.750	Ō	1905	0.00	100.00
99.92	0.00	1330	Ō	45.750	•		ũ	1905	0.00	100.00
99.92	0.00	1330	Ö	45.250	•	45.750	0	1905	0.00	100.00
99.92	0.00	1330	0	44.750		45.250	Ō	1905	0.00	100.00
99.92	0.00	1330	0	44.250	-		0	1905	0.00	100.00
99.92	0.00	1330	0	43.750	-	44.250	0	1905	0.00	100.00
99.92	0.00	1330	0	43.250	-	43.750	0	1905	0.00	100.00
99.92	.08	1330	1	42.750	-	43.250	0	1905	0.00	100.00
99.85	.08	1329	1	42.250	•	42.750	0	1905	0.00	100.00
99.77	0.00	1328	0	41.750	-	42.250	0	1905	0.00	100.00
99.77	.08	1328	1	41.250	-	41.750	0	1905	0.00	100.00
99.70	.08	1327	1	40.750	-	41.250	Û	1905	0.00	100.00
99.62	0.00	1326	8	40.250	-	40.750	2	1905	• 10	100.00
99.62	. 38	1326	5	39.750	-	40.250	8	1903	• 42	99.90
99.25	• 15	1321	2	39.250	-	39.750	6	1895	. 31	99.48
99.10	. 45	1319	6	38.750	-	39.250	8	1889	• 42	99.16
98•65	• 45	1313	6	38.250	-	38.750	5	1881	• 26	98.74
98.20	1.50	1307	20		-	38.250	13	1876	• 68	98.48
96.69	• 98	1287	13	37.250	-		23	1863	1.21	97.80
95.72	1.58	1274	21	36.750	-	37.250	32	1840	1.68	96.59
94.14	3.91	1253	52		-	36.750	28	1808	1.47	94.91
90.23	4.13	1201	55		-			1780	3.10	93.44
86.10	6.84	1146	91	35.250	-	•	67	1721	3.52	90.34
79.26	7.89	1055	105	34.750	-	35.250	125	1654	6.56	86.82
71.37	9.77	950	130	34.250	-	34.750	134	1529	7.03	80.26
61.61	7.89	820	105		-		122	1395	6.40	73.23
53.72	9.54	715	127	33.250	-		212	1273	11.13	66.82
44.18	10.82	588	144	32.750	-	33.250	215	1061	11.29	55.70
33.36	7.29	444	97	32.250	-	32.750	202	846	10.60	44 • 41
26.07	9.09	347	121		-	32.250	191	644	10.03	33.81
16.98	6.39	226	85	31.250	-		180	453	9.45	23.78
10.59	4.51	141	60	30.750	-	31.250 30.750	163 83	273 170	5. 41 4. 36	14.33 8.92
6.09	2.78	81	37 28	30.250	-	30.250	40	87	2.10	4.57
3.31	2.10	44	20 9	29.750	-	29.750	30	67 47	1.57	2.47
1.20	• 68	16	5	28.750	-	29.750	10	17	• 52	. 89
•53	.38 .15	7 2	2			28.750	10 6	7	• 31	• 37
•15 0•00	0.00	0	0			28.250	1	1	• 05	• 05
<b>U • U</b> U	0 • 0 0	Ų	U	61 1 1 20	_	C0 1 C 20	Τ.	7	• 65	• UD

## 16. CROTCH HEIGHT

Δ	TNT	ALS	AIR FORCE WOMEN							
CFRQ%	RMY WO		FRO			CHES		CFRQ	FRQ%	
100.00		1331		36.000			-	1965		100.00
99.92	0.00	1330		35.750				1905		100.00
99.92	.08	1330		35.500			Ö	_		180.00
99.85	.08	1329		35.250				1905		100.00
99.77	• 08	1328		35.000		_	Õ			100.00
99.70	• 30	1327		34.750			0			100.00
99.40		1323		34.500				1905		100.00
99.25		1321				34.500		1905		100.00
99.10		1319				34.250		1900	• 16	99.74
98.35	• 68	1309				34.000		1897	• 21	
97.67		1300				33.750		1893	0.00	
97.22	• 98	1294				33.500		1893	• 16	
96.24		1281	11					1890	• 73	
95.42		1270	35			33.250				
	2.63					33.000		1876	• 37	
92.79		1235	23			32.750		1869	• 63	98.11
	2.78	1212	37			32.500			1.31	
	2.48	1175	33			32.250		1832	1.26	
85.80	2.63	1142	35			32.000		1808	1.73	
83.17	3.83	1107	51			31.750		1775	2.05	
79.34	3.68	1056	49			31.500			2.94	
75.66	4.13	1007	55			31.250		1680	3.41	
71.53	3.68	952	49			31.000			3.20	
67.84	5.63	903				30.750		1554	4. 15	
62.21	5.03	828	67			30.500		1475	4.20	
57.18	6.69	761	89			30.250			5.09	
50.49	4.88	672	65			30.000			6.30	
45.60	6.39	607	85			29.750			6.88	
39.22	6.99	522	93			29.500	129		6.77	
32.23	4.88	429	65			29.250	121		6.35	
27.35	4.88	364	65	28.750			93	797	4.88	
22.46	5.18	299	69			28.750			6.88	
17.28	3.38	230	45	28.250			96	573	5.04	
13.90	2.93	185	.39			28.250	80		4.20	
10.97	2.93	146		27.750			92		4.83	
	2.10					27.750				16.01
5.94	1.58	79		27.250			78			12.70
4.36	1.20	58				27.250			2.31	9.03
3.16	1.13	42				27.000				
2.03	• 75	27		26.500				8E	1.73	4.51
1.28	• 38	17				26.500			• 89	
. 90	. 30	12		26.000			10		• 52	1.89
• 60	• 15	8				26.000			• 63	1.36
• 45	• 23	6		25.500			5	14	• 26	• 73
• 23	• 08	3		25.250			4	9	• 21	• 47
• 15	80.0	2				25.250		5		• 26
•08	0.00	1		24.750			3		• 16	• 26
• 08	.08	1 0		24.500			0	2		• 10
	0.00	0		24.250			1 0	1	• 05 0• 00	•10 •05
0.00	0.00	0		23.750						
0.00	$0 \cdot 00$	U	U	230120	_	C 7 0 U U U	1	1	• 05	• 05

#### 17. CROTCH LENGTH

```
ARMY WOMEN
                            INTERVALS
                                             AIR FORCE WOMEN
 CFRQ%
         FRQ% CFRQ FRQ
                            IN INCHES
                                          FRQ CFRQ FRQ%
                                                           CFRQ%
100.00
                      1 39.375 - 39.875
          .08 1331
 99.92
         0.00 1330
                      0 38.875 - 39.375
 99.92
         0.00 1330
                      0 38.375 - 38.875
 99.92
         0.00 1330
                      0 37.875
                                - 38.375
 99.92
         0.00 1330
                      0 37.375
                                - 37.875
 99.92
         0.00 1330
                      0 36.875
                                - 37.375
 .99.92
         0.00 1330
                      0 36.375
                                - 36.875
 99.92
         0.00 1330
                      0 35.875
                                  36.375
 99.92
         0.00 1330
                      0 35.375
                                - 35.875
 99.92
         0.00 1330
                      0 34.875
                               - 35.375
 99.92
          .08 1330
                      1 34.375
                                  34.875
 99.85
          .45 1329
                      6 33.875
                               - 34.375
 99.40
          •75 1323
                     10 33.375 - 33.875
 98.65
          .90 1313
                     12 32.875
                               - 33.375
 97.75
                     19 32.375
         1.43 1301
                               - 32.875
 96.32
         2.33 1282
                     31 31.875
                               - 32.375
 93.99
         3.23 1251
                     43 31.375
                               - 31.875
 90.76
         4.13 1208
                     55 30.875
                               - 31.375
 86.63
         8.94 1153 119 30.375
                               - 30.875
 77.69
        7.74 1034 103 29.875 - 30.375
 69.95
               931 108 29.375 - 29.875
        8.11
 61.83 10.59
               823 141 28.875 - 29.375
 51.24
         8.56
               682 114 28.375 - 28.875
 42.67 10.52
               568 140 27.875 - 28.375
        7.89
               428 105 27.375 - 27.875
 32.16
 24.27
        6.39
               323
                    85 26.875 - 27.375
. 17.88
        5.79
               238
                    77 26.375 - 26.875
 12.10
        4.21
               161
                    56 25.875 - 26.375
  7.89
        2.03
               105
                    27 25.375 - 25.875
  5.86
        1.58
                    21 24.875 - 25.375
                78
  4.28
        1.35
                57
                    18 24.375 - 24.875
                    12 23.875 - 24.375
  2.93
         . 90
                39
  2.03
         • 53
                27
                     7 23.375 - 23.875
                     4 22.875 - 23.375
  1.50
         . 30
                20
  1.20
         • 45
                16
                     6 22.375 - 22.875
   . 75
         • 15
                10
                     2 21.875 - 22.375
   . 60
         .08
                 8
                     1 21.375 - 21.875
                     3 20.875 - 21.375
   • 53
         . 23
                 7
                     4 20.375 - 20.875
  . 30
         .30
                 4
```

18. ELBOW CIRCUMFERENCE, FLEXED

Α	RMY WO	OMEN		INTERVALS				AIR FORCE WOMEN			
CFRQ%		CFRQ	FRQ			CHES		CFRO	FRQ%	CFRQ%	
100.00	0.00			14.000				1905		100.00	
100.00		1331		13.875				1904	0.00	99.95	
100.00		1331		13.750				1904	0.00	99.95	
100.00		1331		13.625				1904	0.00	99.95	
100.00	0.00	1331		13.500			Õ		0.00	99.95	
100.00		1331		13.375				1904	0.00	99.95	
100.00		1331		13.250				1904	. 05	99.95	
100.00		1331		13.125				1903	0.00	99.90	
100.00	0.00	1331		13.000				1903	. 05	99.90	
100.00	.08	1331		12.875				1902	0.00	99.84	
99.92	.08	1330		12.750			1		. 05	99.84	
99.85	0.00	1329		12.625				1901	. 16	99.79	
99.85	0.00	1329		12.500				1898	. 37	99.63	
99.85	0.00	1329		12.375			8		. 42	99.27	
99.85	. 15	1329		12.250		12.375		1883	. 16	98 • 85	
99.70	.30	1327		12.125		12.250		1880	. 94	98.69	
99.40	. 15	1323			_	12.125		1862	1.10	97.74	
99.25	• 53	1321		11.875				1841	.94	96.64	
98.72	• 30	1314		11.750				1823	1.63	95.70	
98.42	• 38	1310		11.625				1792	1.47		
98.05	1.20	1305		11.500				1764	2.73	92.60	
96.84	1.58	1289		11.375				1712	4.36	89.87	
95.27	1.20	1268		11.250			50		2.62	85.51	
94.06	2.48	1252		11.125				1579	6.09	82.89	
91.59		1219		11.000				1463	6.98	76.80	
88.35		1176		10.875				1330	2.57	69.82	
85.73	5.11	1141		10.750				1281	7.77	67.24	
80.62	7.14	1073		10.625			206	1133	10.81	59.48	
73.48	5.26	978		10.500			58	927	3.04	48.66	
68.22	7.21	908		10.375			172	869	9.03	45.62	
61.01	7.59			10.250			84	697	4.41	36.59	
53.42	6.99	711	93	10.125			130	613	6.82	32.18	
46.43	8.11	618	108		-		126	483	6.61	25.35	
38.32	8.79	510	117	9.875			88	357	4.62	18.74	
29.53	5.26	393	70				76	269	3.99	14.12	
24.27	7.36	323	98	9.625	-	9.750	66	193	3.46	10.13	
16.90	5.41	225	72	9.500	-	9.625	44	127	2.31	6.67	
11.50	3.23	153	43	9.375	-	9.500	27	83	1.42	4.36	
8.26	3.68	110	49	9.250	•	9.375	21	56	1.10	2 • 94	
4.58	1.88	61	25	9.125	•	9.25û	10	35	• 52	1.84	
2.70	.90	36	12	9.000	•	9.125	12	25	• 63	1.31	
1.80	• 53	24	7	8.875	-	9.000	5	13	• 26	• 68	
1.28	.60	17	8		-	8.875	4	8	• 21	• 42	
• 68	• 45	9	6	8.625	-	8.750	2	4	• 10	• 21	
• 23	. 15	3	2		-	8.625	1	2	• 05	• 10	
• 08	.08	1	1	8.375	-	8.500	1	1	• 05	• 05	

19. FRONT CURVATURE AT BUST

,	ARMY WO	OMEN		INT	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ	IN	ΙN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	0.00	1331	0	26.250	-	26.750	1	1905	. 05	100.00
100.00	.08	1331	1	25.750		26.250	1	1904	• 05	99.95
99.92	0.00	1330	0	25.250	-	25.750	0	1903	0.00	99.90
99.92	.08	1330	1	24.750	-	25.250	3	1903	. 16	99.98
99.85	.08	1329	1	24.250	-	24.750	5	1900	• 26	99.74
99.77	0.00	1328	Û	23.750	-	24.250	4	1895	. 21	99.48
99.77	. 38	1328	5	23.250	-	23.750	7	1891	• 37	99.27
99.40	. 15	1323	2	22.750	-	23.250	22	1884	1.15	98.90
99.25	.60	1321	8	22.250	-	22.750	26	1862	1.36	97.74
98.65	. 83	1313	11	21.750	-	22.250	39	1836	2.05	96 • 38
97.82	1.50	1302	20	21.250	-	21.750	56	1797	2.94	94.33
96.32	2.18	1282	29	20.750	-	21.250	62	1741	3.25	91.39
94.14	3.91	1253	52	20.250	-	20.750	117	1679	6.14	88.14
90.23		1201	78			20.250		1562	7.40	81.99
84.37	9.69		129			19.750		1421		74.59
74.68	9.47	994	126			19.250	181	1217		63.88
65.21	11.95	868	<b>15</b> 9	18.250	-	18.750	267		14.02	54.38
53.27	13.22	709	176	17.750	-		207	769	10.87	40.37
40.05	10.59	533	141			17.750	170	562	8.92	29.50
29.45	10.52	392	140			17.250	159	392	8 • 35	20.58
18.93	8.94	252	119	16.250		16.750	121	233	6.35	12.23
9.99	5.03	133	67	15.750		16.250	49	112		5 • 88
4.96	3.31	66	44	15.250		15.750	36	63	1.89	3.31
1.65	• 98	22	13			15.250	15	27	• 79	1 • 42
•68	. 45	9	6	14.250		14.750	7	12	. 37	• 63
. 23	• 23	3	3	13.750	-	14.250	3	5	• 16	• 26
0.00	0.00	0	0	13.250	-	13.750	1	2	.05	• 10
0.00	0.00	0	0	12.750	-	13.250	0	1	0.00	• 05
0.00	0.00	0	0	12.250	-		0	1	0.00	• 05
0.00	0.00	0	0		•		0	1	0.00	• 05
0.00	0.00	0	0	11.250	•	11.750	1	1	. 05	• 05

# 20. FRONT CURVATURE AT HIP

Δ	RMY WO	1MFN		INT	FRI	IALS	AIR FORCE WOMEN			
CFRQ%		CFRQ	FRO				FRQ CFRQ			
100.00		1331		25.750			I KQ OI KQ		0, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
99.85		1329		25.500						
		1327		25.250						
99.70				25.000						
		1327								
		1327		24.750						
99.62		1326		24.500						
99.62		1326		24.250						
		1325		24.000						
99.47		1324		23.750						
99.47	0.00			23.500						
99.47	• 23			23.250						
				23.000						
99.10		1319		22.750						
98.87		1316		22.500						
98.80		1315		22.250						
		1312		22.000						
97.90		1303		21.750						
		1292		21.500						
	1.05			21.250						
		1267		21.000						
	2.63			20.750						
		1204		20.500						
		1168		20.250						
		1117		20.000						
	5.11	1061		19.750					,	
74.61	5.16	993		19.500						
68.44	7.29	911		19.250						
	5.94	814		19.000						
	6.91	7 3 5		18.750						
	7.74			18.500						
	7.06	540		18.250						
33.51	6.91	446		18.000						
26.60	6.24	354		17.750						
20.36	4.81	271		17.500						
15.55	2.85	207	38	17.250						
12.70	4.66	169	62			17.250				
8.04	2.78	107	37			17.000				
5.26	.1.73	70	23			16.750				
3.53	1.73	47	23			16.500			•	
1.80	1.13	24	15	16.000		16.250				
• 68	• 30	9	4	15.750		16.000				
• 38	• 23	5	3	15.500		15.750				
•15	• 08	2	1	15.250		15.500				
.08	0.00	1	0	15.000		15.250				
.08	.08	1	1	14.750	-	15.000				

#### 21. FRONT CURVATURE AT WAIST

```
ARMY WOMEN
                           INTERVALS
                                            AIR FORCE WOMEN
 CFRQ%
        FRQ% CFRQ FRQ
                                         FRQ CFRQ FRQ%
                           IN INCHES
                                                          CFRQ%
100.00
         .15 1331
                     2 22.500 - 23.000
99.85
        0.00 1329
                     0 22.000 - 22.500
99.85
        0.00 1329
                     0 21.500
                               - 22.000
99.85
         .08 1329
                     1 21.000
                               - 21.500
99.77
         .08 1328
                     1 20.500
                               - 21.000
99.70
        0.00 1327
                     0 20.000
                               - 20.500
99.70
         .08 1327
                     1 19.500
                               - 20.000
99.62
         .30 1326
                     4 19.000
                               - 19.500
99.32
         .38 1322
                     5 18.500
                               - 19.000
98.95
         .53 1317
                     7 18.000
                               - 18.500
98.42
         .83 1310
                    11 17.500
                               - 18.000
97.60
        1.58 1299
                    21 17.000
                               - 17.500
96.02
        1.73 1278
                    23 16.500
                               - 17.000
94.29
        3.68
             1255
                    49 16.000
                               - 16.500
90.61
        6.24 1206
                    83 15.500
                              - 16.000
84.37
        6.99 1123
                    93 15.000 - 15.500
77.39 11.12 1030 148 14.500 - 15.000
66.27 12.10
              882 161 14.000 - 14.500
54.17 15.33
              721 204 13.500 - 14.000
38.84 14.35
              517 191 13.000 - 13.500
24.49 11.80
              326 157 12.500 - 13.000
12.70
        7.66
              169 102 12.000 - 12.500
 5.03
               67
                    47 11.500 - 12.000
        3.53
 1.50
        1.13
                20
                    15 11.000 - 11.500
         . 23
  .38
                5
                     3 10.500 - 11.000
  .15
         .08
                2
                     1 10.000 - 10.500
  .08
        0.00
                1
                     0
                        9.500 - 10.000
  .08
         .08
                1
                     1
                        9.000 -
                                  9.500
```

## 22. HIP BREADTH

ı	ARMY W	OMEN		INT	ER	VALS	AIR FORCE WOMEN			
CFRQ%			FRQ	IN				CFRQ		
100.00	.08	1331	1			19.500	O			
99.92	0.00	1330	Ö	19.000	-		Ö	1905	0.00	
99.92	.08	1330	1		-		o o	1905	0.00	
99.85	0.00	1329	0	18.500	-		ā	1905	0.00	100.00
99.85	0.00	1329	Ō	18.250	-		Ō	1905	0.00	
99.85	0.00	1329	0	18.000	-		Ö	1905	0.00	
99.85	.08	1329	1	17.750	-		0	1905	0.00	100.00
99.77	0.00	1328	0	17.500	-	17.750	0	1905	0.00	100.00
99.77	.08	1328	1	17.250	-	17.500	2	1905	. 10	
99.70	0.00	1327	0	17.000	-	17.250	1	1903	• 05	99.90
99.70		1327	6	16.750	-	17.000	2	1902	. 10	99.84
99.25	.30	1321	4	16.500	-	16.750	2	1900	• 10	99.74
98.95		1317	6		-	16.500	2	1898	. 10	99.63
98.50		1311		16.000	-		13	1896	• 68	99.53
97.90	1.28	1303		15.750	-		18	1883	• 94	98.85
96.62		1286	30	15.500		15.750		1865	1.78	97.90
94.37	2.70	1256	36	15.250	-	15.500	29	1831	1.52	96.12
91.66	4.96	1220	66	15.000	-		61	1802	3.20	94.59
86.70	5.94	1154	79	14.750		15.000		1741	4.15	91.39
80.77	6.54	1075	87	14.500		14.750	110	1662	5.77	87.24
74.23	9.84	988	131	14.250	-		153	1552	8.03	81.47
64.39	8.87	857	118	14.000	-		181	1399	9.50	73.44
55.52	10.52	739	140	13.750	-		258	1218	13.54	63.94
45.00	11.72	599	156	13.500		13.750	230	960	12.07	50.39
33.28	8.49	443	113	13.250		13.500	192	730	10.08	38.32
24.79	8 • 26	330	110	13.000		13.250	162	538	8.50	28.24
16.53	6.84	220	91	12.750	-		185	376	9.71	19.74
9.69	3.83	129	51	12.500	-		67	191	3.52	10.03
5.86	2.70	78	36	12.250	-		61	124	3.20	6.51
3.16	1.65	42	22	12.000	-		42	63	2.20	3.31
1.50	• 75	20	10	11.750		12.000	12	21	• 63	1.10
.75	• 45	10	6	11.500	-		5	9	• 26	• 47
• 30	• 23	4	3	11.250		11.500	4	4	• 21	• 21
.08	.08	1	1	11.000	-	11.250	0	O	0.00	0.00

## 23. HIP CIRCUMFERENCE

Δ	RHY W	OMEN		TNT	FR	VALS		ATP E	RCE W	OMEN
CFRQ%		CFRQ	FRO			CHES	FPO	CFRQ	FRQ%	
100.00	.08	1331	-	52.750		53.250		-	0.00	•
99.92	0.00	1330				52.750			0.00	
99.92	.08	1330				52.250			0.00	
99.85	0.00	1329				51.750	_			
99.85	0.00	1329				51.250			0.00	
99.85	0.80	1329				50.750			0.00	
99.85	0.00	1329							0.00	
99.85	0.00	1329				50.250 49.750			0.00	
99.85	0.00	1329				49.750			0.00	
99.85	.08	1329				48.750	0		0.00	
99.77	.08	1328					0		0.00	
99.70	0.00		1			48.250	0		0.00	
99.70	.08	1327				47.750		1905	• 05	100.00
		1327				47.250	1		• 05	99.95
99.62	.08	1326	1			46.750		1903	. 16	99.90
99.55	0.00	1325	0	45.750			0		0.00	99.74
99.55	. 15	1325	2			45.750	2		• 10	99.74
99.40	.08	1323	1			45.250			• 26	99.63
99.32	.30	1322				44.750	5		• 26	99.37
99.02	. 38	1318	5			44.250	6		• 31	99.11
98.65	. 45	1313	6			43.750	13		• 68	98.79
98.20	• 60	1307	8	42.750			15		• 79	98.11
97.60	1.13	1299	15			42.750	11		• 58	97.32
96 • 47	1.50	1284	20	41.750				1843	1.31	96.75
94.97	1.73		23			41.750	31		1.63	95.43
93.24		1241	30		~			1787	2.20	93.81
90.98	3.83	1211	51	40.250		40.750		1745	3.62	91.60
87.15	5.26	1160	70			40.250		1676	4.41	87.98
81.89	5.63	1090	75			39.750	108	1592	5.67	83.57
76.26	6.54	1015	87	38.750		39.250		1484	7.14	77.90
69.72	6.24	928	83	38.250		38.750		1348	6.98	70.76
63.49	9.69	845	129	37.750	-			1215	9.66	63.78
53.79	8.04	716	107			37.750	143	1031	7.51	54.12
45.76	9.02	609	120	36.750	-		168	888	8.82	46.61
36.74	7.44	489	99			36.750	179	720	9.40	37.80
29.30	6.16	390	82				143	541	7.51	28.40
23.14	6.31	308		35.250	-		100	398	5.25	20.89
16.83	5.41	224	72	34.750	•			298	5.77	15.64
11.42	3.83	152	51	34.250	•	34.750	89	188	4.67	9 • 87
7.59	2.33	101	31	33.750	-	34.250	35	99	1.84	5.20
5 • 26	2.03	70	27	33.250	•	33.750	24	64	1.26	3 • 36
3.23	. 98	43	13	32.750	-	33.250	15	40	• 79	2.10
2 • 25	1.35	30	18	32.250	-	32.750	16	25	. 84	1.31
• 98	.30	12		31.750	-	32.250	7	9	• 37	• 47
• 60	• 30	8		31.250	-	31.750	1	2	• 05	• 10
.30	• 23	4			-	31.250	1	1	• 05	• 05
.08	.08	1	1	30.250	-	30.750	0	0	0.00	0.00

## 24. INTERSCYE CURVATURE

ARMY WOMEN	INTERVALS			AIR FO	RCE WE	DHEN
CFRQ% FRQ% CFRQ FRQ	IN IN	CHES		CFRQ	FR Q%	CFRQ%
	17.375 -			1905		100.00
	17.125 -	17.375	1		. 05	99.95
		17.125	Ō		0.00	99.90
	16.625 -			1903	. 16	99.90
	16.375 -			1900	. 42	99.74
	16.125 -			1892	. 63	99.32
	15.875 -			1880	• 52	98.69
	15.625 -			1876	1.89	98.16
	15.375 -			1834	1.31	96 • 27
	15.125 -	15.375	80	1809	4.20	94.96
	14.875 -	15.125		1729	4.51	90.76
	14.625 -	14.875	95	1643	4.99	86.25
	14.375 -	14.625	146	1548	7.66	81.26
	14.125 -	14.375	203	1402	10.66	73.60
	13.875 -	14.125	141	1199	7.40	62.94
	13.625 -	13.875	181	1058	9.50	55.54
	13.375 -	13.625	283	877	14.86	46.04
	13.125 -	13.375	139	594	7.30	31.18
	12.875 -	13.125	135	455	7.09	23.88
	12.625 -	12.875	100	320	5.25	16.80
	12.375 -	12.625	105	220	5.51	11.55
	12.125 -	12.375	56	115	2.94	6.04
	11.875 -			59	1.42	3.10
	11.625 -	11.875	14	32	.73	1.68
	11.375 -	11.625		18	.68	• 94
	11.125 -		2	5	. 10	• 26
	10.875 -			3	• 10	• 16
	10.625 -	10.875	1	1	• 05	• 05

# 25. KNEE CIRCUMFERENCE

	ARMY W	OMEN		INT	ER'	VALS	AIR FORCE WOMEN			
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	• 08	1331	1	17.750	-	18.000	3	1905	• 16	100.00
99.92	0.00	1330	0	17.500	-	17.750	2	1902	• 10	99.84
99.92	0.00	1330	0	17.250	-	17.500	3	1900	• 16	99.74
99.92	0.00	1330	0	17.000	-	17.250	3	1897	. 16	99.58
99.92	• 15	1330	2	16.750	-	17.000	3	1894	• 16	99.42
99.77	• 30	1328	4	16.500	-	16.750	16	1891	. 84	99.27
99.47	• 30	1324	4	16.250	-	16.500	16	1875	. 84	98 • 43
99.17	• 45	1320	6	16.000	-	16.250	24	1859	1.26	97.59
98.72	• 60	1314	8	15.750	-	16.000	33	1835	1.73	96.33
98.12	1.05	1306	14	15.500	-	15.750	75	1802	3.94	94.59
97.07	1.88	1292	25	15.250	•	15.500	77	1727	4.04	90.66
95.19	2.48	1267	33			15.250	127		6.67	86.61
92.71	4.66	1234	62		-	15.000	_	1523	9.08	79.95
88.05	5.79	1172	77	14.500	-	14.750		1350	10.08	70.87
82.27	8.79	1095	117		-	14.500		1158	10.60	60.79
73.48	8.72	978	116	14.000	•		185	956	9.71	50.18
64.76	11.72	862	156			14.000	249	771	13.67	40 • 47
53.04	11.80	706	157			13.750	164	522	8.61	27.40
41.25	9.69	549	129			13.500	139	358	7.30	18.79
31.56	9.02	420	120	13.000		13.250	91	219	4.78	11.50
22.54	8.72	300	116			13.000	78	128	4.09	6.72
13.82	6.24	184	83	12.500	-	12.750	31	50	1.63	2.62
7.59	3.23	101	43			12.500	13	19	• 68	1.00
4.36	2.70	58	-36	12.000		12.250	6	6	• 31	• 31
1.65	1.13	22	15	11.750	-	12.000	0	0	0.00	0.00
• 53	• 38	7	5	11.500	-		0	0	0.00	0.00
• 15	• 15	2	2	11.250	-	11.500	. 0	Ū	0.00	0.00

# 26. KNEE (TIBIALE) HEIGHT

1	ARMY WO	OMEN		INT	ER	VALS	AIR FORCE WOMEN			
CFRQ%	FRQ%	CFRQ	FRQ	IN 1	E N	CHES		CFRQ	FRQ%	
100.00	• 39	255	1	20.250		20.500	0	1905	0.00	
99.61	• 39	254	1	20.000	-	20.250	0	1905	0.00	100.00
.99.22	• 39	253	1	19.750	-	20.000	O	1905	0.00	100.00
98.82	• 39	252	1	19.500	-	19.750	2		.10	100.00
98 • 43	1.57	251	4	19.250	-	19.500	5	1903	• 26	99.90
96.86	• 39	247	1	19.000	-	19.250	8	1898	. 42	99.63
96•47	3.53	246	9	18.750	-	19.000	8	1890	• 42	99.21
92.94	5.88	237	15	18.500	-	18.750	32	1882	1.68	98.79
87.06	4.71	222	12	18.250	-	18.500	26	1850	1.36	97.11
82.35	7.84	210	20	18.000	-	18.250	34	1824	1.78	95.75
74.51	7.06	190	18	17.750	-	18.000	73	1790	3.83	93.96
67.45	9.02	172	23	17.500		17.750	97	1717	5.09	90.13
58.43	12.94	149	33	17.250	-	17.500	120	1620	6.30	85.04
45.49	8.63	116	22	17.000	-	17.250	169	1500	8.87	78.74
36.8 <b>6</b>	8.24	94	21	16.750	-	17.000	171	1331	8.98	69 • 87
28.63	7.06	73	18	16.500	-	16.750	207	1160	10.87	60.89
21.57	9.41	55	24	16.250	-	16.500	205	953	10.76	<b>50.</b> 03
12.16	4.31	31	11	16.000		16.250	192	748	10.08	39.27
7.84	3.53	20	9	15.750	-	16.000	161	556	8.45	<b>29.1</b> 9
4.31	1.96	11	5		-		135	395	7.09	20.73
2.35	• 78	6	2		-	15.500	100	260	5 • 25	13.65
1.57	1.18	4	3	15.000	-	15.250	75	160	3.94	8.40
• 39	0.00	1	0	14.750	-		47	85	2.47	4.46
• 39	• 39	1	1	14.500	-	14.750	17	38	· •89	1.99
0.00	0.00	0	0	14.250	-		14	21	• 73	1.10
0.00	0.00	0	0		-	14.250	4	7	• 21	• 37
0.00	0.00	0	0		-	14.000	2	3	- 10	•16
0.00	0.00	0	0		-	13.750	0	1	0.00	• 05
0.00	0.00	0	0	13.250	•	13.500	1	1	• 05	• 05

#### 27. MIDSCYE, BACK

```
ARMY WOMEN
                           INTERVALS
                                            AIR FORCE WOMEN
        FRQ% CFRQ FRQ
 CFRQ%
                           IN INCHES
                                         FRQ CFRQ FRQ%
                                                          CFRQ%
100.00
         .08 1331
                     1 18.750 - 19.000
 99.92
        0.00 1330
                     0 18.500 - 18.750
99.92
        0.00 1330
                     0 18.250 - 18.500
 99.92
        0.00 1330
                     0 18.000 - 18.250
 99.92
         •15 1330
                               - 18.000
                     2 17.750
 99.77
         .30 1328
                     4 17.500
                              - 17.750
 99.47
         .15 1324
                     2 17.250 - 17.500
 99.32
         .83 1322
                    11 17.000 - 17.250
 98.50
         .38 1311
                    5 16.750 - 17.000
 98.12
        1.88 1306
                    25 16.500 - 16.750
 96.24
        3.83 1281
                    51 16.250 - 16.500
 92.41
        3.91 1230
                    52 16.000 - 16.250
 88.50
       5.63 1178
                    75 15.750 - 16.000
 82.87
        8.64 1103 115 15.500 - 15.750
74.23
        8.79
               988 117 15.250 - 15.500
65.44 11.50
               871 153 15.000 - 15.250
53.94
              718 147 14.750 - 15.000
       11.04
42.90
        8.79
               571 117 14.500 - 14.750
34.11
       11.42
               454 152 14.250 - 14.500
22.69
        6.99
              302
                    93 14.000 - 14.250
15.70
        5.26
                    70 13.750 - 14.000
              209
10.44
        4.36
              139
                    58 13.500 - 13.750
 6.09
        2.40
               81
                    32 13.250 - 13.500
 3.68
        1.35
               49
                    18 13.000 - 13.250
 2.33
        1.58
               31
                    21 12.750 - 13.000
  .75
         . 23
               10
                     3 12.500 - 12.750
  .53
         .30
                     4 12.250 - 12.500
                7
  .23
         . 23
                3
                     3 12.000 - 12.250
```

#### 28. MIDSCYE, FRONT

```
AIR FORCE WOMEN
      ARMY WOMEN
                           INTERVALS
        FRQ% CFRQ FRQ
                           IN INCHES
                                         FRQ CFRQ FRQ% CFRQ%
 CFRQ%
                     1 15.875 - 16.000
160.00
         .08 1331
 99.92
        0.00 1330
                     0 15.750 - 15.875
 99.92
        0.00 1330
                     0 15.625
                               - 15.750
 99.92
        0.00 1330
                     0 15.500
                               - 15.625
                               - 15.500
 99.92
        0.00 1330
                     0 15.375
 99.92
         .15 1330
                     2 15.250
                               - 15.375
 99.77
         .08 1328
                     1 15.125
                               - 15.250
 99.70
        0.00 1327
                     0 15.000
                               - 15.125
 99.70
         .23 1327
                     3 14.875
                               - 15.000
                     8 14.750
 99.47
         .60 1324
                               - 14.875
 98.87
         .75 1316
                     10 14.625
                               - 14.750
 98.12
         .60 1306
                     8 14.500
                               - 14.625
 97.52
         .75 1298
                     10 14.375
                               - 14.500
 96.77
        1.73 1288
                    23 14.250
                               -14.375
        1.58 1265
                               - 14.250
 95.04
                     21 14.125
                               - 14.125
 93.46
        2.25 1244
                     30 14.000
 91.21
        3.01 1214
                     40 13.875
                               - 14.000
 88.20
                     54 13.750
        4.06 1174
                               - 13.875
 84.15
        3.46 1120
                    46 13.625
                               - 13.750
 80.69
        6.46
             1074
                     86 13.500
                               - 13.625
                               - 13.500
 74.23
        6.46
               988
                     86 13.375
 67.77
        4.36
               902
                    54 13.250
                               - 13.375
 63.71
               848 100 13.125
                               - 13.250
        7.51
 56.20
        7.74
               748 103 13.000
                               - 13.125
        7.29
 48.46
               645
                    97 12.875
                               - 13.000
 41.17
        9.02
               548 120 12.750
                               - 12.875
 32.16
        5.94
               428
                    79 12.625
                               - 12.750
        6.09
                     81 12.500
                               - 12.625
 26.22
               349
 20.14
        4.36
                     58 12.375
                               - 12.500
               268
        3.23
                     43 12.250
                               - 12.375
 15.78
               210
 12.55
        4.66
               167
                     62 12.125
                               - 12.250
 7.89
        2.40
               105
                     32 12.000
                               - 12.125
  5.48
        1.73
                73
                     23 11.875
                               - 12.000
  3.76
        1.13
                50
                     15 11.750
                               - 11.875
  2.63
        1.43
                35
                     19 11.625
                               - 11.750
  1.20
         .53
                16
                     7 11.500
                               - 11.625
         .30
                9
                     4 11.375 - 11.500
   .68
   . 38
         . 15
                 5
                     2 11.250 - 11.375
                3
   • 23
         . 23
                     3 11.125 - 11.250
```

# 29. NECK TO BUSTPOINT

Δ	RMY W	OMEN		TNT	FR	VALS	AIR FORCE WOMEN				
CFRQ%			FPO			CHES		CFRQ	FRQX		
100.00		1331	1			13.125		1905		100.00	
99.92											
		1330	0	-		13.000			0.00		
99.92		1330				12.875			0.00		
99.92		1330				12.750	0		0.00		
99.77		1328	1			12.625		1905			
99.70		1327				12.500		1902	. 10	99.84	
99.62	0.00	1326	0	12.250	-	12.375	1	1900	. 05	99.74	
99.62	• 53	1326	7	12.125	-	12.250	4	1899	.21	99.69	
99.10	• 15	1319	2	12.000	-	12.125	10	1895	.52	99 • 48	
98.95	. 45	1317				12.000		1885	.10	98.95	
98.50		1311				11.875		1883			
97.82		1302	1			11.750		1869		98.11	
97.75		1301				11.625		1862			
97.07		1292	22			11.500		1842	1.52		
95.42	1.43										
		1270	19			11.375		1813		95.17	
93.99	• 90	1251	12			11.250		1797	1.99	94.33	
93.09	3.53	1239	47			11.125		1759	3.78	92.34	
89.56	2.63	1192	35			11.000		1687	1.21	88.56	
86.93	3.38	1157	45			10.875		1664	4.09	87.35	
83.55	6.01	1112	80			10.750	134	1586	7.03	83.25	
77.54	3.31	1032	44			10.625	25	1452	1.31	76.22	
74.23	4.66	988	62	10.375	-	10.500	121	1427	6.35	74.91	
69.57	3.83	926	51	10.250	•	10.375	47	1306	2.47	68.56	
65.74	5.56	875	74	18.125	-	18.250	152	1259	7.98	66.09	
60.18	6.39	801	85	10.000	•	10.125	170	1107	8.92	58.11	
53.79	5.48	716	73	9.875	-	10.000			3.99	49.19	
48.31	7.06	643	94	_		9.875			8.82	45.20	
41.25	7.74	549	103			9.750	161		8.45	36.38	
33.51	3.61	446	48	9.500			61	532	3.20	27.93	
29.90	4.81	398	64	9.375			128	471	6.72	24.72	
25.09	6.69	334	89	9.250				343	5.83	18.01	
18.41	3.23	245	43	9.125			36	232	1.89		
15.18	3.08	202	41	9.000	_		67	196	3.52	10.29	
12.10	1.50	161	20	8.875			18		• 94		
	3.08	141		8.750		8.875			2. 26		
7.51	2.55	100	34			8.750			1.94	3.57	
4.96					_	8.625	37	68			
	2.10	66	28	8.500	-		3	31	• 16	1.63	
2.85	. 98	38	13		-	8.500	15	28	• 79	1.47	
1.88	1.05	25	14	8.250	•	8.375	11	13	• 58	• 68	
• 83	. 23	11	3		-	8.250	0	2	0.00	• 10	
• 60	. 23	8	3		-	8.125	1	2	. 05	• 10	
• 38	.08	5	1		•	8.000	0	1	0.00	• 05	
• 30	. 15	4	2		•	7.875	1	1	• 05	. 05	
• 15	.08	2	1		-	7.750	0	0	0.00	0.00	
.08	0.00	1	ū		•	7.625	0	0	0.00	0.00	
• 08	.08	1	1	7.375	-	7.500	0	0	0.00	0.00	

## 30. NECK GIRCUMFERENCE

		TNT	E R	VALS	AIR FORCE WOMEN					
CFRQ%	ARMY WI Frox	CFRQ	FRO			CHES		CFRQ		
100.00		1331		16.375			•	1905	-	100.00
99.92	0.00	1330	Ō	16.250			0	1905		
99.92	0.00	1330	Ö			16.250	_	1905		
99.92	0.00	1330	0	16.000					0.00	
99.92	0.00	1330	0	15.875			0			
99.92	0.00	1330						1905	0.00	
99.92	0.00	1330	Ü			15.875		1905	0.00	
99.92		1330	0	15.625			1			
	0.00		0	15.500				1904	0.00	99.95
99.92	0.00	1330	0					1904	• 05	
99.92	0.00	1330	0	15.250				1903		99.90
99.92	0.80	1330					7	_		99.53
99.92	0.00	1330		15.000				1889		99.16
99.92		1330		14.875				1883		98.85
99.77		1328		14.750				1870		98.16
99.62	0.00	1326	0					1858		97.53
99.62		1326		14.500				1853		97.27
99.40		1323	1			14.500		1824	• 68	
99.32		1322		14.250				1811	2.57	
98.87	• 60	1316	8	14.125				1762		
98.27		1308		14.000				1699	2.15	
97.37		1296	19	13.875	-	14.000		1658	4.09	87.03
95.94	1.65			13.750	-	13.875	154	1580		
94.29		1255	31	13.625	-	13.750	65	1425	3.41	74.86
91.96	3.53	1224	47	13.500	-	13.625	150	1361	7.87	71.44
88.43	3.61	1177	48	13.375	-	13.500	197	1211	10.34	63.57
84.82		1129	63	13.250	-	13.375	74	1014	3.88	53.23
80.09	5.79	1066	77	13.125	-	13.250	135	940	7.09	49.34
74.31	4.73	989	63	13.000	-	13.125	65	805	3.41	42.26
69.57	7.66	926	102	12.875	-	13.000	198	740	10.39	38.85
61.91	11.72	824	156	12.750	-	12.875	154	542	8.08	28.45
50.19	6.84	668	91	12.625	-	12.750	58	388	3.04	20.37
43.35	8.49	577	113	12.500	-	12.625	118	330	6.19	17.32
34.86	6.91	464	92	12.375	•	12.500	84	212	4.41	11.13
27.95	5.03	372	67	12.250	-	12.375	25	128	1.31	6.72
22.92	7.21	305	96	12.125	-	12.250	52	163	2.73	5 • 41
15.70	4.66	209	62	12.000	-	12.125	25	51	1.31	2.68
11.04	3.38	147	45	11.875	-	12.000	8	26	. 42	1.36
7.66	2.63	102	35	11.750	-	11.875	13	18	• 68	. 94
5.03	1.88	67	25	11.625	•	11.750	2	5	. 10	• 26
3.16	1.50	42	20	11.500	-	11.625	2	3	•10	. 16
1.65	1.20	22	16	44	-	11.500	0	1	0.00	. 05
• 45	.08	6	1	11.250	-	11.375	0	1	0.00	• 05
.38	. 15	5	2	11.125	-	11.250	1	1	. 05	• 05
. 23	. 15	3	2		-	11.125	0	0	0.00	0.00
.08	0.00	1	0		-	11.000	0	0	0.00	0.00
.08	.08	1	1		-		0	C	0.00	0.00

# 31. SHOULDER (BIDELTOID) BREADTH

	ARMY W	OMEN		T	NTF	RVAL	S		ATP E	DRCE WO	MEN
CFRQ%		CFRQ	FRO			NCHE		EPO	CFRQ	FRQ%	CFRQ%
100.00		1331		19.8			BOVE		1905	0.00	
99.85				19.7			.875				100.00
99.77		1328		19.6	_		.750			8.00	100.00
99.77		1328	0				_	_	1905	• 10	100.00
99.77	.08	1328		19.3			•625			0.00	99.90
99.70	. 15	1327					.500			• 16	99.90
99.55	. 08	1325		19.2			.375			• 16	99.74
99.47	• 15			19.1			.250	_		• 05	99.58
99.32	• 19	1324		19.0			.125			. 31	99.53
		1322	1				.000		1890	• 21	99.21
99.25	• 15	1321		18.7			.875			• 31	99.00
99.10	• 30	1319		18.6			.750			.31	98 <b>.69</b>
98.80	. 15	1315		18.5			•625		1874	• 68	98.37
98.65	• 53	1313		18.3					1861	• 42	97.69
98.12	• 60	1306		18.29			. 375		1853	• 73	97 • 27
97.52	• 90	1298	12					_	1839	. 79	96.54
96.62		1286	19	-			. 1 25	19	1824	1.00	95.75
95.19		1267	19				.000		1805	1.63	94.75
93.76		1248	26		59 -	- 17	875	42	1774	2.20	93.12
91.81		1222	34		25 •	• 17	.750	38	1732	1.99	90.92
89.26		1188	49	17.50	00 -	17.	625	42	1694	2.20	88.92
85.57		1139	41				500	44	1652	2.31	86.72
82.49		1098	36	17.25	50 -	. 17.	375	55	1608	2.89	84.41
79.79	6.09	1062	81	17.12	25 -	17.	250	91	1553	4.78	81.52
73.70	3.38	981	45	17.00	0 -	17.	125	69	1462	3.62	76.75
70.32	4.73	936	63	16.87	'5 <b>-</b>	17.	000	97	1393	5.09	73.12
65.59	5.71	873	76	16.75	0 -	16.	875	73	1296	3.83	68.03
59.88	5.71	797	76	16.62	5 -	16.	750	96	1223	5.04	64.20
54.17	5.18	721	69	16.50	0 -	16.	625	126	1127	6.61	59.16
48.99	7.44	652	99	16.37	5 -	16.	500		1001	5.98	52.55
41.55	5.33	553	71	16.25	0 -	16.	375	104	887	5.46	46.56
36.21	5.26	482	70	16.12	5 -	16.	250	110	783	5.77	41.10
30 <b>.95</b>	3.38	412	45	16.00	0 -	16.	125	79	673	4.15	35.33
27.57	4.21	367	56	15 - 87	5 -	16.	000	127	594	6.67	31.18
23.37	4.36	311	58	15.75	0 -	15.	875	76	467	3.99	24.51
19.01	4.28	253	57	15.62	5 -	15.	750	91	391	4.78	20.52
14.73	3.61	196	48	15.50	0 -	15.	625	71	300	3.73	15.75
11.12	2.93	148	39	15.37	5 -	15.	500	34	229	1.78	12.02
8.19	1.88	109	25	15.25	0 -	15.	375	31	195	1.63	10.24
6.31	1.50	84	20	15.12	5 <b>-</b>	15.	250	40	164	2.10	8.61
4.81	• 83	64	11	15.00	0 -	15.	125	33	124	1.73	6.51
3 <b>.9</b> 8	1.95	53	26	14.87	5 -	15.	000	31	91	1.63	4.78
2.03	<b>.</b> 83	27	11	14.75	0 -	14.	875	14	60	• 73	3.15
1.20	• 45	16	6	14.62		14.		11	46	• 58	2.41
• 75	• 45	10	6	14.50		14.		15	35	. 79	1.84
• 30	.08	4	1	14.37		14.		4	20	. 21	1.05
•23	• 23	3	3	14.25		14.		8	16	. 42	. 84
0.00	0.00	0	8	14.12		14.		5	8	• 26	• 42
0.00	0.00	0	0	14.00	) -	14.	125	1	3	. 05	.16
0.00	0.00	0	0	13.87	5 -	14.	000	1	2	• 05	. 10
0.00	0.00	0	Ð	13.75	) -	13.	875	1	1	. 05	• 05

### 32. SHOULDER CIRCUMFERENCE

. Δ	RMY WO	DMEN		INTE	RV	ALS	AIR FORCE HOMEN				
CFRQ%		CFRQ	FRO			HES		CFRQ	FRQ%		
100.00	-	1331		54.750				1905		100.00	
99.92		1330	ō	54.250				1905		100.00	
99.92	0.80		Ö	53.750				1905		100.00	
99.92		1330	Ö	53.250				1905		100.00	
99.92	9.00	1330	0	52.750				1905		100.00	
99.92		1330	Ö	52.250				1905		100.00	
99.92	0.00	1330	0	51.750			0			100.00	
99.92	0.00	1330		51.250				1905		100.00	
99.92		1330	0	50.750			ō			100.00	
99.92	0.00	1330		50.250				1905		100.00	
99.92	0.00	1330		49.750				1905		100.00	
99.92	0.00	1330		49.250			Ö			100.00	
99.92	0.00	1330		48.750			Ö		_	100.00	
99.92		1330		48.250			Ō			100.00	
99.77		1328		47.750			1			100.00	
99.70		1327		47.250			ō			99.95	
99.62	0.00	1326		46.750				1904		99.95	
99.62	.08	1326		46.250			3		.16		
99.55	.30	1325		45.750			5				
99.25	.15	1321		45.250				1893			
99.10	. 38	1319		44.750				1885			
98.72		1314		44.250				1879			
98.50		1311		43.750			9		. 47		
97.97		1304		43.250				1859	1.57		
95.64		1273		42.750				1829	2.57		
93.24		1241		42.250				1780	3.15	93.44	
90.53	4.88	1205		41.750				1720	3.83		
85.65	5.71			41.250				1647	5.46		
79.94		1064		40.750					5.77		
73.10	8.19			40.250					8.40		
64.91				39.750				1273			
	11.27		150	39.250				1087	9.40		
45.60				38.750					10.71	47.66	
37.87	8.72			38.250			173	704	9.08	36.96	
29.15				37.750			159	531	8.35	27.87	
20.66	6.31	275		37.250				372	6.98	19.53	
14.35	6.24	191		36.750	-		108	239	5.67	12.55	
8.11	3.16	108		36.250	•		70	131	3.67	6.88	
4.96	2.03	66		35.750	-		36	61	1.89	3.20	
2.93	1.80	39		35.250	-		13	25	. 68	1.31	
1.13	.60	15		34.750	-	35.250	10	12	• 52	.63	
•53	. 45	7	6	34.250	-	34.750	1	2	. 05	• 10	
.08	.08	1	1	33.750	-	34.250	1	1	• 05	• 05	

# 33. SHOULDER LENGTH

	ARHY W	OMEN		INT	ERV	ALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ	IN :	INC	HES	FRQ	CFRQ	FRQ%	CFRQ%	
100.00	0.00	1331	0	7.375	-	7.500	1	1905	. 05	100.00	
100.00	.08	1331	1	7.250	•	7.375	0	1904	0.00	99.95	
99.92	. 38	1330	5	7.125	-	7.250	1	1904	. 05	99.95	
99.55	• 53	1325	7	7.000	•	7.125	3	1903	. 16	99.90	
99.02	.68	1318	9	6.875	-	7.000	4	1900	• 21	99.74	
98.35	1.05	1309	14	ó.750	_	6.875	8	1896	. 42	99.53	
97.30	1.80	1295	24	6.625	-	6.750	19	1888	1.00	99.11	
95.49	2.93	1271	39	6.500	-	6.625	30	1869	1.57	98.11	
92.56	5.48	1232	73	6.375	-	6.500	68	1839	3.57	96.54	
87.08	6.91	1159	92	6.250	-	6.375	98	1771	5.14	92.97	
80.17	8.72	1067	116	6.125	-	6.250	123	1673	6.46	87.82	
71.45	10.82	951	144	6.000	-	6.125	167	1550	8.77	81.36	
60.63	12.10	807	161	5.875	-	6.000	238	1383	12.49	72.60	
48.53	11.04	646	147	5.750	-	5.875	164	1145	8.61	60.10	
37.49	13.75	499	183	5.625	-	5.750	277	981	14.54	51.50	
23.74	8.49	316	113	5.500	-	5.625	275	704	14.44	36.96	
15.25	6.16	203	82	5.375	-	5.500	127	429	6.67	22.52	
9.09	3.46	121	46	5.250	-	5.375	131	302	6.88	15.85	
5.63	2.48	75	33	5.125	-	5.250	59	171	3.10	8 • 98	
3.16	1.58	42	21	5.000	-	5.125	60	112	3.15	5.88	
1.58	• 75	21	10	4.875	-	5.000	37	52	1.94	2.73	
•83	• 53	11	7	4.750	-	4.875	9	15	. 47	• 79	
•30	• 30	4	4	4.625	-	4.750	5	6	. 26	• 31	
0.00	0.00	0	0	4.500	-	4.625	1	1	. 05	. 05	

#### 34. SLEEVE INSEAM

ı	ARMY W	OMEN		INT	ER	VALS	AIR FORCE WOMEN			
CFRQ%	FRQ%	CFRQ	FRQ	IN	ΙN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	.08	1331	1	21.250	-	21.500	0	1905	0.00	100.00
99.92	.08	1330	1	21.000	-	21.250	1	1905	. 05	100.00
99.85	. 15	1329	2	20.750	-	21.000	1	1904	. 05	99.95
99.70	. 38	1327	5	20.500	-	20.750	2	1903	. 10	99.90
99.32	• 60	1322	8	20.250	-	20.500	1	1901	• 05	99.79
98.72	•53	1314	7	20.000	•	20.250	3	1900	. 16	99.74
98.20	1.35	1307	18	19.750	-	20.000	8	1897	. 42	99.58
96.84	1.35	1289	18	19.500	-	19.750	8	1889	• 42	99.16
95.49	3.76	1271	50	19.250	-	19.500	34	1881	1.78	98.74
91.74	<b>3.5</b> 3	1221	47	19.000	-	19.250	34	1847	1.78	96.96
88.20	4.51	1174	60	18.750	-	19.000	54	1813	2.83	95.17
83.70	7.21	1114	96	18.500	-	18.750	97	1759	5.09	92.34
76.48	7.14	1018	95	18.250	-	18.500	99	1662	5.20	87.24
69.35	7.21	923	96	18.000	-	18.250	107	1563	5.62	82.05
62.13	9.84	827	131	17.750	-	18.000	191	1456	10.03	76.43
52.29	9.92	696	132	17.500		17.750	198	1265	10.39	66 • 40
42.37	8.34	564	111	17.250	-	17.500		1067	10.60	56.01
34.03	10.22	453	136	17.000	-	17.250	202	865	10.60	45.41
23.82	6.54	317	87	16.750	-		141	<b>66</b> 3	7.40	34.80
17.28	5.94	230	79	16.500	-	16.750	187	522	9.82	27.40
11.34	5.33	151	71	16.250	-	16.500	97	335	5.09	17.59
6.01	2.40	80	32	16.000	-	16.250	105	238	5.51	12.49
3.61	1.95	48	26	15.750	-	16.000	56	<b>13</b> 3	2.94	6.98
1.65	• 90	22	12	15.500	-	15.750	40	77	2.10	4 • 04
• 75	• 23	10	3	15.250	-		18	37	• 94	1.94
• 53	• 15	7	2	15.000		15.250	10	19	• 52	1.00
.38	.30	5	4	14.750	-	15.000	5	9	• 26	• 47
•08	0.00	1	0	14.500	-	14.750	4	4	. 21	• 21
•08	.08	1	1	14.250	•	14.500	0	0	0.00	0.00

## 35. SPINE TO ELBOW LENGTH

ARMY HOMEN	TNT	FD	VALS	AIR FORCE WOMEN				
CFRQ% FRQ% CFRQ FRQ								
OF TOUR STRUKE			CHES		CFRQ			
	24.500		24.750	2	_			
	24.250		24.500	3			99.90	
•	24.000		24.250			0.00	99.74	
•	23.750		24.000	3	1900	• 16	99.74	
	23.500		23.750	6	1897	• 31	99.58	
	23.250	-	23.500	10	1891	• 52	99.27	
	23.000	-	23.250	14	1881	.73	98.74	
	22.753	-	23.000	29	1867	1.52	98.01	
	22.500	-	22.750		1838	1.94	96.48	
	22.250	-	22.500		1801	3.36	94.54	
	22.000	-	22.250	106	1737	5.56	91.18	
•	21.750		22.000		1631	5.98	85.62	
	21.500		21.750		1517	7.30	79.63	
			21.500	230	1378	12.07	72.34	
	21.000	-	21.250	198	1148	9.97	60.26	
	20.750	-	21.000	179	958	9.40	50.29	
	20.500	•	20.750	188	779	9.87	40.89	
	20.250	~	20.500	184	591	9.66	31.02	
	20.000		20.250	137	407	7.19	21.36	
	19.750	-	20.000	94	270	4.93	14.17	
	19.500	-	19.750	67	176	3.52	9 • 24	
	19.250	-	19.500	61	109	3.20	5.72	
•	19.000	•	19.250	22	48	1.15	2.52	
	18.750	-	19.000	12	26	. 63	1.36	
	18.500	-	18.750	10	14	• 52	• 73	
	18.250		18.500	2	4	. 10	. 21	
•	18.000	-	18.250	1	2	• 05	. 10	
•	17.750	-	18.000	1	1	• 05	• 05	

## 36. SPINE TO SCYE LENGTH

ARMY WOMEN	INTERVA	ALS	AIR FORCE WOMEN				
CFRQ% FRQ% CFRQ FRQ	IN INCH			CFRQ	FRQ%	CFRQ%	
		10.125	1	1905	. 05	100.00	
		10.000	0	1904	0.00	99.95	
	9.750 -	9.875	6	1904	• 31	99.95	
	9.625 -	9.750	3	1898	. 16	99.63	
	9.500 -	9.625	3	1895	. 16	99.48	
	9.375 -	9.500	4	1892	. 21	99.32	
	9.250 -	9.375	19	1888	1.00	99.11	
	9.125 -	9.250	7	1869	. 37	98.11	
	9.000 -	9.125	28	1862	1.47	97.74	
	8.875 -	9.000	27	1834	1.42	96.27	
	8.750 -	8.875	54	1807	2.83	94.86	
	8.625 -	8.750	86	1753	4.51	92.02	
	8.500 -	8.625	95	1667	4.99	87.51	
	8.375 -	8.500	141	1572	7.40	82.52	
	8.250 -	8.375	185	1431	9.71	75.12	
	8.125 -	8.250	92	1246	4.83	65.41	
	8.300 -	8.125	198	1154	10.39	60.58	
	7.875 -	8.000	92	956	4.83	50.18	
	7.750 -	7.875	277	864	14.54	45.35	
	7.625 -	7.750	187	587	9.82	30.81	
	7.500 -	7.625	59	400	3.10	21.00	
	7.375 -	7.500	142	341	7.45	17.90	
	7.250 -	7.375	87	199	4.57	10.45	
	7.125 -	7.250	37	112	1.94	<b>5.8</b> 8	
	7.000 -	7.125	35	75	1.84	3.94	
	6.875 -	7.000	15	40	• 79	2.10	
	6.750 -	6.875	3	25	• 16	1.31	
	6.625 -	6.750	12	22	• 63	1.15	
	6.500 -	6.625	3	10	• 16	• 52	
	6.375 -	6.500	3	7	• 16	• 37	
	6.250 -	6.375	2	4	• 10	• 21	
	6.125 -	6.250	8	2	0.00	. 10	
	6.000 -	6.125	2	2	.10	• 10	

## 37. SPINE TO WRIST LENGTH

ARMY WOMEN				INT	ER	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ	IN	ΙN	CHES	FRQ	CFRQ	FR.Q%	CFRQ%	
				35.875		36.125		1905	. 05		
				35.625	-			1904	. 10	99.95	
				35.375	-			1902	. 21	99.84	
				35.125				1898	. 16	99.63	
				34.875				1895	• 26	99.48	
				34.625				1890	. 31	99.21	
				34.375				1884	. 42	98.90	
				34.125				1876	. 47	98.48	
				33.875				1867	. 89	98.01	
						33.875		1850	1.63	97.11	
						33.625		1819	1.89	95.49	
						33.375		1783	1.78	93.60	
						33.125		1749	3.04	91.81	
				32.625	-	32.875		1691	4.46	88.77	
				32.375	-	32.625		1606	4.30	84.30	
				32.125	-	32.375	122	1524	6.40	80.00	
				31.875	-	32.125	137	1402	7.19	73.60	
						31.875		1265	6.04	66.40	
						31.625		1150	8.40	60.37	
				31.125				990	6.93	51.97	
				30.875				858	8.61	45.04	
				30.625				694	7.45	36.43	
			•	30.375		30.625	93	552	4.88	28.98	
						30.375	113	459	5.93	24.09	
						30.125	108	346	5.67	18.16	
	•										
•											
				29.625 29.375 29.125 28.875 28.625 28.375 28.125 27.875 27.625	• • • • • • • • • • • • • • • • • • • •	29.875 29.625 29.375 29.125 28.875 28.625 28.125 27.875 27.625 27.375	46 63 59 22 22 16 5 0 2 1	238 192 129 70 48 26 10 5 5 3 2	2.41 3.31 3.10 1.15 1.15 .84 .26 0.00 .05 .05	12.49 10.08 6.77 3.67 2.52 1.36 .52 .26 .26 .16 .10	

## 38. STATURE

A	RMY WO	DMEN		INT	IALS	AIR FORCE WOMEN				
CFRQ% -	FRQ%	CFRQ	FRQ	IN	INC	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	.08	1331	1	72.250	-	72.750	0	1905	0.00	100.00
99.92	.08	1330	1	71.750	-	72.250	1	1905	. 05	100.00
99.85	. 15	1329	2	71.250	-	71.750	0	1904	0.00	99.95
99.70	.30	1327	4	70.750	-	71.250	2	1964	. 10	99.95
99.40	.30	1323	4	70.250	-	70.750	7	1902	• 37	99.84
99.10	. 75	1319	10	69.750	-	70.250	5	1895	• 26	99.48
98.35	.98	1309	13	69.250	-	69.750	13	1890	• 68	99.21
97.37	1.58	1296	21	68.750	-	69.250	8	1877	.42	98.53
95.79	2.25	1275	30	68.250	-	68.750	26	1869	1.36	98.11
93.54	2.18	1245	29	67.750	•	68.250	33	1843	1.73	96.75
91.36	3.16	1216	42	67.250	-	67.750	51	1816	2.68	95.01
88.20	3.76	1174	50	66.750	-	67.250	65		3.41	92.34
84.45	5.48	1124	73	66.250	-	66.750	87	1694	4.57	88.92
78.96	4.51	1051	60	65.750	-		109	1607	5.72	84.36
74.46	7.36	991	98	65.250	-		126	1498	6.61	78.64
67.09	7.44	893	99	64.750	-		123	1372	6• 46	72.02
59.65	7.89	794	105	64.250	-		143	1249	7.51	65.56
51.77	7.14	689	95	63.750	-	-	<b>15</b> 0	1106	8.29	58.06
44.63	6.99	594	93	63.250	-		148	948	7.77	49.76
37.64	7.36	501	98	62.750	-		156	800	8.19	41.99
30.28	6.99	403	93	62.250		62.750	124	644	6.51	33.81
23.29	5.94	310	<b>7</b> 9	61.750		62.250	130	520	6.82	27.30
17.36	5.56	231	74	61.250		61.750	113	390	5.93	20.47
11.80	2.48	157	33	60.750	-	61.250	100	277	5.25	14.54
9.32	3.61	124	48	60.250	-	60.750	55	177	2.89	9.29
5.71	1.95	76	26	59.750		60.250	<b>5</b> 2	122	2.73	6 • 40
3.76	1.28	50	17	59.250	-	59.750	42	70	2.20	3.67
2.48	1.13	33	15	58.750	-	59.250	11	28	• 58	1.47
1.35	• 45	18	6	58.250	-	58.750	8	17	• 42	• 89
• 90	. 38	12	5	57.750	-	58.250	7	9	• 37	• 47
• 53	. 30	7	4	57.250	-	57.750	1	2	• 05	• 10
. 23	• 15	3	2	56.750	-		1	1	. 05	• 05
.08	u • 00	1	G.	56.250	-		0	C	0.00	0.00
•08	.08	1	1	55.750	-	56.250	0	0	0.00	0.00

## 39. STRAP LENGTH

ARMY WOMEN					INT	ER	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ				CHES		CFRQ	FRQ%	CFRQ%	
					250		31.500			. 05	100.00	
					000		31.250			0.00		
					750		31.000				99.95	
					_					. 05	99.95	
					500		30.750		1903	• 31	99.90	
	•				250		30.500			• 05	99.58	
					000		30.250		1896	. 10	99.53	
					750		30.000		1894	• 26	99.42	
				29.	500	-	.29.750	7	1889	• 37	99.16	
				29.	250	-	29.500	9	1882	. 47	98.79	
				29.	000	-	29.250	15	1873	• 79	98.32	
				28.	750	-	29.000		1858	1.00	97.53	
					500				1839	• 94	96.54	
					250				1821	1.36	95.59	
					000	_			1795			
										1.78	94.23	
					750				1761	2.57	92.44	
					500	-			1712	1.63	89.87	
					250				1681	2.52	88.24	
					000				1633	3.88	85.72	
							27.600		1559	5. 41	81.84	
							26.750		1456	4.78	76.43	
							26.500	116	1 365	6.09	71.65	
				26.	000	-	26.250	83	1249	4.36	65.56	
				25.	750	-	26.000	148	1166	7.77	61.21	
				25.	500	•	25.750	109	1018	5.72	53.44	
							25.500	116	909	6.09	47.72	
							25.250	163	793	8.56	41.63	
							25.000	99	630	5.20	33.07	
				24.			24.750	74	531	3.88	27.87	
							24.500	113	457	5.93	23.99	
				24.			24.250	115	344	6.04	18.06	
					750		24.000	51				
									229	2.68	12.02	
					500		23.750	56	178	2.94	9.34	
					250		23.500	33	122	1.73	6 • 40	
					000		23.250	38	89	1.99	4.67	
				22.			23.000	17	51	• 89	2.68	
				22.		-		7	34	• 37	1.78	
				22.		-	22.500	11	2 <b>7</b>	• 58	1.42	
				22.		•		6	16	.31	• 84	
				21.		•	22.000	2	10	.10	• 52	
				21.	50 O	-	21.750	5	8	• 26	• 42	
•				21.3	250	•	21.500	2	3	• 10	• 16	
				21.1	000	•	21.250	8	1	0.00	. 05	
				20.7		-		0	1	0.00	. 05	
						-	20.750	1	1	. 05	. 05	

### 40. UPPER THIGH CIRCUMFERENCE

Д	RHY W	OMEN		INT	ER۱	VALS	AIR FORCE WOMEN				
CFRQ%		CFRQ	FRO			CHES		CFRQ	FRQ%	CFRQ%	
100.00	.08	1331			_		Õ		0.00		
99.92	. 15	1330				29.000	ō			100.00	
99.77	0.00	1328	Ō	28.500			_	1905		100.00	
99.77	• 08	1328	1	28.250			1			100.00	
99.70	. 08	1327	1	28.000				1904	• 10	99.95	
99.62	.08	1326	1	27.750			Ō		0.00	99.84	
99.55	.08	1325	1			27.750		1902	• 16	99.84	
99.47		1324		27.250				1899	• 05	99.69	
99.25	• 38	1321		27.000				1898	• 21	99.63	
98.87	• 38	1316						1894	• 16	99.42	
98.50		1311		26.500				1891	• 10	99.27	
98.27		1308		26.250				1889	• 10	99.16	
97.45		1297	7			26.250		1887	.37	99.06	
96.92		1290		25.750				1880	• 26	98.69	
96.39		1283		25.500				1875			
95.57	• 90	1272		25.250				1866	. 47	98.43	
94.67	• 98	1260		25.000					• 63	97.95	
93.69	2.18	1247		24.750				1854	• 79	97 • 32	
91.51	1.88			24.750				1839	1.36	96.54	
		1218	-					1813	• 63	95.17	
89.63	3.46	1193	46	24.250				1801	1.84	94.54	
86.18	3.16	1147		24.000				1766	2.36	92.70	
83.02		1105		23.750				1721	1.94	90.34	
78.21	4.51	1041	60			23.750		1684	3.36	88.40	
73.70	4.81	981	64	23.250				1620	3.46	85.04	
68.90	4.88	917	65			23.250	90		4.72	81.57	
64.01	6.61	852	88			23.000		1464	5.04	76.85	
57.40	5.86	764	78	22.500			77		4.04	71.81	
51.54	5.71	686		22.250			107		5.62	67.77	
45.83	5.33	610	71	22.000			136		7.14	62 • 15	
40.50	5.71	539	76	21.750			108		5.67	55.01	
34.79	4.66	463		21.500			108	940	5.67	49.34	
30.13	5.26	401	70	21.250			149	832	7.82	43.67	
24.87	3.38	331	45	21.000			101	683	5.30	35.85	
21.49 18.26	3.23 3.08	286 243		20.750			93	582	4.88	30.55	
			41	20.500		20.750	91	489	4.78	25.67	
15.18	3.23	202		20.250		20.500	82	398	4.30	20.89	
11.95	2.48	159		20.000	_	20.250	68	316	3.57	16.59	
9•47 6•54	2.93	126	39	19.750	_		62	248	3.25	13.02	
5.33	1.20	87 71	16		_	19.750	35	186	1.84	9.76	
3.53	1.80		24	19.250	-	19.500	57	151	2.99	7.93	
2.63	• 90	47	12	19.000	-	19.250	26	94	1.36	4.93	
	•60	35	8	18.750	-	19.800	23	68	1.21	3.57	
2.03	• 68	27	9	18.500	-	18.750	14	45	• 73	2.36	
1.35	• 53	18	7	18.250	-	18.500	10	31	• 52	1.63	
• 83	• 23	11	3	18.000	-	18.250	12	21	• 63	1.16	
•60	• 38 • 5	8	5	17.750	-	18.000	4	9	. 21	• 47	
• 23	• 15 0 • 00	3 1	2	17.500	-	17.750	1	5	• 05	• 26	
• 08			0		-	17.500	3	4	• 16	• 21	
• 08	0.00	1	0		•	17.250	1	1	.05	• 05	
.08	.08	1	1	16.750	•	17.000	0	0	0.00	û • 00	

## 41. VERTICAL TRUNK CIRCUMFERENCE, SITTING

A	RHY H	OMEN		INT	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ	IN	IN	CHES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	0.00	255	0	67.000	•	67.500	3	1905	.16	100.00
100.00	0.00	255	0	66.500	•	67.000	4	1902	• 21	99.84
100.00	0.00	255	0	66.000	•	66.500	7	1898	. 37	99.63
100.00	0.00	255	0	65.500	-	66.000	5	1891	• 26	99.27
100.00	1.18	255	3	65.000	•	65.500	8	1886	. 42	99.00
98.82	0.00	252	0	64.500	-	65.000	17	1878	. 89	98.58
98.82	0.00	252	0	64.000	•	64.500	19	1861	1.00	97.69
98.82	.78	252	2	63.500	-	64.000	20	1842	1.05	96.69
98.04	.78	250	2	63.000	-	63.500	39	1822	2.05	95.64
97.25	2.35	248	6	62.500	-	63.000	59	1783	3.10	93.60
94.90	1.96	242	5	62.000	-	62.500	82	1724	4.30	90.50
92.94	3.14	237	8	61.500	-	62.000	61	1642	3.20	86.19
89.80	3.53	229	9	61.000	-	61.500	110	1581	5.77	82.99
86.27	3.92	220	10	60.500	-	61.000	107	1471	5.62	77.22
82.35	4.31	210	11	60.000	-	60.500	152	1364	7.98	71.60
78.04	4.31	199	11	59.500	-	60.000	112	1212	5.88	63.62
73.73	4.71	188	12	59.000	-	59.500	186	1100	9.76	57.74
69.02	7.45	176	19	58.500	-	59.000	131	914	6.88	47.98
61.57	5.49	157	14	58.000	-	58.500	137	783	7.19	41.10
56.08	7.45	143	19	57.500	-	58.000	91	646	4.78	33.91
48.63	6.27	124	16	57.000	-	57.500	125	555	6.56	29.13
42.35	5.88	108	15	56.500	-	57.000	97	430	5.09	22.57
36.47	7.45	93	19	56.000	-	56.500	107	333	5.62	17.48
29.02	4.31	74	11	55.500	-	56.000	74	226	3.88	11.86
24.71	5.88	63	15	55.000	-	55.500	48	152	2.52	7.98
18.82	5.49	48	14	54.500	-	55.000	45	104	2.36	5 • 46
13.33	4.31	34	11	54.000	-		29	59	1.52	3.10
9.02	1.18	23	3	53.500	-	54.000	16	30	• 84	1.57
7.84	3.14	20	8	53.000	-		7	14 (	• 37	• 73
4.71	2.35	12	6	52.500		53.000	2	7	.10	• 37
2.35	1.18	6	3	52.000		52.500	5	5	• 26	• 26
1.18	• 39	3	· 1	51.500		52.000	0	0	0.00	0.00
• 78	• 39	2	1	51.000	-	51.500	0	0	0.00	0.00
• 39	0.00	1	Û	50.500	-		0	0	0.00	0.00
• 39	0.00	1	0	50.000	-		0	C	0.00	0.00
• 39	0.00	1	0	49.500		50.000	0	0	0.00	0.00
• 39	• 39	1	1	49.000	-	49.500	0	0	0.00	0.00

## 42. VERTICAL TRUNK CIRCUMFERENCE, STANDING

A	OMEN		INT	ER	VALS	AIR FORCE WOMEN				
CFRQ%	FRQ%	CFRQ	FRQ			CHES		CFRQ	FR Q%	
100.00	.08	1331	1	73.000	-	73.500		1905		100.00
99.92	0.00	1330	8			73.000	٥	1905	0.00	
99.92		1330	0			72.500	Õ	1905		100.00
99.92		1330	1			72.000	Ō	1905	0.00	
99.85		1329	a			71.500	Ō	1905	0.00	100.00
99.85		1329	Õ			71.000		1905	0.00	
99.85		1329	Ō			70.500	1		. 05	
99.85		1329	Ö			70.000	1	1904	. 05	99.95
99.85		1329		69.000			0		0.00	99.90
99.70		1327	1			69.000		1903	• 21	99.90
99.62	.30	1326	4			68.500	7			99.69
99.32	. 45	1322		67.500				1892		99.32
98.87		1316	10	67.000			10		• 52	98.48
98.12		1306	7			67.000	11	1866	• 58	97.95
97.60		1299	9			66.500		1855	.73	97.38
96.92	. 98	1290	13			66.000	19		1.00	96.64
95.94		1277	22			65.500		1822	1.68	95.64
94.29		1255	39			65.000	45		2.36	93.96
91.36	2.33	1216	31			64.500		1745	3.99	91.60
89.03	3.83	1185	51			64.000		1669	3.41	87.61
85.20	4.21	1134	56	63.000		63.500		1604	4.20	84.20
80.99	5.11	1078	68			63.000		1524	6.30	80.06
75.88	6.24	1010	83			62.500	117		6.14	73.70
69.65	7.06	927	94			62.000	117		6.14	67.56
62.58	5.94	833	79	61.000		61.500	146	1170	7.66	61.42
56.65	6.69	754	89	60.500		61.000	127		6.67	53.75
49.96	5.48	665	73	60.000		60.500	137	897	7.19	47.09
44.48	8.41	592	112	59.500		60.000	123	760	6.46	39.90
36.06	6.69	480	89	59.000		59.500	131	637	6.88	33.44
29.38	6.16	391	82	58.500		59.000	114	506	5.98	26.56
23.22	5.48	309	73	58.000		58.500	97	392	5.09	20.58
17.73	4.73	236	63			58.000	86	295	4.51	15.49
13.00	3.68	173	49	57.000		57.500	68	209	3.57	10.97
9.32	2.33	124	31	56.500		57.000	47	141	2.47	7.40
6.99	1.50	93	20	56.000		56.500	41	94	2.15	4.93
5.48	2.10	73		55.500		56.000	26	53	1.36	2.78
3.38	. 90	45	12	55.000	-	55.500	11	27	• 58	1.42
2 • 48	• 68	33	9	54.500	-	55.000	9	16	• 47	. 84
1.80	. 45	24	6	54.000	_	54.500	4	7	. 21	• 37
1.35	. 38	18	5	53.500	-	54.000	1	3	. 05	• 16
• 98	. 45	13	6	53.000	_	53.500	1	2	. 05	•10
• 53	. 38	7	5	52.500	-	53.000	1	1	. 05	. 05
. 15	0.00	2	Ō	52.000	-	52.500	Ō	Ō	0.00	0.00
• 15	0.00	2	Ō	51.500	-	52.000	Ō	Õ	0.00	0.00
•15	.15	2	2	51.000	-		0	0	0.00	0.00

### 43. WAIST BACK LENGTH

Α	OMEN		INT	ER	VALS	AIR FORGE WOMEN				
CFRQ%		CFRQ	FRQ			CHES		CFRQ	FRQ%	
100.00	• 53	1331	7		_	ABOVE	0	1905	0.00	
99.47	0.00	1324	Ö		-		G	1905	0.00	
99.47	.08	1324	1	19.000	-		Õ	1905	0.00	
99.40	. 23	1323	3	18.875			2	1905	.10	
99.17	• 15	1320	2		_		0	1903	0.00	99.90
99.02	0.00	1318	0			18.750	Ö	1903	0.00	99.90
99.02	• 75	1318	10		-		3	1903	. 16	99.90
			6	18.375			8	1900	0.08	99.74
98.27	. 45	1308		-				1900		
97.82	. 30	1302	4			18.375			. 16	99.74
97.52	. 83	1298	11			18.250		1897	• 26	99.58
96.69		1287	10			18.125		1892	. 37	99.32
95.94		1277	14			18.000		1885	. 63	98.95
94.89	1.35		18	17.750				1873	• 73	98.32
93.54	1.13		15	17.625				1859	. 89	97.59
92.41		1230	24			17.625	_	1842	1.21	96.69
90.61	1.20	1206	16	17.375	-	17.500		1819	• 47	95 • 49
89.41	1.95	1190	26	17.250	-	17.375		1810	2.26	95.01
87.45	2.40	1164	32			17.250		1767	2.62	92.76
85.05	2.55	1132	34	17.000	-	17.125	34	1717	1.78	90.13
82.49	3.68	1098	49	16.875	-	17.000		1683	3.46	88.35
78.81	3.83	1049	51	16.750	-	16.875		1617	2.83	84.88
74.98	3.38	998	45	16.625	-	16.750	58	1563	3.04	82.05
71.60	5.11	953	68	16.500	•	16.625	163	1505	5.41	79.00
66.49	5.56	885	74	16.375	-	16.500	82	1402	4.30	73.60
60.93	4.66	811	62	16.250	-	16.375	78	1320	4.09	69.29
56.27	4.36	749	58	16.125	-	16.250	134	1242	7.03	65.20
51.92	3.83	691	51	16.000	-	16.125	84	1108	4.41	58.16
48.08	4.13	640	55	15.875	-	16.000	140	1024	7.35	53.75
43.95	3.91	585	52	15.750	-	15.875	58	884	3.04	46.40
40.05	5.03	533	67	15.625	-	15.750	137	826	7.19	43.36
35.01	4.88	466	65	15.500	-	15.625	122	689	6.40	36.17
30.13	4.13	401	55	15.375	-	15.500	58	567	3.04	29.76
26.00	3.83	346	51	15.250	•	15.375	90	509	4.72	26.72
22.16	3.38	295	45	15.125	-	15.250	82	419	4.30	21.99
18.78	3.76	250	50	15.000	-	15.125	60	337	3.15	17.69
15.03	2.93	200	39	14.875	-	15.000	88	277	4.62	14.54
12.10	2.33	161	31	14.750	-	14.875	49	189	2.57	9.92
9.77	2.10	130	28	14.625	-	14.750	26	140	1.36	7.35
7.66	2.18	102	29	14.500	-	14.625	34	114	1.78	<b>5 •</b> 98
5.48	1.35	73	18	14.375	-	14.500	17	86	. 89	4.28
4.13	1.80	55	24	14.250	•	14.375	24	63	1.26	3.31
2.33	. 75	31	10	14.125	-	14.250	11	39	• 58	2.05
1.58	. 23	21	3	14.000	-	14.125	4	28	. 21	1.47
1.35	. 38	18	5		-	14.000	7	24	. 37	1.26
• 98	. 23	13	3	13.750	-	13.875		17	. 31	• 89
. 75	.30	10	4	13.625	-	13.750	2	11	. 10	• 58
. 45	. 23	6	3	13.500	-	13.625	4	9	. 21	• 47
.23	.08	3	1		•	13.500	1	5	. 05	• 26
.15	. 15	2	2		-	13.375	3	4	. 16	. 21
0.00	0.00	0	0	13.125	-	13.250	1	1	• 05	• 05

## 44. WAIST BREADTH

٨		TNT	: D1	ALS	AIR FORCE WOMEN					
CFRQ%	RMY WO	CFRQ	EPO			CHES		CFRQ	FRQ%	
100.00		1331		13.500			0	1905		100.00
99.62	• 08	1326	1	13.375			0			100.00
99.55				13.250			0			100.00
99.32		1325						1905		100.00
	• 15	1322		13.125			0			
99.17	• 08	1320	1	13.000						100.00
99.10		1319		12.875			0			100.00
98.65	• 30	1313		12.75ù				1905		100.00
98.35	.08	1309	1				0		0.00	99.90
98.27	.08	1308	1	12.500			1		• 05	99.90
98.20		1307		12.375			0		0.00	99.84
97.97	.68	1304		12.250			6		0.00	99.84
97.30	• 90	1295		12.125			1		. 05	99.84
96.39		1283	7			12.125	3		. 16	99.79
95 • 87	• 30	1276		11.875				1898	• 16	99.63
95.57		1272		11.750				1895	• 21	99.48
95.04	. 83	1265	11			11.750	3		• 16	99.27
94.21		1254		11.500				1888	• 16	99.11
93.16	2.18	1240	29	11.375				1885	. 42	98.95
90.98		1211	18	11.250				1877	. 79	98.53
89.63	2.70	1193		11.125			13		. 68	97.74
86•93	2.48	1157	33	11.000				1849	. 73	97.06
84•45		1124	30	10.875				1835	• 63	96 • 33
82.19		1094	47			10.875		1823	2.20	95.70
78.66	3.76	1047	50			10.750		1781	2.73	93•49
74.91	4.06	997	54	10.500				1729	1.36	90.76
70.85	3.38	943	45	10.375	-	10.500		1703	2.36	89.40
67.47	3.76	898	50	10.250	-	10.375	47		2.47	8 <b>7.0</b> 3
63.71	5.71	848	76		-	10.250	62		3. 25	84.57
58.00	5.03	772	67	10.000	-	10.125	75		3.94	81.31
52.97	6.99	705	93	9.875	-	10.000	101	1474	<b>5.</b> 30	77.38
45.98	5.18	612	69			9.875	106	1373	5.56	72.07
40.80	6.09	543	81	9.625	-	9.750	108	1267	5.67	66.51
34.71	5.11	462	68	9.500	-	9.625	108	1159	5.67	60.84
29.60	5.11	394	68	9.375	-	9.500	144	1051	7.56	55.17
24.49	6.01	326	80	9.250	-	9.375	177	907	9.29	47.61
18.48	3.46	246	46	9.125	-	9.250	140	730	7.35	38.32
15.03	3.91	200	52	9.000	-	9.125	113	590	5.93	30.97
11.12	2.70	148	36	8.875	-	9.000	85	477	4.46	25.04
8 • 41	2.63	112	35	8.750	-	8.875	96	392	5.04	20.58
5.79	1.88	77	25	8.625	-	8.750	79	296	4.15	15.54
3.91	1.43	52	19	8.500	-	8.625	46	217	2.41	11.39
2.48	1.28	33	17	8.375	-	8.500	58	171	3.04	8 • 98
1.20	. 53	16	7	8.250	-	8.375	50	113	2.62	5 • 93
• 68	. 45	9	6	8.125	-	8.250	26	63	1.36	3.31
•23	. 15	3	2	8.000	-	8.125	21	37	1.10	1 • 94
.08	0.00	1	0	7.875	•	8.000	10	16	• 52	. 84
• 08	0.00	1	0		-	7.875	4	6	. 21	• 31
. 08	.08	1	1		-	7.750	0	2	0.00	.10
0.00	0.00	0	0	7.500	-	7.625	1	2	. 05	. 10
0.00	0.00	0	Ú	7.375	-	7.500	1	1	• 05	• 05

## 45. WAIST CIRCUMFERENCE

	ARMY W	OMEN		TNT	F	RVALS		ATR F	ORCE W	OMEN
CFRQ%		CFRQ	FRO			NCHES	EDO	CFRG		CFRQX
100.00		1331		45.000						
99.92	0.00					· 45.000				
99.92	0.00					44.500				
99.92	0.00					44.000				
99.92	0.00	-				43.500				
99.92	0.00		-			43.000	-			
99.92	0.00					42.500				
99.92	. 08		-			42.000				
99.85	. 15					41.500				100.00
99.70	0.00	1327				41.000				
99.70	. 15	1327				40.500				
99.55	0.00	1325				40.000				
99.55		1325				39.586				
99.55	0.00	1325				39.000				100.00
99.55	0.00	1325				38.500				
99.55	. 08	1325				38.000	-			
99.47	. 15	1324				37.500				
99.32	.15	1322				37.000				
99.17	.38	1320	5			36.500				99.95
98.80	.38	1315	5			36.000			_	99 <b>. 9</b> 5 99 <b>. 9</b> 5
98.42	• 30	1310	4			35.500				99.84
98.12	.68	1306	9			35.000				99.79
97.45	. 83	1297	11			34.500				99.63
96.62	• 60	1286	8			34.000		1895		99.48
96.02	.90	1278	12			33.500		1891		99.27
95.12	1.20	1266	16	32.500				1885	. 37	98.95
93.91	1.05	1250	14		-		10		• 52	98.58
92.86	1.58	1236	21		-			1868	.79	98.06
91.28	2.55	1215	34		-		17		. 89	97.27
88.73	3.68	1181	49	30.500	-		25	1836	1.31	96.38
85.05		1132	56	30.000	-		19	1811	1.00	95.07
80.84	4.58	1076	61	_	-			1792	3.36	94.07
76.26	5.56	1015	74	29.000	-		41	1728	2.15	90.71
70.70	6.84	941	91	28.500	-	29.000		1687	4.04	88.56
63.86	7.51	850	100	28.000	-	28.500		1610	3.83	84.51
56.35	6.76	750	90	27.500		28.000		1537	7 • 45	80.68
49.59	9.24	660	123	27.000	-	27.500	160	1395	8.40	73.23
40 • 35	9.47	5 37	126	26.500	-	27.000	170	1235	8.92	64.83
30.88	7.06	411		26.000		26.500	189	1065	9.92	55 • 91
23.82	7.59	317		25.500	•	26.000	199	876	10.45	45.98
16.23	5.86	216		25.000		25.500	153	677	8.03	35.54
10.37	3.83	138		24.500		25.000	177	524	9.29	27.51
6.54	3.53	87		24.000		24.500	161	•	8.45	18.22
3.01	1.50	40		23.500		24.000	86	186	4.51	9.76
1.50	• 90	20		23.000		23.500	57	100	2.99	5 • 25
. 60	.30	8		22.500		23.000	32	43	1.68	2 • 26
.30	. 30	4		22.000		22.500	9	11	• 47	• 58
0.00	0.00	0		21.500		22.000	1	2	• 05	• 10
0.00	0.00	0		21.000		21.500	0	1	0.00	• 05
0 • 0 0	0.00	0	8	20.500	-	21.000	1	1	• 05	• 05

## 46. WAIST FRONT LENGTH

<b>A</b> 1	DMV U	MEN		TAITE	. D.V	ALS	,	ATP EN	RCE WO	NEN .
	RMY WO	CFRQ	EDO			CHES		CFRQ		CFRQ%
CFRQ% 100.00		1331		16.875			0	1905		100.00
				16.750				1905		100.00
97.97		1304	8 7	16.625			0			100.00
97.37		1296						1905		100.00
96.84	• 45	1289		16.500				1905		100.00
96.39		1283		16.375				1905		100.00
95.64		1273		16.250				1904	• 05	
94.29		1255		16.125				1903	• 05	
93.39		1243		16.000				1902		
	. 90	1229		15.875				1901	0.00	
91.44		1217		15.750 15.625				1901	• 21	
89.26		1188						1897		
87.53		1165		15.500		15.625	1			
	2.25			15.375		15.375		1894		
83.77		1115		15.250 15.125				1887		
81.29	4.73			15.000				1881	.10	
76.56		1019		14.875				1879		
72.13	4.43 3.98	960 901		14.750				1862		
67.69 63.71	3.83	848		14.625				1842		
59.88	4.81	797			_			1833		
55.07	5.26	733		14.375				1799	• 63	
	6.91	663		14.250				1787		
49.81 42.90	4.66	571		14.125				1734	3.73	
38.24	4.28	509		14.000				1663		
33.96	3.46	452		13.875				1618	3.78	
30.50	3.91	406		13.750				1546	6.40	
26.60	3.98	354		13.625				1424	2.78	
22.61	4.88	301		13.500				1371	7.09	
17.73	4.66	236	62	13.375			154		8.08	
13.07	2.40	174		13.250			49		2.57	
10.67	3.01	142		13.125			133			
7.66	1.88	102		13.000			79		4. 15	
5.79	1.58	77		12.875			150		7.87	43.10
4.21	1.35	56		12.750			148		7.77	35.22
	.83			12.625			79	523	4.15	27 • 45
2.03	.90	27				12.625			6.09	23.31
1.13	• 30	15	4	12.375	-	12.500	84	328	4.41	17.22
.83	• 15	11	2	12.250	-	12.375	45	244	2.36	12.81
•68	• 15	9	2	12.125	-	12.250	61	199	4.25	10.45
• 53	.30	7	4	12.000	-	12.125	<b>3</b> 8	118	1.99	6 • 19
• 23	.08	3	1	11.875	-	12.000	25	80	1.31	4.20
•15	.08	2		11.750	-		26	55	1.36	2.89
• 08	0.00	1	0	11.625			7	29	• 37	1.52
• 0.8	• 08	1		11.500		11.625	5	22	• 26	1.15
0.00	0.00	0		11.375	-	11.500	9	17	• 47	• 89
0.00	0.00	0		11.250	-		5	8	• 26	• 42
0.00	0.00	0		11.125	-		1	3	• 05	• 16
0.00	0.00	0		11.000	-	-	1	2	• 05	• 10
0.00	0.00	0		10.875			0	1	0.00	• 05
0.00	0.00	0	8	10.750	-	10.875	1	1	• 05	• 05

## 47. WAIST HEIGHT

ARMY WOMEN  CFRQ% FRQ% CFRQ FRQ IN INCHES  99.62  23 1326  3 45.250  45.500  45.500  2 1905  10 100.00  99.40  23 1323  3 45.000  45.250  45.500  2 1905  10 100.00  99.40  99.17  45 1320  6 44.750  - 45.000  1 1901  0 0 0 199.90  98.72  45 1314  6 44.500  - 44.750  1 1900  0 5 99.74  98.27  60 1308  8 44.250  - 44.500  3 1899  16 99.69  97.67  68 1300  9 44.000  - 44.250  4 1896  21 99.53  96.97  1.20 1280  16 43.500  - 43.750  7 1885  37 98.95  94.97  1.28 1264  17 43.250  - 43.500  7 1878  37 98.58  93.69  1.20 1247  16 43.000  - 43.250  17 1839  38 96.54  91.28 1247  16 43.000  - 43.250  17 1839  89 96.54  91.28 2.18 1215  29 42.500  42.250  40 1785  2.10 93.76  85.20  3.38 1134  45 41.750  42.250  42.250  40 1785  2.10 93.76  85.20  3.38 1051  49 41.250  41.500  91 1562  5.20 81.99  75.28  2.55 1002  34 41.000  41.250  58 1651  3.04  86.67  75.28  2.55 1002  34 41.000  41.250  99 1266  5.20 66.46
100.00
99.62 .23 1326 3 45.250 - 45.500 2 1905 .10 100.00 99.40 .23 1323 3 45.000 - 45.250 2 1903 .10 99.90 99.17 .45 1320 6 44.750 - 45.000 1 1901 .05 99.79 98.72 .45 1314 6 44.500 - 44.750 1 1900 .05 99.74 98.27 .60 1308 8 44.250 - 44.500 3 1899 .16 99.69 97.67 .68 1300 9 44.000 - 44.250 4 1896 .21 99.53 96.99 .83 1291 11 43.750 - 44.000 7 1892 .37 99.32 96.17 1.20 1280 16 43.500 - 43.750 7 1885 .37 98.95 94.97 1.28 1264 17 43.250 - 43.500 7 1878 .37 98.58 93.69 1.20 1247 16 43.000 - 43.250 14 1871 .73 98.22 92.49 1.20 1231 16 42.750 - 43.000 18 1857 .94 97.48 91.28 2.18 1215 29 42.500 - 42.750 17 1839 .89 96.54 87.08 1.88 1159 25 42.000 - 42.250 40 1785 2.10 93.70 85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.253 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.253 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.750 55 1706 2.89 89.55 78.96 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
99.40
99.17
98.72
98.27       .60       1308       8       44.250       -       44.500       3       1899       .16       99.69         97.67       .68       1300       9       44.000       -       44.250       4       1896       .21       99.53         96.99       .83       1291       11       43.750       -       44.000       7       1892       .37       99.32         96.17       1.20       1280       16       43.500       -       43.750       7       1885       .37       98.95         94.97       1.28       1264       17       43.250       -       43.500       7       1878       .37       98.95         94.97       1.28       1264       17       43.250       -       43.500       7       1878       .37       98.95         93.69       1.20       1231       16       42.750       -       43.000       18       1857       .94       97.48         91.28       2.18       1215       29       42.500       -       42.750       17       1839       .89       96.54         87.08       1.88       1159       25       42.000       37       1822
97.67
96.99
96.17 1.20 1280 16 43.500 - 43.750 7 1885 .37 98.95 94.97 1.28 1264 17 43.250 - 43.500 7 1878 .37 98.58 93.69 1.20 1247 16 43.000 - 43.250 14 1871 .73 98.22 92.49 1.20 1231 16 42.750 - 43.000 18 1857 .94 97.48 91.28 2.18 1215 29 42.500 - 42.750 17 1839 .89 96.54 87.08 1.88 1159 25 42.000 - 42.500 37 1822 1.94 95.64 87.08 1.88 1159 25 42.000 - 42.250 40 1785 2.10 93.76 85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.250 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 56.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
94.97       1.28       1264       17       43.250       - 43.500       7       1878       .37       98.58         93.69       1.20       1247       16       43.000       - 43.250       14       1871       .73       98.22         92.49       1.20       1231       16       42.750       - 43.000       18       1857       .94       97.48         91.28       2.18       1215       29       42.500       - 42.750       17       1839       .89       96.54         89.11       2.03       1186       27       42.250       - 42.500       37       1822       1.94       95.64         87.08       1.88       1159       25       42.000       - 42.250       40       1785       2.10       93.70         85.20       3.38       1134       45       41.750       - 42.000       39       1745       2.05       91.60         81.82       2.85       1089       38       41.500       - 41.750       55       1706       2.89       89.55         78.96       3.68       1051       49       41.250       - 41.500       58       1651       3.04       86.67         75.28
93.69 1.20 1247 16 43.000 - 43.250 14 1871 .73 98.22 92.49 1.20 1231 16 42.750 - 43.000 18 1857 .94 97.48 91.28 2.18 1215 29 42.500 - 42.750 17 1839 .89 96.54 87.08 1.88 1159 25 42.001 - 42.250 40 1785 2.10 93.76 85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.251 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
92.49 1.20 1231 16 42.750 - 43.000 18 1857 .94 97.48 91.28 2.18 1215 29 42.500 - 42.750 17 1839 .89 96.54 89.11 2.03 1186 27 42.250 - 42.500 37 1822 1.94 95.64 87.08 1.88 1159 25 42.000 - 42.250 40 1785 2.10 93.76 85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.25J - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
91.28
89.11 2.03 1186 27 42.250 - 42.500 37 1822 1.94 95.64 87.08 1.88 1159 25 42.000 - 42.250 40 1785 2.10 93.76 85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.253 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
87.08
85.20 3.38 1134 45 41.750 - 42.000 39 1745 2.05 91.60 81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.25J - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
81.82 2.85 1089 38 41.500 - 41.750 55 1706 2.89 89.55 78.96 3.68 1051 49 41.25J - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
78.96 3.68 1051 49 41.250 - 41.500 58 1651 3.04 86.67 75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
75.28 2.55 1002 34 41.000 - 41.250 31 1593 1.63 83.62 72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
72.73 3.68 968 49 40.750 - 41.000 99 1562 5.20 81.99 69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
69.05 6.01 919 80 40.500 - 40.750 101 1463 5.30 76.80 63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
63.04 4.96 839 66 40.250 - 40.500 96 1362 5.04 71.50 58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
58.08 5.18 773 69 40.000 - 40.250 99 1266 5.20 66.46
17.66 3.08 235 41 37.750 - 38.000 80 406 4.20 21.31 14.58 2.55 194 34 37.500 - 37.750 70 326 3.67 17.11
12.02 1.80 160 24 37.250 - 37.500 59 256 3.10 13.44
10.22 3.08 136 41 37.000 - 37.250 56 197 2.94 10.34
7.14 1.43 95 19 36.750 - 37.000 29 141 1.52 7.40
5.71 1.88 76 25 36.500 - 36.750 45 112 2.36 5.88
3.83 1.20 51 16 36.250 - 36.500 20 67 1.05 3.52
2.63 .38 35 5 36.000 - 36.250 13 47 .68 2.47
2.25 .45 30 6 35.750 - 36.000 9 34 .47 1.78
1.80 .45 24 6 35.500 - 35.750 10 25 .52 1.31
1.35 .38 18 5 35.250 - 35.500 4 15 .21 .79
.98 .23 13 3 35.000 - 35.250 4 11 .21 .58
.75 .30 10 4 34.750 - 35.000 4 7 .21 .37
.45 .15 6 2 34.500 - 34.750 1 3 .05 .16
30 .08 4 1 34.250 - 34.500 2 2 .10 .10
.23 .08 3 1 34.000 - 34.250 0 0 0.00 0.00
.15 .08 2 1 33.750 - 34.000 0 G 0.00 0.00
.08 J.00 1 0 33.500 - 33.750 0 0 0.00 0.00
.08 .08 1 1 33.250 - 33.500 0 0 0.00 0.00

48. WEIGHT

Δ	RMY WO	OMEN		TNT	FRI	VALS	į	ATR F	ORCE WO	DMEN
CFRQ%		CFRQ	FRQ			JNDS		CFRQ	FRQ%	
100.00	. 08	1331		272.50				1905		100.00
99.92	0.00	1330	0			272.50	Ō			100.00
99.92	0.00	1330	ũ			268.50		1905		100.00
99.92	0.00	1330	0			264.50		1905		100.00
99.92	0.00	1330	ő	256.50			0			100.00
99.92	0.00	1330	0			256.50	0	1905		100.00
99.92	0.00	1330	0			252.50	0			100.00
99.92	0.00	1330	0	244.53				1905		100.00
99.92	0.00	1330	Ô			244.50	۵			100.00
99.92	0.00	1330	Ü			240.50	õ			100.00
99.92	0.00	1330	Ō	232.50				1905		100.00
99.92	0.00	1330	Ű	228.50			0			100.00
99.92	0.00	1330	0	224.50			Ö	1905		100.00
99.92	0.00	1330	0	220.50			0			100.00
99.92	.08	1330	1	216.50			0		0.00	
99.85	.08	1329	1			216.50	0			100.00
99.77	0.00	1328	Ô	208.50				1905	0.00	
99.77	• 08	1328	1	204.50				1905	0.00	
99.70	.15	1327		200.50			0		0.00	100.00
99.55	.08	1325	1			200.50		1905	.10	100.00
99.47	.08	1324	1	192.50				1903	• 10	99.90
99.40	.30	1323		188.50			2		.10	99.79
99.10	.08	1319	1	184.50			3			99.69
99.02	•53	1318	7			184.50	6			99.53
98.50	.75	1311	10			180.50		1890		99.21
97.75	• 53	1301	7	172.50			5			99.06
97.22	.60	1294	8	168.50				1882	. 68	98.79
96.62	.90	1286	12	164.50			12		• 63	98.11
95.72	1.95	1274	26	160.50	_		13		• 68	97.48
93.76	3.31	1248	44			160.50	27		1.42	96.80
90.46	3.61		48	152.50			45		2.36	95.38
86.85	5.41	1156	72	148.50		152.50	61		3.20	93.02
81.44	5.41	1684	72		-		75		3.94	89.82
76.03	6.99	1012	93	140.50			109	1636	5.72	85.88
69.05	7.59					140.50				
61.46						136.50				
52.97	8.56	705				132.50				
44.40	8.87	591				128.50				
35.54	9.24	473		120.50			189	877	9.92	46.04
25.30	6.16	350	82	116.50			167		8.77	36.12
20.14	5.48	268	73	112.50			168		8.82	27.35
14.65	5.26	195	70			112.50	123		6.46	18.53
9.39	3.31	125	44			108.50			5.51	12.07
6.09	2.63	81	35	100.50			54	125		6.56
3.46	2.03	46	27	96.50			50	71		3.73
1.43	1.05	19	14	92.50		96.50	16	21	. 84	1.10
.38	. 23	5		88.50			4	5	• 21	• 26
• 15	. 15	2	2	84.50	-	88.50	1	1	.05	• 05

### 49. WRIST CIRCUMFERENCE

	ARMY W	OMEN		INT	ERV	ALS		AIR F	DRCE WO	DMEN
CFRQ%	FRQ%	CFRQ	FRQ	IN	INC	HES	FRQ	CFRQ	FRQ%	CFRQ%
100.00	.08	1331	1	6.875	-	7.000	4	1905	. 21	100.00
99.92	0.00	1330	0	6.750	-	6.875	1	1901	• 05	99.79
99.92	.08	1330	1	6.625	-	6.758	11	1900	• 58	99.74
99.85	• 60	1329	8	6.500	-	6.625	16	1889	. 84	99.16
99.25	1.05	1321	14	6.375	•	6.500	64	1873	3.36	98.32
98.20	3.46	1367	46	6.250	-	6.375	101	1809	5.30	94 • 96
94.74	6.24	1261	83	6.125	-	6.250	132	1708	6. 93	89.66
88 <b>.50</b>	9.17	1178	122	6.000	-	6.125	302	1576	15.85	82.73
79.34	13.52	1056	180	5.875	-	6.000	387	1274	20.31	66 • 88
65.82	18.18	876	242	5.750	-	5.875	211	887	11.08	46 • 56
47.63	23.14	634	308	5.625	-	5.750	354	676	18.58	35 • 49
24•49	10.82	326	144	5.500	-	5.625	213	322	11.18	16.90
13.67	7.44	182	99	5.375	-	5.500	62	109	3. 25	5.72
6 • 24	4.36	83	58	5.250	-	5.375	41	47	2. 15	2.47
1.88	1.28	25	17	5.125	-	5.250	3	6	• 16	• 31
•60	• 60	8	8	5.000	-	5.125	2	3	• 10	• 16
0.00	0.00	0	0	4.875	-	5.000	1	1	• 05	• ù5

#### APPENDIX D

Sizing Tables: U.S. Navy Specifications

Grouped in this appendix are sizing tables roughly in the format and terminology specifically called for by the contract specifications. Variable names have been changed only where interpretation altered the original meaning; numbers in parentheses following variable names refer the reader to the comparable (and oftenrenamed) variable used in the body of the report. Values, rounded to the nearest eighth, are regression estimates. (See Chapter V.)

TABLE 1

UPPER TORSO BODY MEASUREMENTS (inches)

JUNIOR SIZES

SIZ	ːE: 3	5	7	9		<b>.</b>
BUST CIRCUMFERENCE (9) NECK TO BUSTPOINT (29) BUSTPOINT TO BUSTPOINT (10)	30 7 ³ / ₄ 6 ³ / ₈	31 8 6 ⁵ / ₈	32 8 ½ 6 ½	33 8 ½ 7 ½		
Weight (lbs) (48)	931/4	993/8	$105\frac{3}{8}$	1113/8		
Height (38)	613/4	621/8	$62^{3}/_{8}$	625/8		
Cervicale Height (13)	52 1/8	53½	53 1/2	53 ³ / ₄		
Neck Girth (30)	$12\frac{1}{2}$	12 5/8	123/4	$12\frac{7}{8}$		
Shoulder Girth (32)	35 1/8	$36\frac{3}{8}$	37 ½	37 ³ / ₄		
Chest Girth at Scye (15)	29 ½	29 1/8	30 ⁵ / ₈	$31\frac{3}{8}$		
Vertical Trunk Girth (42)	56 ½	56 ⁷ / ₈	57 ³ / ₄	58 ½		
Vertical Trunk Girth, Sitting (41)	55	55 ⁵ / ₈	56 ½	57		
Buttock Girth, Sitting (11)	34 1/8	35 ½	36 ³ / ₈	37 ½		
Arm Scye Girth (2)	13	131/4	131/2	13 1/8		
Biceps Girth (Upper Arm) (8)	8 1/2	8 3/4	9 ½	9 3/8		
Elbow Girth (18)	9 7/8	10	10 ½	10 1/4		
Wrist Girth (49)	5 1/2	5 1/8	5 ⁵ / ₈	5 ³ / ₄		
Biacromial Width (Shoulder) (7)	131/2	13 1/8	13 ³ / ₄	133/4		
Bideltoid Width (Back) (31)	14 3/4	15 1/8	$15\frac{3}{8}$	153/4		
Chest Width (14)	9 3/4	10	10 1/4	10 1/2		
Waist Width (44)	8 1/8	8 ³ / ₈	8 ⁵ / ₈	8 7/8		
Hip Width (22)	123/8	12 1/8	$12\frac{7}{8}$	131/8		
Shoulder Length (33)	5 ³ / ₈	5 ½	5 ½	5 ½		
Strap Length (39)	211/4	21 1/8	$22\frac{3}{8}$	22 1/8		
Interscye Curvature (24)	12 1/2	12 1/8	$12\frac{7}{8}$	131/8		
Back Curvature (4)	14 1/8	15 ½	15 ½	15 1/8		
Waist Back Length (43)	15.1/2	15 1/8	15 1/8	15 1/8		
Waist Front Length (46)	12 3/8	$12\frac{1}{2}$	12 1/8	12 1/8		

TABLE 1 (continued)

SIZE	: 3	5	7	9	,		
BUST CIRCUMFERENCE (9) NECK TO BUSTPOINT (29) BUSTPOINT TO BUSTPOINT (10)	30 7 ³ / ₄ 6 ³ / ₈	31 8 6 ⁵ / ₈	32 8 ¹ / ₄ 6 ⁷ / ₈	33 8 ½ 7 ½		·	
Sleeve Inseam (34)	17 ¹ / ₈	17 ¹ / ₈	171/4	171/4			
Spine to Scye Length (36)	7 3/8	7 1/2	7 5/8	7 3/4			
Spine to Elbow Length (35)	20	20 ½	201/4	20 1/2			
Spine to Wrist Length (37)	30 1/8	30 1/4	30 ½	30 3/4			
* Waist to Hip (Side Seam)	į						
† Arm Scye to Waist (Side Seam) (3)	9	9	9 1/8	9 1/8			
* Arm Length							
* Front Length							
* Scye Depth							
† Chest Width (28)	9 7/8	10 1/8	10 3/8	10 1/8			
† Back Width (27)	14	$14^{1}/_{8}$	$14^{3}/_{8}$	14 1/2			

^{*} Not measured in either the AFW or Army surveys.

[†] Army data based on key dimensions of Bust Circumference and Neck-to-Bustpoint only.

TABLE 2

UPPER TORSO BODY MEASUREMENTS (inches)

MISSES SIZES

SIZE	: 6	8	10	12	14	
BUST CIRCUMFERENCE (9) NECK TO BUSTPOINT (29) BUSTPOINT TO BUSTPOINT (10)	$ \begin{array}{c c} 31 \frac{1}{2} \\ 8 \frac{1}{2} \\ 6 \frac{3}{4} \end{array} $	32 ½ 8 ¾ 7	33 ½ 9 7 ½	35 9 ³ / ₈ 7 ¹ / ₂	36 ½ 9 ¾, 7 ¾,	
Weight (lbs) (48)	1031/8	109½	115 ½	4		
Height (38)	$62\frac{3}{8}$	623/4	63	63 ½	63 1/8	
Cervicale Height (13)	53 ¹ / ₂	53 ³ / ₄	54	54 ½	54 ⁷ / ₈	
Neck Girth (30)	123/4	12 1/8	13	131/4	131/2	
Shoulder Girth (32)	36 ³ / ₄	37 ½	38 ½	39 ½	40 ³ / ₈	
Chest Girth at Scye (15)	30 ¹ / ₄	31	313/4	32 1/8	34	
Vertical Trunk Girth (42)	57 ½	58 ¹ / ₄	59	60 ½	61 ³ / ₈	
Vertical Trunk Girth, Sitting (41)	56 ½	56 ³ / ₄	57 ½	58 ½	59 ½	
Buttock Girth, Sitting (11)	36 ½	36 1/8	37 ³ / ₄	38 7/8	40	
Arm Scye Girth (2)	131/2	13 ³ / ₄	14	14 1/2	14 1/8	
Biceps Girth (Upper Arm) (8)	8 ⁷ / ₈	9 ¹ / ₄	9 1/2	10	10 3/8	
Elbow Girth (18)	10 1/8	101/4	10 ³ / ₈	10 1/8	103/4	
Wrist Girth (49)	5 ⁵ / ₈	5 ³ / ₄	5 ³ / ₄	5 1/8	6	
Biacromial Width (Shoulder) (7)	13 1/8	133/4	13 1/8	14	141/4	
Bideltoid Width (Back) (31)	15 ½	15 1/8	15 1/8	$16\frac{3}{8}$	163/4	
Chest Width (14)	10 1/8	10 3/8	10 1/8	11	11 3/8	
Waist Width (44)	8 1/2	8 ³ / ₄	9	9 3/8	9 3/4	
Hip Width (22)	12 1/8	13	131/4	13 1/8	13 1/8	
Shoulder Length (33)	5 1/2	5 ⁵ / ₈	5 ⁵ / ₈	5 ⁵ / ₈	5 ³ / ₄	
Strap Length (39)	223/4	231/4	233/4	24 1/8	25 ³ / ₈	
Interscye Curvature (24)	123/4	13	131/4	13 1/8	14	
Back Curvature (4)	15 3/8	15 1/8	16	16 ½	17	
Waist Back Length (43)	15 1/8	15³/4	15 ³ / ₄	15 1/8	15 1/8	
Waist Front Length (46)	12 1/8	12 3/4	12 1/8	131/8	13 3/8	

TABLE 2 (continued)

SIZE	6	8	10	12	14	
BUST CIRCUMFERENCE (9) NECK TO BUSTPOINT (29) BUSTPOINT TO BUSTPOINT (10)	31 ½ 8 ½ 6 ¾	32 ½ 8 ¾ 7	33 ½ 9 7 ¼	35 9 ³ / ₈ 7 ¹ / ₂	36 ½ 9 ¾ 7 ¾	
Sleeve Inseam (34)	17 ½	17 ½	17 ¹ / ₄	$17\frac{3}{8}$	17 ³ / ₈	
Spine to Scye Length (36)	7 ⁵ / ₈	7 ⁵ / ₈	7 3/4	7 ⁷ /8	8 ½	
Spine to Elbow Length (35)	20 1/2	20 3/8	20	20 1/8	21 1/8	
Spine to Wrist Length (37)	30 ½	30 1/8	30 1/8	31 1/4	31 1/2	1
* Waist to Hip (Side Seam)						
† Arm Scye to Waist (Side Seam) (3)	9	9	9 ½	9 ½	9 ¹ / ₄	
* Arm Length						
* Front Length						
* Scye Depth						
† Chest Width (28)	10 1/4	10 1/2	10 3/4	11 1/8	$11\frac{1}{2}$	
† Back Width (27)	14 1/4	$14^{1}/_{2}$	14	$14^{\frac{7}{8}}$	$15\frac{1}{8}$	

^{*} Not measured in either the AFW or Army surveys.

[†] Army data based on key dimensions of Bust Circumference and Neck-to-Bustpoint only.

TABLE 3

UPPER TORSO BODY MEASUREMENTS (inches)

WOMEN'S SIZES

SIZE	: 34	36	38	40			
BUST CIRCUMFERENCE (9)	38	40	42	44			
NECK TO BUSTPOINT (29)	10 ⁵ / ₈	11 ½ 8 ½	$11\frac{5}{8}$ $8\frac{1}{2}$	12 ¹ / ₈ 8 ³ / ₄			
BUSTPOINT TO BUSTPOINT (10) Weight (1bs) (48)	<del> </del>	155 ½		179			
	64 5/8	T			<u> </u>		
Height (38)	<del></del>	<del> </del>	T	661/4			<del> </del>
Cervicale Height (13)	55 1/2	1	56 1/2			<del> </del>	<b> </b>
Neck Girth (30)	13 1/8	14	141/4	14 1/8			
Shoulder Girth (32)	41 1/2	43	$44^{1}/_{2}$	$45\frac{7}{8}$			
Chest Girth at Scye (15)	35 ½	36 ³ / ₄	38 ³ / ₈	40			
Vertical Trunk Girth (42)	623/4	$64^{3}/_{8}$	65 ⁷ / ₈	$67\frac{1}{2}$			
Vertical Trunk Girth, Sitting (41)	60 ³ / ₄	621/4	63 ½	65			
Buttock Girth, Sitting (11)	41 3/8	43	44 1/8	46 ½			
Arm Scye Girth (2)	15 ³ / ₈	16	16 1/2	17 ¹ / ₈			
Biceps Girth (Upper Arm) (8)	10 1/8	111/2	12	12 1/8			
Elbow Girth (18)	11	111/4	$11\frac{1}{2}$	11 1/8			
Wrist Girth (49)	6	6 ½	6 ¹ / ₄	6 1/4			
Biacromial Width (Shoulder) (7)	14 3/8	14 1/8	$14\frac{7}{8}$	15			
Bideltoid Width (Back) (31)	171/4	17 1/8	18 1/2	$19\frac{1}{8}$			
Chest Width (14)	11 1/8	12 ½	12 1/8	13 1/8			
Waist Width (44)	10 1/8	10 1/8	111/8	11			
Hip Width (22)	14 3/8	14 3/4	15 ½	15 1/8			
Shoulder Length (33)	5 1/8	5 ⁷ / ₈	6	6			
Strap Length (39)	27	28 1/8	29 ½	30 ¹ / ₄			
Interscye Curvature (24)	14 3/8	15	151/2	16			
Back Curvature (4)	17 3/8	18½	18 1/8	19 ½			
Waist Back Length (43)	16 ½	16 ½	16 1/4	$16\frac{3}{8}$			
Waist Front Length (46)	13 1/8	13 1/8	14 1/8	$14\frac{3}{8}$			

TABLE 3 (continued)

S	IZE: 34	36	38	40		
BUST CIRCUMFERENCE (9) NECK TO BUSTPOINT (29) BUSTPOINT TO BUSTPOINT (10)	38 10 ⁵ / ₈ 8	40 11 ½ 8 ½	42 11 ⁵ / ₈ 8 ¹ / ₂	44 12 ½ 8 ¾		
Sleeve Inseam (34)	17 1/2	17 ½	17 1/8	17 5/8		
Spine to Scye Length (36)	8 ¹ / ₄	8 1/2	8 ³/ ₄	8 ⁷ /8		
Spine to Elbow Length (35)	21 1/2	21 3/4	22 1/8	$22\frac{1}{2}$		
Spine to Wrist Length (37)	31 7/8	$32\frac{3}{8}$	32 ³ / ₄	33 ¹ / ₈		
* Waist to Hip (Side Seam)						
† Arm Scye to Waist (Side Seam) (3)	9 1/4	9 ³ / ₈	9 ³ /8	9 ¹ / ₂		 
* Arm Length						
* Front Length					<u> </u>	
* Scye Depth						
† Chest Width (28)	12	$12\frac{1}{2}$	$12\frac{7}{8}$	$13\frac{3}{8}$		
† Back Width (27)	$15^{1}/_{2}$	$15\frac{7}{8}$	$16\frac{1}{8}$	$16\frac{1}{2}$		

^{*} Not measured in either the AFW or Army surveys.

[†] Army data based on key dimensions of Bust Circumference and Neck-to-Bustpoint only.

TABLE 4

LOWER TORSO BODY MEASUREMENTS (inches)

JUNIOR SIZES

SIZE	: 3	5	7	9	11	13	15
WAIST CIRCUMFERENCE (45) TOTAL CROTCH GIRTH (17)	20 23 ¹ / ₂	21 24 ¹ / ₄	22 25	23 25 ³ / ₄	24 ¹ / ₂ 26 ¹ / ₂	26 27 ¹ /4	27 ¹ / ₂ 28
Waist Height to Feet (Outseam) (47)	37 7/8	38 ¹ / ₈	38 1/2	383/4	39	39 ³ / ₈	39 ⁵ /8
* Tibiale Height (Knee) (26)							
Crotch Height (Inseam) (16)	287/8	29	291/8	29 ³ /8	291/2	29 ³ /4	30
** Hip Girth (7" Below Waist)							
Hip Girth (9" Below Waist) (23)	30 ³ / ₈	31 1/4	321/4	331/4	$34^{1}/_{2}$	35 ³ /4	36 7/8
Upper Thigh Girth (40)	17 ³ /8	18 ½	183/4	19 ⁵ /8	201/4	21 ½	22
Knee Girth (25)	11 1/8	$11^{-7}/_{8}$	12 1/8	$12^{-1}/_{2}$	12 ³ /4	13 ¹ / ₈	$13^{1}/_{2}$
Calf Girth (12)	115/8	12	121/4	$12\frac{1}{2}$	12 1/8	131/4	13 ⁵ / ₈
* Buttock Girth (Sitting) (11)							
Waist Curvature (Back) (6)	10 1/8	10 1/8	11	$11\frac{1}{2}$	121/4	13	135/8
Hip Curvature (Back) (5)	15	15 ³ /8	15 1/8	16 ½	17½	17 ³ / ₄	183/8
Waist Curvature (Front) (21)	9 7/8	103/8	11	11 1/2	121/4	13	137/8
Hip Curvature (Front) (20)	$15\frac{3}{8}$	15 7/8	16 ³ /8	16 ³ / ₄	17 ³ /8	18	18 1/2
† Mid-Thigh Girth							
Ankle Girth (1)	7 ³ / ₈	7 1/2	7 1/2	7 ⁵ /8	7 7/8	8	8 1/8

^{*} Data were insufficient to perform regression analysis on this variable.

^{**} A single hip girth--at the point of maximum protrusion--was used in this analysis.

[†] Not measured in either the AFW or Army surveys.

TABLE 5

LOWER TORSO BODY MEASUREMENTS (inches)

MISSES SIZES

SIZE	: 6	8	10	12	14	16	18
WAIST CIRCUMFERENCE (45) TOTAL CROTCH GIRTH (17)	22 ½ 26 ¾	23 ½ 27 ½	$24\frac{1}{2}$ $27\frac{7}{8}$	26 28 ⁵ / ₈	$27\frac{1}{2}$ $29\frac{3}{8}$	29 30 ½	31 30 ⁷ / ₈
Waist Height to Feet (Outseam) (47)	39 ½	39 ³ / ₈	39 ³ / ₄	40	401/4	$40^{1}/_{2}$	40 ³ /4
* Tibiale Height (Knee) (26)							
Crotch Height (Inseam) (16)	$29\frac{3}{8}$	29 ⁵ / ₈	29 ³ / ₄	29 ⁷ / ₈	30 1/8	30 ³ / ₈	30 ½
** Hip Girth (7" Below Waist)							
Hip Girth (9" Below Waist) (23)	33 ³ / ₈	34 1/4	35 ½	36 ½	37³/ ₄	39	40 1/2
Upper Thigh Girth (40)	19 1/2	20 1/8	203/4	21 1/8	22 1/2	23 3/8	24 5/8
Knee Girth (25)	12 1/2	123/4	13	13 3/8	133/4	14 1/8	$14\frac{1}{2}$
Calf Girth (12)	121/2	12 1/8	131/8	131/2	13 1/8	14 1/4	14 5/8
* Buttock Girth (Sitting) (11)							
Waist Curvature (Back) (6)	111/4	113/4	121/4	13	133/4	$14^{3}/_{8}$	$15\frac{3}{8}$
Hip Curvature (Back) (5)	16 1/2	17	171/2	18 1/8	18³/ ₄	$19\frac{3}{8}$	201/4
Waist Curvature (Front) (21)	111/4	113/4	121/4	13	133/4	14 5/8	15 1/8
Hip Curvature (Front) (20)	16 1/8	171/4	173/4	$18^{3}/_{8}$	19	19	201/4
† Mid-Thigh Girth							
Ankle Girth (1)	7 3/4	7 3/4	7 7/8	8	8 1/4	8 ³ / ₈	8 1/2

^{*} Data were insufficient to perform regression analysis on this variable.

^{**} A single hip girth--at the point of maximum protrusion--was used in this analysis.

[†] Not measured in either the AFW or Army surveys.

TABLE 6

LOWER TORSO BODY MEASUREMENTS (inches)

WOMEN'S SIZES

SIZE	: 38	40	42	44	46	48	
WAIST CIRCUMFERENCE (45) TOTAL CROTCH GIRTH (17)	34 32 ½	$36\frac{1}{2}$ $32\frac{7}{8}$	39 33 ⁵ / ₈	41 ¹ / ₂ 34	44 34 ³ / ₈	46 ¹ / ₂ 34 ³ / ₄	
Waist Height to Feet (Outseam) (47)	411/4	411/2	41 1/8	413/4	413/4	413/4	
* Tibiale Height (Knee) (26)							
Crotch Height (Inseam) (16)	30 ½	31 1/4	31 1/2	31 1/8	31 1/8	32	
** Hip Girth (7" Below Waist)							
Hip Girth (9" Below Waist) (23)	42 1/8	44 1/8	$46^{3}/_{8}$	47 1/8	49 1/2	51	
Upper Thigh Girth (40)	26	271/4	28 1/2	29 ⁵ / ₈	30 ³ / ₄	313/4	
Knee Girth (25)	15 ½	15 3/4	16 1/4	16 1/8	17½	171/2	
Calf Girth (12)	15 3/8	15 1/8	$16\frac{3}{8}$	16 1/8	171/4	173/4	
* Buttock Girth (Sitting) (11)							
Waist Curvature (Back) (6)	16 ³ / ₄	18	191/8	203/8	21 1/2	223/4	
Hip Curvature (Back) (5)	21 ³ / ₈	22 ³ / ₈	231/4	24 1/8	25	25 ³ / ₄	
Waist Curvature (Front) (21)	17½	18 1/2	19 1/8	21 1/8	22 1/2	233/4	
Hip Curvature (Front) (20)	21 1/2	22 1/4	231/8	233/4	24 1/2	25 ½	
† Mid-Thigh Girth							
Ankle Girth (1)	8 3/4	9	9 ½	9 ½	9 1/2	9 5/8	

^{*} Data were insufficient to perform regression analysis on this variable.

^{**} A single hip girth--at the point of maximum protrusion--was used in this analysis.

[†] Not measured in either the AFW or Army surveys.